

Atlas Copco

Oil-injected compressors



GA 200 VSD, GA 250 VSD, GA 315 VSD

Parts List



Atlas Copco

Oil-injected compressors

GA 200 VSD, GA 250 VSD, GA 315 VSD

Parts List

Edition: 3

Copyright, Atlas Copco Airpower n.v., Antwerp, Belgium.
Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers and drawings.

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

Instructions	6
1 Service Kits	20
2 Oils.....	26
3 Element & Gearbox - C242.....	28
4 Element & Gearbox - C190.....	30
5 Coupling Assembly - GA200VSD 10/10.4/13.8/14 bar(e).....	32
6 Coupling Assembly - GA200VSD 8.5/8.6 bar(e) / GA250/315VSD.....	34
7 Motor Assembly	36
8 Motor Support - C242.....	42
9 Motor Support - C190.....	44
10 Motor Baffle - C242.....	46
11 Motor Baffle - C190.....	48
12 Air inlet.....	50
12.1 Air Inlet - Standard - Air Cooled C190	50
12.2 Air Inlet - Standard - Air Cooled C242.....	52
12.3 Air Inlet - Standard - Water Cooled C190.....	54
12.4 Air Inlet - Standard - Water Cooled C242.....	56
12.5 Air Inlet - Option separate air intake - Without Heavy duty filter.....	58
12.6 Air Inlet - Option separate air intake - With heavy duty filter	60
13 Air System Valve - C242.....	62
14 Air System Valve - C190.....	64
15 Air Flow - C190 Water Cooled - Small vessel.....	66
16 Air Flow - C242 Water Cooled - Small vessel.....	68
17 Air Flow - C242 Water Cooled - Large vessel.....	70
18 Air Flow - C190 Air Cooled - Small vessel.....	72
19 Air Flow - C242 Air Cooled - Small vessel.....	74
20 Air Flow - C242 Air Cooled - Large vessel.....	76
21 Air Receiver - Small Vessel 10/10.4 Bar GA315 VSD	78
22 Air Receiver - Small Vessel 10/10.4/13.8/14 Bar GA200VSD or 10/10.4 Bar GA250VSD	82
23 Air Receiver - Large Vessel CE 8.5/8.6 Bar	86
24 Air Receiver - Large Vessel AS1210/ML/MOL/ASME/CRN/MOM 8.5/8.6 Bar.....	90
25 Blow Off Valve - GA 200 VSD 8,5/8,6 bar.....	94
26 Blow Off Valve - GA 200 VSD - 13.8/14 Bar - Pack.....	96
27 Blow Off Valve - GA 200 VSD - 13,8/14 bar Full Feature / 10/10,4 bar	98
28 Blow Off Valve - GA 250/315 VSD.....	100
29 Air Outlet - Air Cooled Pack (Small WSD).....	102
30 Air Outlet - Air Cooled Pack (Large WSD).....	104
31 Air Outlet - Air Cooled Full Feature without flange (Small WSD).....	106
32 Air Outlet - Air Cooled Full Feature without flange (Large WSD).....	108
33 Air Outlet - Air Cooled Full Feature with Dryer Intermediate Flange (Small WSD).....	110

34	Air Outlet - Air Cooled Full Feature with Dryer Intermediate Flange (Large WSD).....	112
35	Air Outlet - Water Cooled Pack (Small WSD).....	114
36	Air Outlet - Water Cooled Pack (Large WSD).....	116
37	Air Outlet - Water Cooled Full Feature without flange (Small WSD).....	118
38	Air Outlet - Water Cooled Full Feature without flange (Large WSD).....	120
39	Air Outlet - Water Cooled Full Feature With Dryer Intermediate Flange (Small WSD).....	122
40	Air Outlet - Water Cooled Full Feature With Dryer Intermediate Flange(Large WSD).....	124
41	ANSI Flanged Connection - ANSI.....	126
42	Cooling system.....	128
42.1	Cooler Assembly - Air Cooled Pack - GA250/315VSD.....	128
42.2	Cooler Assembly - Air Cooled Full feature/Pack - GA200VSD.....	134
42.3	Cooler Assembly - Air Cooled Full Feature - GA250/315VSD.....	140
42.4	Cooler Assembly - Water Cooled.....	146
42.5	Fan Air Cooled - GA200VSD/GA250VSD	148
42.6	Fan Air Cooled - GA315VSD.....	150
42.7	Fan - Water Cooled 380V 50 Hz / 400V.....	152
42.8	Fan - Water Cooled 380V 60Hz or 440V/460V/500V/525V/550V/575V/690V.....	154
43	Oil system.....	156
43.1	Oil System - Standard - Air Cooled.....	156
43.2	Oil System - Standard - C190 Water Cooled.....	158
43.3	Oil System - Standard - C242 Water Cooled.....	160
43.4	Oil System Connections - C190 Air Cooled without Energy recovery.....	162
43.5	Oil System Connections - C242 Air Cooled without Energy Recovery.....	164
43.6	Oil System Connections - C190 Air Cooled with Energy recovery.....	166
43.7	Oil System Connections - C242 Air Cooled with Energy Recovery.....	168
43.8	Oil System Connections - C190 Water Cooled without Energy recovery.....	170
43.9	Oil System Connections - C242 Water Cooled without Energy Recovery.....	172
43.10	Oil System Connections - C190 Water Cooled with Energy recovery.....	174
43.11	Oil System Connections - C242 Water Cooled with Energy Recovery.....	176
43.12	Valve for Energy Recovery - C242 8.5/8.6/10/10.4Bar.....	178
43.13	Valve for Energy Recovery - C190 13.8/14Bar.....	180
44	Water system - Air Cooled with Pack/Water Cooled with Energy Recovery.....	182
45	Water system - Water Cooled Full Feature.....	184
46	Water system - Water Cooled Pack.....	186
47	Drain system - Air Cooled Pack.....	188
48	Drain system - Air Cooled Full Feature.....	190
49	Drain system - Water cooled Pack.....	192
50	Drain system - Water cooled Full Feature.....	194
51	Option - Thermostatic Valve	196
52	Control system - Air Cooled.....	198
53	Control system - Water Cooled.....	200

54	Regulation - C190.....	202
55	Regulation - C242.....	204
56	Regulation - SPM - SPM Monitoring Equipments - C242.....	206
57	Regulation - SPM - SPM Monitoring Equipments - C190.....	208
58	Regulation - SPM - Without SPM Monitoring Equipments - C242.....	210
59	Regulation - SPM - Without SPM Monitoring Equipments - C190.....	212
60	Electrical System.....	214
60.1	Cable Box - IEC.....	214
60.2	Cable Box - CSA-UL.....	216
60.3	Basis Module - IEC 380V/400V/440V/500V/525V/550V.....	218
60.4	Basis Module - CSA-UL.....	222
60.5	Basis Module - IEC 690V.....	226
60.6	Power Module - CSA-UL 460V-3PH GA200VSD	230
60.7	Power Module - CSA-UL 460V-3PH GA250VSD	232
60.8	Power Module - CSA-UL 460V-3PH GA315VSD	234
60.9	Power Module - CSA-UL 575V-3PH GA200VSD	236
60.10	Power Module - CSA-UL 575V-3PH GA250/315VSD	238
60.11	Power Module - IEC 380V/400V/440V-3PH GA200VSD.....	240
60.12	Power Module - IEC 380V/400V/440V-3PH GA250VSD.....	242
60.13	Power Module - IEC 380V/400V/440V-3PH GA315VSD.....	244
60.14	Power Module - IEC 525V/550V-3PH GA200VSD	246
60.15	Power Module - IEC 525V/550V-3PH GA200VSD	248
60.16	Power Module - IEC 500V/525V/550V-3PH GA250/315VSD.....	250
60.17	Power Module - IEC 690V-3PH GA200VSD.....	252
60.18	Power Module - IEC 690V-3PH GA250VSD.....	254
60.19	Power Module - IEC 690V-3PH GA315VSD.....	256
60.20	Power Module HSCCR - GA200VSD 460V-3PH.....	258
60.21	Power Module HSCCR - GA250VSD 460V-3PH.....	260
60.22	Power Module HSCCR - GA315VSD 460V-3PH.....	262
60.23	Power Module HSCCR - GA200VSD 575V-3PH.....	264
60.24	Power Module HSCCR - GA250/315VSD 575V-3PH.....	266
60.25	Filter Module - With IT network.....	268
60.26	Filter Module - Without IT network.....	270
60.27	Fan Drive - IEC 380V/400V Std.....	272
60.28	Fan Drive - IEC with IT Network 380V/400V.....	274
60.29	Fan Drive - IEC 500V/525V/550V/690V Std.....	276
60.30	Fan Drive - CSA-UL 460V/575V Std or 440V.....	278
60.31	Fan Drive - CSA-UL 460V/575V with IT network.....	280
60.32	Fan Module - Water Cooled 380V/400V-3PH with TT/TN network.....	282
60.33	Fan Module - Water Cooled 440V/500V/525V/550V-3PH with TT/TN network.....	284

60.34	Fan Module - Water Cooled 460V/575V-3PH without HSCCR with TT/TN network.....	286
60.35	Fan Module - Water Cooled 380V/400V-3PH with IT network.....	288
60.36	Fan Module - Water Cooled 440V/500V/525V/550V/690V-3PH +	290
60.37	Fan Module - Water Cooled 460V/575V-3PH with HSCCR & IT network.....	292
60.38	Fan Module - Air Cooled 380V/400V-3PH without IT network.....	294
60.39	Fan Module - Air Cooled IEC 500V/525V/550V/690V-3PH with TT & IT network....	296
60.40	Fan Module - Air Cooled CSA-UL 460V/575V-3PH with HSCCR, IT & TT network.....	298
60.41	Fan Module - Air Cooled CSA-UL 460V/575V-3PH without HSCCR, 440V-3PH without IT network.....	300
60.42	Dryer Module - GA200VSD IEC.....	302
60.43	Dryer Module - GA200VSD CSA-UL.....	304
60.44	Dryer Module - GA250/315VSD IEC.....	306
60.45	Dryer Module - GA250/315VSD CSA-UL.....	308
60.46	Dryer Fan - IEC Air Cooled GA200VSD without IT Network.....	310
60.47	Dryer Fan - IEC Air Cooled GA200VSD with IT Network.....	312
60.48	Dryer Fan - CSA-UL Air Cooled GA200VSD Without IT Network & without HSCCR.....	314
60.49	Dryer Fan - CSA-UL Air Cooled GA200VSD with IT Network/Without IT Network with HSCCR or GA250/315VSD with HSCCR/IT Network without HSCCR.....	316
60.50	Dryer Fan - IEC Air Cooled GA250/315VSD Without IT Network.....	318
60.51	Dryer Fan - IEC Air Cooled GA250/315VSD With IT Network.....	320
60.52	Dryer Fan - CSA-UL Air Cooled GA250/315VSD without IT Network Without HSCCR.....	322
60.53	Option - Dryer Trafo Module - IEC Aircooled GA250/315VSD 500V or GA200VSD 500V/525V/550V / Watercooled.....	324
60.54	Option - Dryer Trafo Module - IEC Aircooled GA250/315VSD 525V/550V.....	326
60.55	Option - Dryer Trafo Module - IEC 690V.....	328
60.56	Option - Dryer Trafo Module - CSA-UL 575V.....	330
60.57	Option - Energy Recovery System	332
60.58	Option - Element Oil Bypass - Full Feature / Pack with Energy Recovery.....	334
60.59	Option - Element Oil Bypass - Pack without Energy Recovery.....	336
60.60	Option - Water Shut-off Valve	338
60.61	Option - SPM Monitoring Equipments -	340
60.62	Option - Smartlink	342
60.63	Plug & Nut.....	344
60.64	Fandrive Auto Trafo Module - IEC.....	346
60.65	Fandrive Auto Trafo Module - CSA-UL.....	348
61	Bodywork - Air Cooled Pack.....	350
62	Bodywork - Air Cooled Full feature.....	354
63	Bodywork - Water Cooled	358

64	Frame Assembly - Aircooled pack / Watercooled.....	362
65	Frame Assembly - Aircooled full feature.....	364
66	Air Dryer.....	366
66.1	Air Dryer - Supports - Air Cooled.....	366
66.2	Air Dryer - Supports - Water Cooled Full Feature.....	370
66.3	Air Dryer - Heat Exchanger - Air Cooled.....	372
66.4	Air Dryer - Heat Exchanger - Water cooled.....	374
66.5	Air Dryer - Fans - Air Cooled.....	376
66.6	Air Dryer - Mechanical components - Water Cooled.....	378
66.7	Air Dryer - Mechanical components - Air Cooled GA200 VSD.....	380
66.8	Air Dryer - Mechanical components - Air Cooled GA250/315 VSD.....	382
66.9	Air Dryer - Drain System - Air Cooled.....	384
66.10	Air Dryer - Drain System - Water Cooled.....	386
66.11	Air Dryer - Regulation - Air cooled.....	388
66.12	Air Dryer - Regulation - Water cooled.....	390
66.13	Air Dryer - Transformer Set - Air cooled.....	392
66.14	Air Dryer - Transformer Set - Water cooled (12/03/2014 - 19/03/2015).....	394
66.15	Air Dryer - Transformer Set - Water cooled (20/03/2015 - ...).....	396
66.16	Air Dryer - Heater	398

EN - English

1 ORDERING PARTS

Always specify the part number, the name and quantity of the required items, as well as the type and serial number of the machine.

2 COLUMN INFORMATION

Ref - Reference number: links a specific part from the list to the drawing. Only parts with a reference number are shown in the drawing. Parts in the drawing without a reference number are simply there to illustrate the assembly.

Part number - Part number to be used when ordering spare parts.

When no part number is specified, the component is not available as a spare part.

Parts which are contained in a kit will have the kit number mentioned on the line below. For complete content of the kit see chapter "1 - Service kits".

A part number preceded by a black dot is comprised in the assembly right above.

Remarks: Additional information to the part number right above.

Substituted by: The part number right above has been replaced by another part number due to an update or revision.

Qty - Quantity: Indicates the number of parts in relation to the corresponding reference number. „AR” means „As required”: quantity or number to be determined.

Name - Part name: Translations of the English names can be found in document "Glossary of part names".

Validity - Defines the timeframe and type/version of the machines the part is valid for. Clarification of the codes used in the validity pattern can be found in the legend at the bottom of the page. A validity pattern mentioned in the chapter title applies to the whole chapter. A plus sign in the pattern is to be interpreted as 'and', a comma as 'or'. Parentheses group the validity codes, similarly to mathematical parentheses, see following example:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' is valid for machines with 8 bar working pressure and 50Hz frequency and 500V supply voltage, or 8 bar working pressure and 60Hz frequency and 575V supply voltage.

EL - Reference to the drawing or the component inside the electric cubicle.

R. - Remarks: Extra information about the part. Explanation can be found at the bottom of the page.

BG - български

1 ПОРЪЧКА НА ЧАСТИ

Винаги цитирайте номера на частта, наименованието и количеството на необходимите изделия, както и типа и серийния номер на машината.

2 ИНФОРМАЦИЯ В КОЛОНИТЕ

Ref - Референтен номер: свързва дадена част от списъка с чертежа. На чертежа са показани само части с референтен номер.

Частите на чертежа без референтен номер са там, единствено за да се покаже възелът.

Part number - Номер на частта, който да се използва при поръчката на резервни части.

Ако не е посочен номер на частта, компонентът не се предлага като резервна част.

Частите, които се съдържат в даден комплект, ще включват номер на комплекта на долния ред. За пълното съдържание на комплекта вижте глава „1 – Service kits”.

Номер на част, пред който има черна точка, се съдържа във възела непосредствено по-горе.

Remarks: Допълнителна информация за частта – непосредствено по-горе.

Substituted by: Номерът на частта непосредствено по-горе е заменен от друг номер на частта поради актуализация или ревизия.

Qty - Количество: Посочва броя на частите във връзка със съответния референтен номер. „AR” означава „Според нуждата”: количеството или броят ще бъдат определени допълнително.

Name - Име на частта: превод на английските имена можете да откриете в документа „Glossary of part names”.

Validity - Определя периода и типа/версията на машините, за които частта е валидна. Обяснение на елементите от кода, използвани в кода за валидността, можете да откриете в легендата в долната част на страницата.

Кодът за валидността, посочен в заглавието на главата, се отнася за цялата глава. Знакът плюс в кода се приема за „и”, а запетаята – за „или”. Скобите групират елементите на кодовете за валидност подобно на математическите скоби, вижте следния пример:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” е валидно за машини с работно налягане 8 bar, честота 50 Hz и захранващо напрежение 500 V или работно налягане 8 bar, честота 60 Hz и захранващо напрежение 575 V.

EL - Референция към чертежа или компонента в електрическата кутия.

R.. - Забележки: допълнителна информация относно частта. Обяснения можете да намерите в долната част на страницата.

BR - Brasileiro

1 ENCOMENDANDO PEÇAS

Sempre especifique o número da peça, o nome e a quantidade dos itens necessários, assim como o tipo e o número de série da máquina.

Páginas marcadas com o símbolo Serviço - " " contêm peças do(s) Kit(s) de serviço. Para conhecer o conteúdo completo do kit, consulte o capítulo "1 - Service kits" (1 - Kits de serviço).

2 INFORMAÇÕES SOBRE AS COLUNAS

Ref. - Número de referência: indica onde está uma peça específica listada no desenho. Somente peças com número de referência são mostradas no desenho. As peças no desenho que não têm um número de referência destinam-se simplesmente a ilustrar o conjunto.

Part number - Número da peça: se nenhum número de peça estiver especificado, o componente não está disponível como peça sobressalente. Uma linha mostrada em negrito é um conjunto. Uma peça cujo número seja seguido por um ponto preto faz parte do conjunto impresso em negrito imediatamente acima dela.

O símbolo "<<< >>>" direciona para outra lista com o mesmo título, como "Name" (Nome).

Quando o número de peça específico é colocado abaixo da linha "Ref."/"Name" (Ref. / Nome), é preciso escolher o tipo/versão da máquina.

Qty - Quantidade: indica o número de peças e os números de referência correspondentes. "AR" significa "As required" (Conforme solicitado): a quantidade ou o número a ser determinado.

Name - Nome da peça: as traduções dos nomes em inglês podem ser encontradas no documento "Glossary of part names" (Glossário de nomes de peças).

Remarks - Observações - Informações extras sobre a peça.

Uma série de letras pode indicar que uma determinada peça é certificada pelo órgão autorizado específico, de acordo com os códigos ou as regras da lista.

As medidas são fornecidas em milímetros.

CS - čeština

1 OBJEDNÁNÍ DÍLŮ

Vždy uveďte číslo dílu, název a množství požadovaných položek a také typ a sériové číslo stroje.

2 INFORMACE VE SLOUPCÍCH

Ref – Referenční číslo: Propojuje konkrétní díl ze seznamu s výkresem. Pouze díly s referenčním číslem jsou zobrazeny na výkresu. Díly bez referenčního čísla, které jsou na výkresu uvedeny, slouží pouze jako ilustrace.

Part number – Číslo dílu se používá pro objednávání náhradních dílů.

Pokud není uvedeno žádné číslo dílu, komponenta není k dispozici jako náhradní díl.

Díly obsažené v sadě mají na následujícím řádku uvedeno číslo sady. Úplný obsah sady viz kapitolu „1 – Service kits“.

Díl s číslem, před kterým je černý puntík, je obsažen v sestavě přímo nad ním.

Remarks: Další informace k číslu dílu přímo nad ním.

Substituted by: Číslo dílu přímo nad ním bylo nahrazeno jiným číslem dílu v důsledku aktualizace nebo revize.

Qty – Množství: Indikuje počet dílů pro odpovídající referenční číslo. „AR“ znamená „As required“ (Podle potřeby): množství nebo počet bude určen.

Name – Název dílu: Překlady anglických názvů naleznete v dokumentu „Glossary of part names“.

Validity – Definuje časový rámec a typ/verzi strojí, na které se daný díl vztahuje. Objasnění kódů použitých ve vzorci platnosti naleznete v legendě na konci stránky. Vzorec platnosti uvedený v názvu kapitoly se vztahuje na celou kapitolu. Znaménko plus ve vzorci se interpretuje jako „a“ a čárka jako „nebo“. Závorky seskupují kódy platnosti, obdobně jako matematické závorky, viz následující příklad:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ platí pro stroje s provozním tlakem 8 bar, frekvencí 50 Hz a napájecím napětím 500 V nebo pro stroje s provozním tlakem 8 bar, frekvencí 60 Hz a napájecím napětím 575 V.

EL – Reference na výkres nebo komponentě uvnitř elektrického rozvaděče.

R. – Poznámky: Doplnující informace o dílu. Vysvětlení naleznete na konci stránky.

DA - Dansk

1 BESTILLING AF DELE

Angiv altid styknummeret, navnet på og antallet af de ønskede varer samt typen og serienummeret for maskinen.

2 OPLYSNINGER TIL KOLONNERNE

Ref - Referencenummer: Knytter en bestemt del fra listen til tegningen. Kun dele med et referencenummer vises på tegningen. Dele på tegningen uden et referencenummer er blot medtaget for at vise samlingen.

Part number - Styknummer, der skal bruges ved bestilling af reservedele.

Hvis der ikke er angivet et styknummer, fås komponenten ikke som reservedel.

Dele, der er indeholdt i et sæt, har sætnummeret stående på linjen nedenfor. Se kapitel "1 – Service kits" for at få vist hele indholdet af sættet.

Et styknummer med en sort prik foran indgår i samlingen lige ovenfor.

Remarks: Der findes yderligere oplysninger til styknummeret lige ovenfor.

Substituted by: Styknummeret lige ovenfor er blevet erstattet af et andet styknummer i forbindelse med en opdatering eller en revidering.

Qty - Antal: Angiver antallet af dele, der hører til det tilsvarende referencenummer. "AR" står for "As required".

Antallet eller nummeret skal fastsættes.

Name - Navn på del: Oversættelser af de engelske navne kan findes i dokumentet "Glossary of part names".

Validity - Angiver tidshorisont og maskintype/-version, som delen gælder for. Forklaringer til koderne, der anvendes i modellen for gyldigheden, kan findes i teksten nederst på siden. En model for gyldigheden, der er nævnt i kapitlets titel, gælder for hele kapitlet. Et plustegn i modellen skal fortolkes som et "og", og et komma som et "eller".

Parenteser inddeler koderne, der beskriver gyldigheden, på samme måde som parenteser i matematik. Se følgende eksempel:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ gælder for maskiner med et arbejdstryk på 8 bar, en frekvens på 50 Hz og en forsyningsspænding på 500 V eller for maskiner med et arbejdstryk på 8 bar, en frekvens på 60 Hz og en forsyningsspænding på 575 V.

EL - Refererer til tegningen eller komponenten inde i elskabet.

R. - Bemærkninger: Yderligere oplysninger om delen. Forklaringer kan findes nederst på siden.

DE - Deutsch

1 TEILE BESTELLEN

Geben Sie immer genau die Teilenummer, den Namen und die Anzahl des gewünschten Artikels und den Typ und die Seriennummer der Maschine an.

2 SPALTENINFORMATION

Ref - Referenznummer: Verknüpft ein spezifisches Teil der Liste mit der Zeichnung. Es werden nur Referenznummern in der Zeichnung gezeigt. In der Zeichnung dargestellte Teile ohne Referenznummer sind einfach nur zu Illustrationszwecken der Baugruppe abgebildet.

Part number - Die Teilenummer wird bei der Bestellung von Ersatzteilen angegeben.

Ist keine Teilenummer angegeben, ist die Komponente nicht als Ersatzteil verfügbar.

Bei Teilen, die zu einem Set gehören, wird die Setnummer unten auf der Linie angegeben. Zum kompletten Inhalt des Sets siehe Kapitel „1 – Service kits“.

Eine mit einem schwarzen Punkt versehene Teilenummer ist in dem direkt darüber stehenden Set enthalten.

Remarks: Zusätzliche Informationen zur Teilenummer stehen direkt darüber.

Substituted by: Die direkt darüber stehende Teilenummer wurde aufgrund einer Aktualisierung oder Überarbeitung durch eine andere Teilenummer ersetzt.

Qty - Anzahl: Gibt die Anzahl der Teile im Verhältnis zur entsprechenden Referenznummer an. „AR“ steht für „Nach Bedarf“. Anzahl oder Nummer muss noch angegeben werden.

Name - Teilename: Übersetzungen der englischen Bezeichnungen finden Sie im Dokument „Glossary of part names“.

Validity - Gibt den Zeitrahmen und den Typ/die Version der Maschine vor, für die die Teile gültig sind. Eine Erläuterung der Codes, die für das Gültigkeitsmuster angewandt werden, finden Sie am Fuß der Seite. Ein im Kapiteltitel genanntes Gültigkeitsmuster bezieht sich auf das gesamte Kapitel. Ein Pluszeichen im Muster steht für „und“, ein Komma für „oder“. Klammern fassen die Codes in Gruppen zusammen, ähnlich wie bei mathematischen Klammern. Siehe dazu folgendes Beispiel:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ ist für Maschinen gültig mit 8 bar-Betriebsdruck, 50 Hz-Frequenz und 500 V-Versorgungsspannung oder 8 bar-Betriebsdruck, 60 Hz-Frequenz und 575 V-Versorgungsspannung.

EL - Referenz zu der Zeichnung oder dem Bauteil im Inneren des Schaltkastens.

R. - Anmerkungen: Zusatzinformationen zum Teil. Erklärungen finden Sie am Fuß der Seite.

EL - ελληνικά

1 ΠΑΡΑΓΓΕΛΙΑ ΑΝΤΑΛΛΑΚΤΙΚΩΝ

Πρέπει πάντα να προσδιορίζετε τον κωδικό εξαρτήματος, την ονομασία και την ποσότητα των απαιτούμενων ειδών, καθώς και τον τύπο και τον αριθμό σειράς του μηχανήματος.

2 ΠΛΗΡΟΦΟΡΙΕΣ ΓΙΑ ΤΙΣ ΣΤΗΛΕΣ

Ref - Κωδικός αναφοράς: συσχετίζει ένα συγκεκριμένο εξάρτημα από τη λίστα με το σχέδιο. Μόνο εξαρτήματα που έχουν κωδικό αναφοράς εμφανίζονται στο σχέδιο. Τα εξαρτήματα στο σχέδιο που δεν έχουν κωδικό αναφοράς, υπάρχουν απλώς για την εικονογράφηση του συγκροτήματος.

Part number - Κωδικός εξαρτήματος, ο οποίος χρησιμοποιείται κατά την παραγγελία ανταλλακτικών.

Όταν δεν αναφέρεται κάποιος κωδικός εξαρτήματος, το εξάρτημα δεν διατίθεται ως ανταλλακτικό.

Για τα εξαρτήματα που περιέχονται σε κιτ, ο αριθμός του κιτ θα αναφέρεται στην παρακάτω γραμμή. Για το πλήρες περιεχόμενο του κιτ, βλ. κεφάλαιο "1 – Service kits".

Όταν μπροστά από τον κωδικό εξαρτήματος υπάρχει μια μαύρη κουκίδα, το εξάρτημα περιέχεται στο συγκρότημα που βρίσκεται ακριβώς από πάνω.

Remarks (Παρατηρήσεις): Πρόσθετες πληροφορίες για τον κωδικό εξαρτήματος ακριβώς από πάνω.

Substituted by (Έχει αντικατασταθεί από): Ο πιο πάνω κωδικός εξαρτήματος έχει αντικατασταθεί από άλλο κωδικό εξαρτήματος λόγω ενημέρωσης ή αναθεώρησης.

Qty - Ποσότητα: Δείχνει τον αριθμό των εξαρτημάτων σε σχέση με τον αντίστοιχο κωδικό αναφοράς. Το "AR" σημαίνει "As required" (Αναλόγως των απαιτήσεων): η ποσότητα ή ο αριθμός θα πρέπει να προσδιοριστούν.

Name - Ονομασία εξαρτήματος: Μεταφράσεις των ονομασιών από τα αγγλικά μπορείτε να βρείτε στο έγγραφο "Glossary of part names".

Validity - Καθορίζει το χρονικό πλαίσιο και τον τύπο/την έκδοση των μηχανημάτων στα οποία μπορεί να χρησιμοποιηθεί το εξάρτημα. Στο υπόμνημα, στο κάτω μέρος της σελίδας, μπορείτε να βρείτε μια αποσαφήνιση των κωδικών που χρησιμοποιούνται στο υπόδειγμα ισχύος παραγγελίας. Εάν αναφέρεται ένα υπόδειγμα ισχύος παραγγελίας στον τίτλο του κεφαλαίου, αυτό ισχύει για ολόκληρο το κεφάλαιο. Ένα σύμβολο "συν" στο υπόδειγμα θα πρέπει να ερμηνεύεται ως "και", ένα κόμμα ως "ή". Οι παρενθέσεις ομαδοποιούν τους κωδικούς ισχύος παραγγελίας, όπως οι παρενθέσεις στους μαθηματικούς τύπους. Δείτε το ακόλουθο παράδειγμα:

Το 'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' ισχύει για μηχανήματα με πίεση λειτουργίας 8 bar, συχνότητα 50 Hz και τάση τροφοδοσίας 500 V ή με πίεση λειτουργίας 8 bar, συχνότητα 60 Hz και τάση τροφοδοσίας 575 V.

EL - Κωδ. αναφοράς για το σχέδιο ή το εξάρτημα στο εσωτερικό του ηλεκτρικού πίνακα.

R. - Παρατηρήσεις: Πρόσθετες πληροφορίες σχετικά με το εξάρτημα. Επεξήγηση παρέχεται στο κάτω μέρος της σελίδας.

ES - Español

1 PEDIDO DE PIEZAS

Especifique siempre el número de referencia, el nombre y la cantidad de los elementos que necesita, además del tipo y número de serie de la máquina.

2 INFORMACIÓN DE LAS COLUMNAS

Ref - Número de referencia: enlaza una pieza concreta de la lista con el solo. Solo se muestran piezas con número de referencia en el plano. Las piezas del plano que no tienen números de referencia solo se muestran para ilustrar el conjunto.

Part number - Designación que se debe utilizar para pedir piezas de repuesto.

Si no se especifica una designación, esto quiere decir que el componente no está disponible como pieza de repuesto. Las piezas que forman parte de un kit tendrán el número de kit en la línea inferior. Para consultar el contenido completo del kit, consulte el capítulo "1 - Service kits".

Una designación precedida por un punto negro forma parte del conjunto inmediatamente superior.

Remarks: información adicional de la designación inmediatamente superior.

Substituted by: la designación inmediatamente superior se ha sustituido por otra debido a una actualización o revisión.

Qty - Cantidad: indica el número de piezas en relación con el número de referencia correspondiente. "AR" significa "Según necesidad": cantidad o número a determinar.

Name - Nombre de la pieza: las traducciones de los nombres en inglés pueden encontrarse en el documento "Glossary of part names".

Validity - Define el periodo y tipo/versión de las máquinas en las que se puede utilizar la pieza. Puede encontrar una explicación de los códigos utilizados en el patrón de validez en la leyenda de la parte inferior de la página. Un patrón de validez mencionado en el título del capítulo es aplicable a todo el capítulo. Un signo '+' en el patrón debe interpretarse como una 'y' y una coma debe interpretarse como una 'o'. Los paréntesis agrupan los códigos de validez de manera similar a su uso en matemáticas; véase el siguiente ejemplo:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' es válido para máquinas con una presión de trabajo de 8 bar, una frecuencia de 50 Hz y un voltaje de alimentación de 500 V o de 8 bar, una frecuencia de 60 Hz y un voltaje de alimentación de 575 V.

EL - Referencia al plano o el componente del interior del armario eléctrico.

R. - Notas: información adicional sobre la pieza; se puede encontrar la explicación en la parte inferior de la página.

ET - Eesti

1 OSADE TELLIMINE

Täpsustage alati osa number, soovitud ühikute nimi ja kogus, aga ka masina tüüp ja seerianumber.

2 TEABE TULP

Ref - Viitenumber: seostab loendis nimetatud konkreetse osa joonisega. Joonisel on näidatud ainult viitenumbriga osad. Joonisel ilma viitenumbriga esitatud osadel on koostu kuvamisel illustreeriv tähendus.

Part number - Osa number, mida varuosade tellimisel kasutada.

Kui osa numbrit ei ole täpsustatud, ei ole vastav osa varuosana saadaval.

Komplekti kuuluvate osade puhul on alloleval real nimetatud komplekti number. Komplekti tervikliku kirjelduse leiate peatükist „1 - Service kits“.

Kui osa numbri ees on must punkt, sisaldub osa ülaltoodud koostus.

Remarks: osa numbri kohal kuvatav lisateave.

Substituted by: ülaltoodud osa number on uuenduse või kontrolli tulemusena asendatud teise osa numbriga.

Qty - Kogus: osutab asjaomase viitenumbriga seotud osade arvule. „AR“ tähendab „vastavalt vajadusele“: kogus või arv tuleb kindlaks määrata.

Name - Osa nimi: inglisekeelsete nimede tõlked leiate dokumendist „Glossary of part names“.

Validity - Määratleb ajavahemiku ja masina tüübi/versiooni, mille puhul osa kasutatakse. Kasutusmustris kasutatud koodide selgituse leiate iga lehekülje allosas olevast legendist. Peatüki pealkirjas nimetatud kasutusmuster kohaldub tervele peatükile. Mustris kasutatud plussmärki tuleb tõlgendada sõnana „ja“, komana või sõnana „või“. Sarnaselt ümarsulgude matemaatikas kasutamisele rühmitavad ümarsulud kehtivuskoodide rühmad; vt järgmist näidet:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' kehtib masinate puhul, mille töö rõhk on 8 bar ja sagedus 50 Hz ja toitepinge 500 V, või siis masinate puhul, mille töö rõhk on 8 bar ja sagedus 60 Hz ja toitepinge 575V.

EL - Viide joonisele või elektrikapis olevale osale.

R. - Märkused: lisateave osa kohta. Selgituse leiate lehekülje allosast.

FI - Suomalainen

1 OSIEN TILAAMINEN

Määritä aina osanumero, haluttujen tuotteiden nimi ja määrä sekä koneen tyyppi ja sarjanumero.

2 SARAKETIEDOT

Ref - Viitenumero: Yhdistää jonkin tietyn luettelossa mainitun osan piirrokseen. Piirroksessa näkyvät vain ne osat, joilla on viitenumero. Ne osat, joilla ei ole viitenumeroa, ovat piirroksessa vain kokoonpanoa kuvaamassa.

Part number - Osanumero, jota on käytettävä varaosia tilattaessa.

Jos osanumeroa ei ole määritetty, komponentti ei ole saatavana varaosana.

Sarjan mukana tulevilla osilla on sarjanumero, joka on merkitty alla olevalle viivalle. Lue tiedot sarjan täydellisestä sisällöstä luvusta 1 – Service kits.

Osanumero, jota edeltää musta piste, sisältyy edellä olevaan kokoonpanoon.

Remarks: lisätietoja edellä olevaan osanumeroon.

Substituted by: edellä oleva osanumero on korvattu toisella osanumerolla päivityksen tai korjauksen takia.

Qty - Määrä: Osoittaa viitenumeroon liittyvien osien määrän. AR (As required) tarkoittaa määritettävää määrää.

Name - Osan nimi: englanninkielisten nimien käännökset on kerrottu asiakirjassa "Glossary of part names".

Validity - Määrittää sen ajanjakson ja koneiden tyyppin tai version, joita osa koskee. Määrityskaavassa käytetyt koodit on selitetty sivun alalaidan kuvatekstissä. Luvun otsikossa mainittu määrityskaava koskee koko lukua.

Kaavassa oleva plusmerkki tarkoittaa ja-sanaa ja pilkku tai-sanaa. Sulkeet ryhmittävät määrityskoodit matemaattisten sulkeiden tavalla, esimerkiksi näin:

PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) koskee koneita, joiden työskentelypaine on 8 baaria, taajuus 50 hertsiä ja verkkojännite 500 volttia tai joiden työskentelypaine on 8 baaria, taajuus 60 hertsiä ja verkkojännite 575 volttia.

EL - Viittaus piirrokseen tai sähkökotelon sisällä olevaan komponenttiin.

R. - Huomautukset: Lisätietoja osasta. Selitys on sivun alalaidassa.

FR - Français

1 COMMANDER DES PIÈCES

Toujours spécifier le numéro de pièce, la désignation et la quantité des articles souhaités ainsi que le type et le numéro de série de la machine.

2 COLONNE INFORMATIONS

Ref - Référence : associe une pièce donnée de la liste au schéma. Seules les pièces avec une référence sont illustrées sur le schéma. Les pièces représentées sur le schéma sans référence servent uniquement à illustrer l'ensemble.

Part number - Numéros de pièce à utiliser lors de la commande de pièces de rechange.

Si aucun numéro de pièce n'est indiqué, le composant n'est pas disponible en tant que pièce de rechange.

Pour les pièces contenues dans un kit, le numéro de kit est mentionné à la ligne ci-dessous. Pour voir le contenu du kit en détail, consulter le chapitre « 1 – Service Kits ».

Un numéro de pièce précédé d'un point noir est compris dans l'ensemble ci-dessus.

Remarks : informations supplémentaires sur le numéro de pièce ci-dessus.

Substituted by : le numéro de pièce ci-dessus a été remplacé par un autre numéro de pièce suite à une mise à jour ou une révision.

Qty - Quantité : indique le nombre de pièces en fonction du numéro de pièce correspondant. « AR » signifie « As required » (autant que nécessaire) : quantité ou nombre à définir.

Name - Désignation de la pièce : les traductions des désignations anglaises sont disponibles dans le document « Glossary of part names ».

Validity - Définit le délai et le type/version de machines pour lesquels les pièces sont valides. Pour plus de détails sur les codes utilisés dans le modèle de validité, voir la légende en bas de page. Un modèle de validité mentionné dans le titre du chapitre s'applique à l'ensemble du chapitre. Le signe plus utilisé dans le modèle se comprend comme un « et », une virgule comme un « ou ». Les parenthèses regroupent les codes de validité, comme en mathématiques, voir l'exemple suivant :

« PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) » est valide pour des machines avec une pression de service de 8 bar et une fréquence de 50 Hz et une tension d'alimentation de 500 V ou une pression de service de 8 bar et une fréquence de 60 Hz et une tension d'alimentation de 575 V.

EL - Référence sur le schéma ou le composant à l'intérieur de l'armoire électrique.

R. - Remarque : informations supplémentaires sur la pièce. Pour plus de détails, voir le bas de page.

HU - Magyar

1 ALKATRÉSZRENDELÉS

Mindig adja meg a cikkszámot, a kért elemek nevét és mennyiségét, valamint a típust és a gyári számot.

2 A TÁBLÁZAT OSZLOPAI

Ref - Hivatkozási szám: a felsorolt alkatrészt a megfelelő ábrához társítja. A rajzon csak hivatkozási számmal ellátott alkatrészek láthatók. Az ábrán a hivatkozási számmal nem rendelkező alkatrészek csak az összeszerelés módját illusztrálják.

Part number - A pótalkatrészek rendelésénél használandó cikkszám.

Ha nincs megadva cikkszám, az adott alkatrész nem kapható pótalkatrészként.

Azokra az alkatrészekre, amelyek egy készlet részeként kaphatók, a készlet cikkszáma vonatkozik, amely az alsó sorban szerepel. A készlet teljes tartalmát lásd: „1 – Service Kits” című fejezet.

Ha egy cikkszámot pont előz meg, az illető alkatrész a közvetlenül felette lévő sorban szereplő egység részét képezi.

Remarks: További információk a közvetlenül felette lévő sorban szereplő cikkszámra vonatkozóan.

Substituted by: A közvetlenül felette lévő sorban szereplő cikkszámot frissítés vagy új változat következtében új cikkszám váltotta fel.

Qty - Mennyiség: az adott hivatkozási számhoz kapcsolódó alkatrészek számát jelöli. Az „AR” jelentése „As required” (igény szerint): itt megadhatja a mennyiséget vagy a számot.

Name - Az alkatrész neve: az angol nyelvű elnevezések fordítása az „Glossary of part names” c. dokumentumban található.

Validity - Azt az időkeretet, továbbá azokat a géptípusokat/-verziókat adja meg, amelyekhez az alkatrész használható. Az érvényességi formulában használt kódok magyarázata a lap alján olvasható. A fejezetcímbe szereplő érvényességi formula az egész fejezetre érvényes. A formulában szereplő plusz (+) jel jelentése: „és”, a vessző (,) jelentése: „vagy”. A zárójelek a matematikában használt zárójelekhez hasonlóan csoportosítják az érvényességi kódokat; lásd a következő példát:

A „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” 8 bar üzemi nyomású, 50 Hz frekvenciájú és 500 V tápfeszültségű, vagy 8 bar üzemi nyomású, 60 Hz frekvenciájú és 575 V tápfeszültségű berendezéseket jelöl.

EL - Hivatkozás az elektromos szekrényen belüli ábrára vagy alkatrészre.

R. - Megjegyzések: Az alkatrésszel kapcsolatos további információk. A magyarázat a lap alján található.

IT - Italiano

1 ORDINE DEI RICAMBI

Specificare sempre il numero categorico, il nome e la quantità degli articoli richiesti, oltre al tipo e al numero di serie della macchina.

2 COLONNA DELLE INFORMAZIONI

Ref - Numero di riferimento: associa un ricambio specifico dalla lista all'illustrazione. Nell'illustrazione sono mostrati solo ricambi dotati di numero di riferimento. I ricambi presenti nell'illustrazione privi di numero di riferimento sono riportati semplicemente per illustrare il montaggio.

Part number - Numero categorico da utilizzare per l'ordine di parti di ricambio.

Quando non è specificato alcun numero categorico, il componente non è disponibile come parte di ricambio.

I ricambi contenuti in un kit avranno il numero di kit riportato nella riga sottostante. Per il contenuto completo del kit vedere il capitolo “1 – Service kits”.

Un numero categorico preceduto da un punto nero fa parte del gruppo immediatamente precedente.

Remarks: le informazioni aggiuntive relative al numero categorico sono riportate in alto.

Substituted by: il numero categorico immediatamente precedente è stato sostituito da un altro numero categorico a causa di un aggiornamento o di una revisione.

Qty - Quantità: indica il numero di ricambi corrispondenti al numero di riferimento. “AR” significa “As required” (Secondo necessità): quantità o numero da definire.

Name - Nome parte: la traduzione dei termini dall'inglese è reperibile nel documento “Glossary of part names”.

Validity - Definisce i tempi e il tipo/versione di macchine per le quali il ricambio è valido. La legenda in fondo alla pagina riporta una spiegazione dei codici utilizzati nello schema di validità. Uno schema di validità menzionato nel titolo del capitolo si applica all'intero capitolo. Un segno più nello schema deve essere interpretato come “e”, una virgola come “o”. Tra le parentesi sono raggruppati i codici di validità, al pari delle parentesi matematiche, vedere il seguente esempio:

“PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” è valido per le macchine con pressione di esercizio di 8 bar e 50Hz di frequenza e una tensione di alimentazione di 500 V, o con pressione di esercizio di 8 bar, frequenza di 60Hz e tensione di alimentazione di 575 V.

EL - Riferimento all'illustrazione o al componente all'interno dell'armadio elettrico.

R. - Note: informazioni aggiuntive sulla spiegazione dei ricambi sono reperibili in fondo alla pagina.

JA - 日本の

1 部品の注文

部品番号、注文するアイテムの名称および数量、機器のタイプおよびシリアル番号を必ず指定してください。サービスマーク“ ”のついたページにはサービスキットの部品が記載されています。キットの内容物については、第1章「サービスキット」を参照してください。

2 各列の説明

Ref. - 参照番号：リストの部品が図のどこにあるかを示します。参照番号がある部品のみが図に示されています。参照番号がない部品はアセンブリを表現するため便宜上表記されています。

Part number - 部品番号：部品番号が示されていない部品は、スペア部品としては提供されていません。太字の行はアセンブリを示します。番号の後に黒い点が付いている部品は、すぐ上にある太字のアセンブリを構成しています。

“<<< >>>”は、“Name”と同じタイトルの別のリストを示します。

“**Ref.**”または“Name”行の下に、特定の部品の部品番号が記載されている場合は、機器のタイプ/バージョンに応じて部品を選択してください。

Qty - 数量：参照番号に対応する部品の数量を示します。„AR”は「必要に応じて」を意味し、必要に応じて数量または番号を指定します。

Name - 部品名：英語に対応する各言語の名称は「Glossary of part names」（部品名称対応表）に記載されています。

Remarks - 部品に関する追加情報です。

一連の文字列は特定の部品が指定認定団体によって承認されていることを示し、リストのコードまたは規定に準拠しています。

測定値はミリメートル単位で示されています。

LT - Lietuvos

1 DALIŲ UŽSAKYMAS

Visada nurodykite pageidaujamos prekės dalies numerį, pavadinimą ir kiekį. Taip pat nurodykite įrenginio tipą ir serijos numerį.

2 INFORMACIJA STULPELIUOSE

Ref - Nuorodos numeris: susieja konkrečią dalį iš sąrašo su brėžiniu. Brėžinyje rodomos tik nuorodos numerį turinčios dalys. Brėžinyje parodytos dalys be nuorodos numerio yra tiesiog įrenginio iliustracija.

Part number - Dalies numeris, naudojamas užsakant atsargines dalis.

Jei dalies numeris nenurodytas, komponentas negalimas kaip atsarginė dalis.

Rinkinyje esančios dalys turi rinkinio numerį, minimą apatinėje eilutėje. Visą rinkinio turinį gali pamatyti skyriuje „1 – Service kits“.

Jei prieš dalies numerį yra juodas taškas, jis yra viršuje pateiktame įrenginyje.

Remarks: papildoma dalies numerio informacija pateikta dešinėje pusėje viršuje.

Substituted by: dešinėje viršuje nurodytas dalies numeris buvo pakeistas kitu dalies numerio, nes vyko atnaujinimas arba revizija.

Qty - Kiekis: pateikiamas dalių, kurioms priskiriamas atitinkamas nuorodos numeris, skaičius. „AR“ reiškia „Priklausomai nuo poreikio“: kiekis arba skaičius bus nustatytas to prireikus.

Name - Dalies pavadinimas: anglų kalba pateiktų pavadinimų vertimus rasite dokumente „Glossary of part names“.

Validity - Apibūdinamas laikotarpis ir įrenginio tipas / versija, kurioms dalis tinka. Tinkamumo šablone naudojami kodai paaiškinti puslapio apačioje esančioje legendoje. Tinkamumo šablonas skyriaus pavadinimas taikomas visam skyriui. Pliuso ženklas šablone reiškia „ir“, o kablelis – „arba“. Skliaustais grupuojami tinkamumo kodai (kaip ir matematiniai veiksmai), žr. pavyzdį:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ tinka įrenginiams, kurių darbinis slėgis yra 8 barai, dažnis yra 50 Hz, o maitinimo įtampa yra 500 V, arba darbinis slėgis yra 8 barai, dažnis yra 60 Hz, o maitinimo įtampa yra 575 V.

EL - Nuoroda į brėžinį arba komponentą elektros modulio viduje.

R. - Pastabos: papildoma informacija apie dalį. Paaiškinimus galite rasti puslapio apačioje.

LV - Latvijas

1. DETAĻU PASŪTĪŠANA

Vienmēr norādiet detaļas numuru, nosaukumu un vajadzīgo daudzumu, kā arī iekārtas tipu un sērijas numuru.

2. KOLONNAS INFORMĀCIJA

Ref – Atsauces numurs: saista konkrētu sarakstā esošo detaļu ar rasējumu. Rasējumā tiek parādītas tikai detaļas ar atsaucē numuru. Detaļas rasējumā bez atsaucē numura paredzētas vienīgi tam, lai attēlotu attiecīgo mezglu.

Part number – Detaļas numurs, kas jāizmanto, pasūtot rezerves daļas.

Ja detaļas numurs nav norādīts, attiecīgais komponents nav pieejams kā rezerves daļa.

Komplektā iekļautām detaļām nākamajā rindā būs norādīts komplekta numurs. Komplekta pilnīgs saturs aprakstīts nodaļā "1 – Service kits".

Ja pirms detaļas numura ir melns punkts, tā ir iekļauta iepriekš attēlotajā mezglā.

Remarks: papildinformācija par iepriekšējo detaļas numuru.

Substituted by: iepriekšējais detaļas numurs ir aizstāts ar citu detaļas numuru atjaunināšanas vai pārskatīšanas dēļ.

Qty – Daudzums: apzīmē detaļu skaitu attiecīgajam atsaucē numuram. "AR" nozīmē "pēc nepieciešamības": jānosaka daudzums vai numurs.

Name – Detaļas nosaukums: angļu valodas nosaukumu tulkojumi ir atrodamī dokumentā "Glossary of part names".

Validity – Nosaka iekārtu derīguma periodu un tipu/versiju. Derīguma norādē iekļauto kodu skaidrojums ir norādīts eksplikācijā lappuses apakšdaļā. Nodaļas virsrakstā minētā derīguma norāde attiecas uz visu nodaļu. Pluszīme norādē jāinterpretē kā "un", bet komats kā "vai". Iekavas grupē derīguma kodus līdzīgi kā iekavas matemātikā, piemēram: "PRESS:8BAR + (FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)" ir derīgs iekārtām ar 8 bāru darba spiedienu, 50 Hz frekvenci un 500 V barošanas spriegumu vai iekārtām ar 8 bāru darba spiedienu, 60 Hz frekvenci un 575 V barošanas spriegumu.

EL – Atsaucē uz rasējumu vai elektrosadales skapja komponentu.

R. – Piezīmes: papildinformācija par detaļu. Skaidrojums atrodams lappuses apakšdaļā.

NL - Nederlands

1 BESTELLEN VAN ONDERDELEN

Vermeld altijd het onderdeelnummer, de benaming en de hoeveelheid van de gewenste onderdelen, alsmede het type en het serienummer van de machine.

2 KOLOMINFORMATIE

Ref. - Referentienummer: koppelt een specifiek onderdeel in de lijst aan de desbetreffende tekening. Alleen onderdelen met een referentienummer zijn in de tekening afgebeeld. Onderdelen zonder referentienummer die op de tekening voorkomen, worden slechts getoond om het geheel te illustreren.

Part number - Onderdeelnummer dat wordt gebruikt voor het bestellen van reserveonderdelen.

Indien geen onderdeelnummer is aangegeven, is de betreffende component niet als reserveonderdeel verkrijgbaar.

Van onderdelen uit een kit wordt het kitnummer op de regel eronder vermeld. Voor de volledige inhoud van de kit, zie paragraaf "1 - Service kits".

Een onderdeel waarvan het nummer gevolgd wordt door een zwart rondje, maakt deel uit van het vet afgedrukte samenstel direct erboven.

Remarks: aanvullende informatie voor het onderdeelnummer direct erboven.

Substituted by: het nummer direct erboven is vervangen door een ander onderdeelnummer als gevolg van een update of herziening.

Qty - Hoeveelheid: geeft het aantal onderdelen aan met betrekking tot met het overeenkomstige referentienummer. "AR" betekent "As required": de hoeveelheid of het aantal moet nader worden bepaald.

Name - Naam van het onderdeel: vertalingen van de Engelse benamingen zijn te vinden in het document "Glossary of part names".

Validity - Bepaalt het tijdsframe en type/versie van de machines waarvoor het onderdeel geldig is. Verklaring van de codes die in het geldigheidspatroon zijn gebruikt, vindt u in de legenda onder aan de pagina. Een geldigheidspatroon vermeld in de titel van het hoofdstuk is van toepassing op het hele hoofdstuk. Een plusteken in het patroon staat voor 'en' en een komma voor 'of'. Haakjes groeperen de geldigheidscodes, vergelijkbaar met die in de wiskunde, zie het volgende voorbeeld:

"PRESS:8 BAR + (FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)" is geldig voor machines met een werkdruk van 8 bar, 50Hz-frequentie en 500V-voedingsspanning of een werkdruk van 8 bar, 60Hz-frequentie en 575V-voedingsspanning.

EL - Referentie van de tekening of het onderdeel in de elektrische aansluitkast.

R. - Opmerkingen: extra informatie over het onderdeel. Uitleg vindt u onder aan de pagina.

NO - Norsk

1 BESTILLE DELER

Spesifiser alltid delenummeret, navnet og antallet til den nødvendige artikkelen, samt typen og serienummeret til maskinen.

2 KOLONNEINFORMASJON

Ref – Referansenummer: knytter en spesifikk del fra listen til tegningen. Kun delene med et referansenummer vises i tegningen. Delene i tegningen som vises uten et referansenummer, er kun tatt med for å illustrere monteringen.

Part number – Delenummer skal brukes ved bestilling av reservedeler.

Når det er ikke spesifisert et delenummer, er ikke komponenten tilgjengelig som en reservedel.

Deler som inngår i et sett, har settnummeret nevnt på linjen nedenfor. Du finner fullstendig oversikt over innholdet i settet i kapittel 1 – Service kits.

Et delenummer med en svart prikk foran er en del av settet rett ovenfor.

Remarks: ytterligere informasjon om delenummeret rett ovenfor.

Substituted by: Delenummeret rett ovenfor har blitt erstattet av et annet delenummeret på grunn av en oppdatering eller revisjon.

Qty – Antall: angir antall deler av det tilhørende referansenummeret. AR betyr Etter behov: Antallet er ikke bestemt.

Name – Delenavn: Du finner oversettelser av de engelske navnene i dokumentet «Glossary of part names».

Validity – Definerer tidsrommet og maskintypen/-versjonen som delen er gyldig for. Du finner en oversikt over kodene som brukes i gyldighetsmønsteret, i forklaringen nederst på siden. Et gyldighetsmønster som nevnes i kapittel tittelen, gjelder for hele kapittelet. Et pluss-tegn i mønsteret skal tolkes som "og", mens et komma skal tolkes som "eller". Parenteser deler inn gyldighetskodene, omtrent på samme måte som matematiske parenteser. Se følgende eksempel:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" er gyldig for maskiner med arbeidstrykk på 8 bar, frekvens på 50 Hz og forsyningsspenning på 500 V; eller arbeidstrykk på 8 bar, frekvens på 60 Hz og forsyningsspenning på 575V.

EL – Referanse til tegningen eller komponentene inne i koplingsskapet.

R. – Kommentarer: Ekstra informasjon om delen. Du finner en forklaring nederst på siden.

PL - Polski

1 ZAMAWIANIE CZĘŚCI

Podczas zamawiania produktów należy zawsze podawać następujące informacje: numer części, nazwę i liczbę produktów, a także typ i numer seryjny urządzenia.

2 OBJAŚNIENIE NAZW KOLUMN

Ref. — numer referencyjny: informuje, na którym rysunku można znaleźć konkretną część z listy. Na rysunku zamieszczone są wyłącznie części opatrzone numerem referencyjnym. Części bez przypisanego numeru referencyjnego zostały zamieszczone na rysunku wyłącznie w celu prawidłowego zilustrowania montażu.

Part number — numer części stosowany podczas zamawiania części zamiennych.

W przypadku braku numeru części danej pozycji nie można zamówić jako części zamiennych.

Jeśli dana część jest elementem zestawu, w kolejnym wierszu znajduje się numer zestawu. Informacje na temat pełnej zawartości zestawu można znaleźć w rozdziale „1 – Service kits”.

Jeśli numer części poprzedza czarna kropka, dana część jest elementem zestawu opisanego powyżej.

Remarks: dodatkowe informacje na temat numeru części zamieszczonego powyżej.

Substituted by: numer części zamieszczony powyżej został zastąpiony innym numerem części na skutek modernizacji lub aktualizacji.

Qty — ilość: oznacza liczbę części w odniesieniu do danego numeru referencyjnego. Symbol „AR” oznacza „zależnie od wymagań”: liczba lub numer do ustalenia.

Name — nazwa części: tłumaczenia nazw angielskich znajdują się w dokumencie „Glossary of part names”.

Validity — wskazuje ramy czasowe oraz typ/wersję urządzenia, do którego przeznaczona jest część. Kody wykorzystywane we wzorze przydatności zostały objaśnione w legendzie u dołu strony. Wzór przydatności wspomniany w tytule rozdziału dotyczy całego rozdziału. Znak dodawania we wzorze należy interpretować jako słowo „i”, natomiast przecinek — jako słowo „lub”. Nawiasy pełnią tu funkcję podobną do nawiasów w matematyce — grupują kody przydatności — jak w poniższym przykładzie:

kod „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” dotyczy maszyn o ciśnieniu roboczym 8 bar, częstotliwości 50 Hz i napięciu zasilania 500 V lub o ciśnieniu roboczym 8 bar, częstotliwości 60 Hz i napięciu zasilania 575 V.

EL — odnośnik do rysunku lub podzespołu wewnątrz szafki rozdzielczej.

R. — uwagi: dodatkowe informacje na temat części. Wyjaśnienie znajduje się u dołu strony.

PT - Português

1 ENCOMENDA DE PEÇAS

Especifique sempre a referência da peça, o nome e a quantidade de itens pretendidos, bem como o tipo e o número de série da máquina.

2 INFORMAÇÕES DAS COLUNAS

Ref - Número de referência: associa uma peça específica da lista ao desenho. Neste último, são apresentadas apenas as peças com um número de referência. As peças apresentadas no desenho sem um número de referência destinam-se simplesmente a ilustrar o processo de montagem.

Part number - Referência da peça a utilizar no caso de encomenda de peças sobresselentes.

Se não for especificada uma referência da peça, significa que o componente não se encontra disponível como uma peça sobresselente.

As peças incluídas num kit terão o número do kit mencionado na linha abaixo. Para obter informações sobre o conteúdo completo do kit, consulte o capítulo "1 – Service kits".

Uma referência da peça precedida de um ponto preto está incluída no processo de montagem imediatamente acima mencionado.

Remarks: encontra informações adicionais sobre a referência da peça imediatamente acima.

Substituted by: a referência da peça imediatamente acima foi substituída por outra referência devido a uma actualização ou revisão.

Qty - Quantidade: indica o número de peças em relação ao número de referência correspondente. "AR" (As required) significa "Como exigido": quantidade ou número a determinar.

Name - Nome da peça: encontra as traduções dos nomes em inglês no documento "Glossary of part names".

Validity - Define o período de tempo e o tipo/versão de máquinas para que a peça é válida. Encontra a explicação sobre os códigos utilizados no padrão de validade na legenda situada no final da página. Um padrão de validade mencionado no título do capítulo aplica-se a todo o capítulo. Um sinal de adição no padrão deve ser interpretado como "e", ao passo que uma vírgula deve ser interpretada como "ou". Os parênteses agrupam os códigos de validade, da mesma forma que os parênteses utilizados em operações matemáticas; veja o seguinte exemplo:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" é válido para máquinas com uma pressão de trabalho de 8 bar, uma frequência de 50 Hz e uma tensão de alimentação de 500 V ou uma pressão de trabalho de 8 bar, uma frequência de 60 Hz e uma tensão de alimentação de 575 V.

EL - Referência ao desenho ou ao componente dentro do compartimento eléctrico.

R. - Observações: informações adicionais sobre a peça. Encontra a explicação no final da página.

RO - român

1 COMANDAREA PIESELOR

Indicați întotdeauna numărul de catalog, numele și cantitatea articolelor solicitate, precum și tipul și numărul de serie al mașinii.

2 INFORMAȚIILE DIN COLOANE

Ref. - Numărul de referință: face legătura între o piesă din listă și una din schemă. Numai piesele care au un număr de referință apar în schemă. Piesele din schemă care nu au un număr de referință sunt incluse doar pentru a clarifica modul de asamblare.

Part number - Numărul de catalog este utilizat pentru comandarea pieselor de schimb.

Atunci când nu este specificat un număr de catalog, componenta nu este disponibilă ca piesă de schimb.

Pentru piesele incluse în kituri, numărul kitului este menționat pe rândul următor. Pentru conținutul complet al kitului, consultați capitolul „1 – Service kits”.

Un număr de catalog precedat de un punct negru este inclus în ansamblul aflat chiar deasupra acestuia.

Remarks: Informații suplimentare privind numărul de catalog de mai sus.

Substituted by: Numărul de catalog de mai sus a fost înlocuit de un alt număr de catalog din cauza unei actualizări sau a unei revizuirii.

Qty - Cantitate: indică numărul de piese care au numărul de referință corespunzător. „AR” este abrevierea pentru „As required”: cantitatea și numărul vor fi determinate conform necesităților.

Name - Numele piesei: traducerea numelor din engleză se află în documentul „Glossary of part names”.

Validity - Definește perioada de valabilitate și tipul/versiunea utilajelor cu care piesa este compatibilă. Clarificarea codurilor utilizate în modelul de valabilitate poate fi găsită în legenda din partea de jos a paginii. Un model de valabilitate menționat în titlul unui capitol se aplică întregului capitol. Un semn plus care apare într-un model va fi interpretat drept „și”, virgulă ori „sau”. Codurile de valabilitate sunt grupate cu ajutorul unor paranteze având o funcție similară parantezelor matematice, a se vedea exemplul de mai jos:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” indică valabilitatea pentru utilajele cu presiune de lucru de 8 bari, frecvență de 50 Hz și tensiune de alimentare de 500 V sau presiune de lucru de 8 bari, frecvență de 60 Hz și tensiune de alimentare de 575 V.

EL - Referire la schemă sau la componenta din cofretul electric.

R. - Observații: informații suplimentare privind piesa. Explicațiile pot fi găsite în partea de jos a paginii.

RU - русский

1 ЗАКАЗ ДЕТАЛЕЙ

Всегда указывайте номер по каталогу, наименование и количество требуемых позиций, а также тип и серийный номер машины.

2 ИНФОРМАЦИЯ

Ref - Ссылочный номер: соотносит деталь из списка со схемой. На схеме показаны только детали со ссылочным номером. Детали без ссылочного номера приведены на схемах только для демонстрации всего узла в сборе.

Part number - Номер детали, указываемый при заказе запасных частей.

Если номер детали не указан, то компонент недоступен в качестве отдельной запасной части.

Для деталей, входящих в состав комплекта, будут приведены номера этих комплектов, упомянутых строчкой ниже. Чтобы узнать полный состав комплекта см. раздел "1 – Service kits".

Деталь, перед номером которой стоит черная точка, входит в состав изображенного выше узла.

Remarks: дополнительная информация о номере приведенной выше детали.

Substituted by: номер изображенной выше детали был заменен другим номером по причине обновления или переработки.

Qty - Количество: указывает количество деталей относительно соответствующего ссылочного номера. „AR“ значит „As required“: количество или номер будут определены.

Name - Наименование детали: перевод англоязычных наименований можно найти в документе "Glossary of part names" (Словарь наименований деталей).

Validity - Определяет временные рамки и тип/версию машины, в которой используется деталь. Пояснение кодов, используемых в данной графе, можно найти в списке обозначений внизу страницы. Информация о совместимости, упомянутая в данной главе, актуальна для всей главы. Знак плюса в примечании о совместимости следует принимать за 'и', запятые — за 'или'. Скобки группируют коды совместимости по принципу, схожему с математическим. См. пример:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' применима в машинах с рабочим давлением 8 бар, частотой 50 Гц и напряжением источника питания 500 В или рабочим давлением 8 бар, частотой 60 Гц и напряжением источника питания 575 В.

EL - Ссылка на схему или компонент электрического шкафа.

R. - Примечания: дополнительная информация о детали. Пояснения приведены внизу страницы.

SK - slovenský

1 OBJEDNÁVANIE DIELOV

Vždy uveďte číslo dielu, názov a množstvo požadovaných položiek, ako aj typ a výrobné číslo zariadenia.

2 INFORMÁCIE V STĽPCOCH

Ref – Referenčné číslo: spája konkrétny diel v zozname s náčrtom. Na nákrese sú zobrazené len diely s referenčným číslom. Diely v nákrese bez referenčného čísla slúžia len na znázornenie zostavy.

Part number – Číslo dielu, ktoré treba použiť pri objednávaní náhradných dielov.

Ak nie je uvedené žiadne číslo dielu, daný komponent nie je k dispozícii ako náhradný diel.

Diely, ktoré sú súčasťou súpravy, majú v riadku nižšie uvedené číslo súpravy. Zoznam všetkých dielov v súprave nájdete v kapitole „1 – Service kits“.

Číslo dielu, pred ktorým sa nachádza čierna bodka, je súčasťou zostavy uvedenej nad ním.

Remarks: Ďalšie informácie o čísle dielu vyššie.

Substituted by: Číslo dielu uvedené vyššie bolo nahradené iným dielom kvôli inovácii alebo revízii.

Qty – Množstvo: Indikuje počet dielov v súvislosti s príslušným referenčným číslom. „AR“ znamená „As required“: množstvo alebo počet sa musí určiť.

Name – Názov dielu: Preklady anglických názvov nájdete v dokumente „Glossary of part names“ (Slovník názvov dielov).

Validity – Definuje časový rámec a typ/verziu zariadení, pre ktoré možno daný diel použiť. Informácie o význame kódov použitých v reťazci označujúcom platnosť nájdete v legende v spodnej časti strany. Reťazec označujúci platnosť uvedený v názve kapitoly sa vzťahuje na celú kapitolu. Znamienko plus v tomto reťazci znamená „a“ a čiarka znamená „alebo“. Zátvorky slúžia na zoskupenie kódov označujúcich platnosť podobne ako v matematických vzorcoch. Pozrite si nasledujúci príklad:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ – platí pre zariadenia s pracovným tlakom 8 barov, frekvenciou 50 Hz a napájacím napätím 500 V alebo pracovným tlakom 8 barov, frekvenciou 60 Hz a napájacím napätím 575 V.

EL – Odkaz na náčrt komponentu v elektrickej skrini.

R. – Poznámky: Ďalšie informácie o danom diele. Vysvetlenie nájdete v spodnej časti stránky.

SL - slovenščina

1 NAROČANJE DELOV

Vedno navedite številko dela, ime in količino zahtevanih predmetov ter tip in serijsko številko stroja.

2 INFORMACIJE O STOLPCU

Ref - Referenčna številka: povezuje določen navedeni del z risbo. Na risbi so prikazani samo deli z referenčno številko. Deli na risbi, ki nimajo referenčne številke, so namenjeni samo prikazu sklopa.

Part number - Številko dela uporabite pri naročanju nadomestnih delov.

- Če številka dela ni navedena, komponenta ni na voljo kot nadomestni del.

Za dele, ki so del kompleta, bo v spodnji vrstici navedena tudi številka kompleta. Celotno vsebino kompleta si oglejte v poglavju "1 – Service kits".

Številka dela, pred katero je črna pika, spada v sklop tik zgoraj.

Remarks: dodatne informacije o številki dela tik zgoraj.

Substituted by: številka dela tik zgoraj je zamenjana z drugo številko dela, zaradi posodobitve ali revizije.

Qty Količina: določa število delov v povezavi z ustrezno referenčno številko. Kratica "AR" pomeni "As required" (kot je zahtevano); količina ali število za določitev.

Name - Ime dela: prevodi angleških imen se nahajajo v dokumentu "Glossary of part names".

Validity - Določa časovni razpon in tip/različico stroja, ki veljata za del. Razlago kod, ki se uporabljajo v vzorcu veljavnosti, najdete v legendi na dnu strani. Vzorec veljavnosti, ki je naveden v naslovu poglavja, velja za celotno poglavje. Znak plus v vzorcu lahko pomeni besedo "in", vejico ali besedo "ali". Oklepaji združujejo kode veljavnosti, podobno kot oklepaji pri matematiki; glejte spodnji primer:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" velja za stroje z delovnim tlakom 8 barov in frekvenco 50 Hz ter napajalno napetostjo 500 V, ali z delovnim tlakom 8 barov, frekvenco 60 Hz in napajalno napetostjo 575 V.

EL - Referenca za risbo ali komponenta znotraj električne omarice.

R. - Opombe: dodatne informacije o delu. Razlago lahko najdete na dnu strani.

SV - Svenska

1 BESTÄLLA DELAR

Ange alltid reservdelsnummer, namn och antal delar som önskas, samt typbeteckning och tillverkningsnummer på maskinen.

2 SPALTINFORMATION

Ref. - Referensnummer: kopplar ihop en viss reservdel i förteckningen med ritningen. Endast reservdelar med referensnummer visas i ritningen. Reservdelar som saknar referensnummer i ritningen finns med för att illustrera själva monteringen.

Part number - Reservdelsnummer som används vid beställning av reservdelar.

Om reservdelsnummer saknas finns komponenten inte som reservdel.

Delar som tillhör en sats har satsnumret angivet på raden nedanför. Se kapitel "1 – Service kits" för satsens kompletta innehåll.

Ett reservdelsnummer som föregås av en svart punkt finns med i enheten direkt ovanför.

Remarks: Ytterligare information om reservdelsnumret direkt ovanför.

Substituted by: Reservdelsnumret direkt ovanför har ersatts med ett annat reservdelsnummer på grund av en uppdatering eller revision.

Qty - Antal: Anger hur många delar som är kopplade till motsvarande referensnummer. "AR" betyder "As required" (som erfordras): Antal eller nummer bestäms senare.

Name - Reservdelsbeteckningar: Översättningar av de engelska beteckningarna återfinns i dokumentet "Glossary of part names" (Ordlista med reservdelsbeteckningar).

Validity - Definierar tidsramen och typ/version av maskin som reservdelen passar för. En förklaring av koderna som används i giltighetsmönstret finns i symbolförklaringen längst ner på sidan. Ett giltighetsmönster som nämns i ett kapitel gäller för hela kapitlet. Ett plustecken i mönstret ska tolkas som "och" och ett komma som "eller". Parenteser grupperar giltighetskoderna i likhet med parenteser inom matematiken. Se följande exempel:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" gäller maskiner med 8 bar arbetstryck, 50 Hz frekvens och 500 V matningsspänning, eller 8 bar arbetstryck, 60 Hz frekvens och 575 V matningsspänning.

EL - Referens till ritningen eller komponenten inuti elskåpet.

R. - Anmärkningar: Extra information om reservdelen. En förklaring finns längst ner på sidan.

TR - Türk

1 PARÇA SİPARİŞİ

Her zaman gereken parçaların parça numarası, adı ve miktarının yanı sıra makinenin tipini ve seri numarasını da belirtin.

2 SÜTUN BİLGİLERİ

Ref - Referans numarası: Listenin belirli bir bölümünü çizime bağlar. Yalnızca referans numarası olan parçalar çizimde gösterilir. Çizimde referans numarası olmayan parçalar yalnızca mekanizmanın tamamını göstermek için konulmuştur.

Part number - Yedek parça siparişi verirken kullanılacak parça numarası.

Parça numarası belirtilmediğinde, bu bileşen bir yedek parça olarak bulunmaz.

Bir kite dahil olan parçalar, alttaki satırda bulunan kit numarasına sahiptir. Kitin tüm içeriğini görmek için bkz. bölüm "1 – Service kits".

Önünde siyah nokta olan parça numaraları, hemen yukarıdaki mekanizmada bulunur.

Remarks: Hemen yukarıdaki parça numarası ile ilgili ek bilgiler.

Substituted by: Bir güncelleme veya revizyon nedeniyle hemen yukarıdaki parça numarası yerine başka bir parça numarası gelmiştir.

Qty - Miktar: İlgili referans numarasıyla ilgili parça sayısını gösterir. "AR" kısaltması "As required" (miktarı veya sayısı belirlenecek) anlamına gelir.

Name - Parça adı: İngilizce adların tercümeleri "Glossary of part names"(Parça adları sözlüğü) adlı belgede bulunabilir.

Validity - Parçanın geçerli olduğu zaman aralığını ve makine tiplerini/modellerini belirler. Geçerlilik düzeninde kullanılan kodların açıklamaları sayfanın alt kısmında bulunabilir. Bölüm başlığında bahsedilen bir geçerlilik düzeni, tüm bölüm için geçerlidir. Düzende bir artı işareti olması "ve", virgül işareti olması "veya" olarak anlaşılabilir. Geçerlilik kodları, matematikte kullanılan parantezlere benzer şekilde, parantezler ile gruplara ayrılır. Aşağıdaki örneğe bakabilirsiniz:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" düzeni 8 bar çalışma basıncı olan, 50 Hz frekanslı, 500 V besleme gerilimli makineler veya 8 bar çalışma basıncı, 60 Hz frekanslı ve 575 V besleme gerilimli makineler için geçerlidir.

EL - Elektrik panosu içindeki çizim veya parçaya referans anlamına gelir.

R. - Notlar: Parça hakkında ek bilgiler. Açıklamalar sayfanın alt kısmında bulunabilir.

ZH - 中国的

1 ##零件

#必###明所需物件的零件号、名称和数量，以及机器的#型和 序列号。

2 #信息

Ref - 参考#号：将列表中的具体零件与##相##。##中##示具有参考#号的零件。##中不#参考#号的零件只用于#明#成##。

Part number - #####需要使用零件号。

如果不###明零件号#，将无法以#件形式提供部件。

套件中包含的零件将具有下行所提的套件#号。有#套件的完整信息，#参#第 1 章 – Service kits 保#套件。

上方的#成中包含了零件号，零件号前加有#点符号。

Remarks (#注)：上方零件号的##信息。

Substituted by (取代)：上方的零件号因更新或版本原因更##其他零件号。

Qty - 数量：表示与##参考#号相#的零件数量。"AR" 表示“根据需要”：数量或数目待#定。

Name - 零件名称：“Glossary of names”(零件名称##)文#中提供了英文名称的##翻#。

Validity - 定##零件#用的##期限以及机器的#型/版本。本#底部的#例#有#性表#式#中使用的代##行了#明。章##中提及的有#性表#式#用于全部章#。表#式#中的加号表示“和”，逗号表示“或”。#括号用于#合有#代#，#似于数学括号，参#以下示例：
'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' #用于以下机器：工作#力 8 bar，#率 50 Hz，
#源## 500 V；或工作#力 8 bar，#率 60 Hz，#源## 575 V。

EL -参考##或##内部#件。

R. - #注：有#零件的#充信息。本#底部提供相##明。

3001 5311 06 - OIL SEPARATOR KIT (A-D VESSEL)

Qty	Name
• 1	SEPARATOR OIL
• 2	O-RING
• 1	O-RING 99.5 X 3
• 1	GASKET
• 1	RING SEAL

3001 5311 07 - OIL SEPARATOR KIT (B VESSEL)

Qty	Name
• 1	SEPARATOR OIL
• 2	O-RING
• 1	O-RING 99.5 X 3
• 1	GASKET
• 1	RING SEAL

3001 5311 08 - OIL SEPARATOR KIT (C VESSEL)

Qty	Name
• 1	SEPARATOR OIL
• 2	O-RING
• 1	O-RING 99.5 X 3
• 1	GASKET
• 1	RING SEAL

3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)

Qty	Name
• 1	SEPARATOR
• 2	O-RING
• 1	O-RING
• 1	O-RING
• 1	GASKET
• 1	RING SEAL
• 2	WASHER
• 3	O-RING

3001 5311 51 - THERMOSTAT VALVE 65 DEG C

Qty	Name
• 1	THERMOSTAT
• 1	CIRCLIP
• 1	O-RING

2906 0692 00 - GA315VSD DRIVE SHAFT SEAL KIT

Qty	Name
• 1	O-RING
• 1	O-RING
• 1	BUSHING
• 1	SEAL

2906 1015 00 - SHAFT SEAL KIT NEW GA VSD

Qty	Name
• 1	BUSHING
• 1	SEAL LIP
• 1	O-RING

continues on next page ...

... continued from previous page

2906 1015 00 - SHAFT SEAL KIT NEW GA VSD

Qty	Name
• 1	O-RING

3001 5311 12 - KIT FILTER OIL

Qty	Name
• 2	OIL FILTER ELEMENT
• 2	SEAL WASHER 13.74 X 20.57 X 2
• 1	SEAL WASHER
• 1	SEAL GASKET

3001 5311 11 - AIR + OIL FILTER KIT

Qty	Name
• 1	AIR FILTER
• 1	KIT FILTER OIL

3001 5311 19 - KIT EWD IEC

Qty	Name
• 1	O-RING
• 2	SEAL WASHER 13.74 X 20.57 X 2
• 1	VALVE SOLENOID
• 1	WARNING MARK

3001 5311 20 - KIT EWD CSA-UL

Qty	Name
• 1	O-RING
• 2	SEAL WASHER 13.74 X 20.57 X 2
• 1	VALVE SOLENOID
• 1	WARNING MARK

3001 5311 15 - KIT CV-OSV Q-05

Qty	Name
• 1	O-RING
• 1	O-RING
• 3	O-RING
• 1	O-RING
• 1	SPRING
• 1	SPRING
• 1	CHECK VALVE
• 1	CIRCLIP
• 1	SEAL WASHER 13.74 X 20.57 X 2
• 1	VALVE OIL STOP
• 1	GASKET
• 1	O-RING

2906 0961 00 - GA90/160 C190 CV+OSV KIT

Qty	Name
• 1	VALVE CHECK
• 1	COMPR.SPRING
• 1	SPRING
• 2	O-RING
• 1	O-RING
• 1	O-RING

continues on next page ...

... continued from previous page

2906 0961 00 - GA90/160 C190 CV+OSV KIT

	Qty	Name
•	1	O-RING
•	1	SEAL WASHER 13.74 X 20.57 X 2
•	1	SEAL WASHER
•	1	O-RING 28X2
•	1	VALVE OIL STOP
•	1	INT.CIRCLIP
•	1	GASKET

3001 5311 13 - KIT MPV (A-B-C-D VESSEL)

	Qty	Name
•	1	RING
•	1	SEAL
•	1	SEAL
•	1	SEAL
•	2	O-RING 99.5 X 3
•	3	O-RING
•	1	O-RING
•	1	O-RING 264X3
•	1	O-RING
•	1	RUBBER SEAL
•	1	RING SEAL
•	2	SCREW
•	2	SEAL GASKET
•	1	SEALING WASHER
•	1	RING SEAL
•	2	WASHER

3001 5311 14 - KIT MPV (H VESSEL)

	Qty	Name
•	1	SEAL
•	1	SEAL
•	1	SEAL
•	1	WASHER PLAIN
•	3	O-RING
•	2	SCREW
•	2	WASHER
•	1	RING SEAL
•	1	O-RING
•	1	O-RING
•	1	GASKET

3001 5311 21 - KIT COOLER

	Qty	Name
•	4	O-RING
•	2	SEAL WASHER 13.74 X 20.57 X 2
•	4	O-RING
•	1	RING INTERNAL
•	1	SEAL GASKET
•	1	PROFILE
•	1	O-RING
•	1	GASKET

continues on next page ...

... continued from previous page

3001 5311 21 - KIT COOLER

Qty	Name
• 2	SEAL WASHER 13.74 X 20.57 X 2
• 2	SEALING WASHER
• 4	O-RING
• 1	LEAKAGE RING
• 1	SEAL GASKET
• 1	STRIP
• 2	O-RING

3001 5311 87 - KIT ELEMENT OVERHAUL

Qty	Name
• 1	O-RING
• 1	KEY PARALLEL
• 3	HEX SOCK. SCREW
• 1	SEAL GASKET
• 1	O-RING
• 2	O-RING
• 1	O-RING
• 1	O-RING
• 1	O-RING
• 2	GASKET
• 1	O-RING
• 1	SHAFT SEAL KIT NEW GA VSD

3001 5311 88 - KIT ELEMENT OVERHAUL

Qty	Name
• 1	O-RING
• 1	O-RING
• 1	KEY
• 3	CAP SCREW
• 1	O-RING 264X3
• 1	O-RING
• 1	O-RING
• 3	O-RING
• 1	SEAL WASHER 13.74 X 20.57 X 2
• 2	GASKET
• 1	O-RING
• 1	GA315VSD DRIVE SHAFT SEAL KIT

3001 5312 30 - KIT MAINTENANCE 8000 H

Qty	Name
• 1	AIR + OIL FILTER KIT
• 1	KIT EWD CSA-UL

3001 5311 89 - KIT MAINTENANCE 8000 H

Qty	Name
• 1	AIR + OIL FILTER KIT
• 1	KIT EWD IEC

3001 5312 31 - KIT MAINTENANCE 16000 H

Qty	Name
• 1	KIT MAINTENANCE 8000 H

continues on next page ...

... continued from previous page

3001 5312 31 - KIT MAINTENANCE 16000 H

	Qty	Name
•	1	KIT VALVE CHECK
•	1	KIT MPV (A-B-C-D VESSEL)

3001 5312 32 - KIT MAINTENANCE 16000 H

	Qty	Name
•	1	KIT MAINTENANCE 8000 H
•	1	KIT VALVE CHECK
•	1	KIT MPV (A-B-C-D VESSEL)

3001 5312 33 - KIT MAINTENANCE 16000 H

	Qty	Name
•	1	KIT MAINTENANCE 8000 H
•	1	KIT CV-OSV Q-05
•	1	KIT MPV (A-B-C-D VESSEL)

3001 5312 34 - KIT MAINTENANCE 16000 H

	Qty	Name
•	1	KIT MAINTENANCE 8000 H
•	1	KIT CV-OSV Q-05
•	1	KIT MPV (A-B-C-D VESSEL)

3001 5312 35 - KIT MAINTENANCE 16000 H

	Qty	Name
•	1	KIT MAINTENANCE 8000 H
•	1	KIT CV-OSV Q-05
•	1	KIT MPV (H VESSEL)


3001 5312 36 - KIT MAINTENANCE 16000 H

	Qty	Name
•	1	KIT MAINTENANCE 8000 H
•	1	KIT CV-OSV Q-05
•	1	KIT MPV (H VESSEL)

Ref	Part Number	Qty	Name	Validity
	2901 1700 00	AR	ROTO-XTEND DUTY FLUID 5 LITRES	
	2901 1701 00	AR	ROTO-XTEND DUTY FLUID 20 LITRES	
	2901 1702 00	AR	ROTO-XTEND DUTY FLUID 209 LITRES	

3 - Element & Gearbox - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2



2256 0801 94_01

3 - Element & Gearbox - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1040	0300 0274 13	8	PLAIN WASHER(A) 21 X 37 X 3	(19/02/2014 - 31/12/2020)
1050	0147 1553 03	8	BOLT	(19/02/2014 - 31/12/2020)
2010	1616 7540 90	1	STAGE	(19/02/2014 - 31/12/2020)
2020		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 88	- KIT ELEMENT OVERHAUL	
2030		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 88	- KIT ELEMENT OVERHAUL	
2040	0147 1963 88	14	BOLT	(19/02/2014 - 31/12/2020)
2050	0147 1964 28	1	HEX.BOLT	(19/02/2014 - 31/12/2020)
2060	0101 1951 53	2	PIN	(19/02/2014 - 31/12/2020)
2070		1	KEY	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 88	- KIT ELEMENT OVERHAUL	
2080		1	BUSHING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0692 00	- GA315VSD DRIVE SHAFT SEAL KIT	
		3001 5311 88	- KIT ELEMENT OVERHAUL	
2090		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0692 00	- GA315VSD DRIVE SHAFT SEAL KIT	
		3001 5311 88	- KIT ELEMENT OVERHAUL	
2100	1614 9100 00	1	WASHER	(19/02/2014 - 31/12/2020)
2110		3	CAP SCREW	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 88	- KIT ELEMENT OVERHAUL	
2120	0661 1000 30	1	SEAL CARTRIDGE	(19/02/2014 - 31/12/2020)
2130	0686 3716 35	1	PLUG 3/4 A A	(19/02/2014 - 31/12/2020)
2140	0661 1000 29	1	WASHER	(19/02/2014 - 31/12/2020)
2150	0686 3716 07	1	PLUG	(19/02/2014 - 31/12/2020)
3010	1614 8965 00	1	COUPL.HOUSING	(19/02/2014 - 31/12/2020)
3020	1621 9070 00	2	SUPPORT	(19/02/2014 - 31/12/2020)
3030	0147 1402 03	8	HEX. HEAD SCREW M12 X 35	(17/03/2014 - 31/12/2020)
3040	1619 5318 01	2	RUBBER BUFFER	(19/02/2014 - 31/12/2020)
3050	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
3060	0266 2112 00	6	HEXAGON NUT M12	(19/02/2014 - 31/12/2020)
3090	0147 1479 03	2	BOLT	(19/02/2014 - 31/12/2020)
3100	0333 3244 00	2	LOCK WASHER(A) 17 X 26 X 1.2	(19/02/2014 - 31/12/2020)
3110	1614 8967 00	1	RETAINER	(19/02/2014 - 31/12/2020)
3120		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0692 00	- GA315VSD DRIVE SHAFT SEAL KIT	
		3001 5311 88	- KIT ELEMENT OVERHAUL	
3130	0301 2321 00	4	PLAIN WASHER(A) 6.4 X 12 X 1.6	(19/02/2014 - 31/12/2020)
3140	0211 1247 03	4	CAP SCREW	(19/02/2014 - 31/12/2020)
3150		1	SEAL	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0692 00	- GA315VSD DRIVE SHAFT SEAL KIT	
		3001 5311 88	- KIT ELEMENT OVERHAUL	
3160		1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 88	- KIT ELEMENT OVERHAUL	
3170	0686 3716 01	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)

Legend:


FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

4 - Element & Gearbox - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2



2256 0801 95_02

4 - Element & Gearbox - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1250	0147 1553 03	8	BOLT	(19/02/2014 - 31/12/2020)
1251	0300 0274 13	8	PLAIN WASHER(A) 21 X 37 X 3	(19/02/2014 - 31/12/2020)
2010	1616 7345 92	1	ELEMENT COMPR.	(19/02/2014 - 31/12/2020)
2020		1	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	3001 5311 87	- KIT ELEMENT OVERHAUL	
2030	0101 1951 53	2	PIN	(19/02/2014 - 31/12/2020)
2040	0147 1405 03	15	HEX. HEAD SCREW M12 X 50	(19/02/2014 - 31/12/2020)
2050		1	SEAL GASKET	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	3001 5311 87	- KIT ELEMENT OVERHAUL	
2060	0686 3716 47	1	PLUG	(19/02/2014 - 31/12/2020)
2070	1614 8944 00	1	RING	(19/02/2014 - 31/12/2020)
2080		1	BUSHING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	2906 1015 00	- SHAFT SEAL KIT NEW GA VSD	
		3001 5311 87	- KIT ELEMENT OVERHAUL	
2085		1	O-RING	(19/11/2014 - 31/12/2020)
	🛠 Service kits:	2906 1015 00	- SHAFT SEAL KIT NEW GA VSD	
		3001 5311 87	- KIT ELEMENT OVERHAUL	
2090		1	KEY PARALLEL	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	3001 5311 87	- KIT ELEMENT OVERHAUL	
2100	2252 5470 00	1	WASHER	(19/02/2014 - 31/12/2020)
2110	0211 1409 00	3	CAP SCREW	(19/02/2014 - 31/12/2020)
3010	1623 2822 01	1	HOUSING COUPL.	(19/02/2014 - 31/12/2020)
3020	0686 3716 01	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
3030	0661 1000 25	1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
3040	1614 8943 00	1	RETAINER	(19/02/2014 - 31/12/2020)
3050		1	SEAL LIP	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	2906 1015 00	- SHAFT SEAL KIT NEW GA VSD	
		3001 5311 87	- KIT ELEMENT OVERHAUL	
3060		1	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	2906 1015 00	- SHAFT SEAL KIT NEW GA VSD	
		3001 5311 87	- KIT ELEMENT OVERHAUL	
3070	0211 1246 03	4	HEX SOCK. SCREW M6 X 16	(19/02/2014 - 31/12/2020)
3080	1623 8149 00	2	SUPPORT	(19/02/2014 - 31/12/2020)
3090	0147 1402 03	8	HEX. HEAD SCREW M12 X 35	(19/02/2014 - 31/12/2020)
3100	1619 5189 01	2	RUBBER BUFFER	(19/02/2014 - 31/12/2020)
3110	0147 1400 03	4	HEX. HEAD SCREW M12 X 25	(19/02/2014 - 31/12/2020)
3120	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
3140	0333 3244 00	2	LOCK WASHER(A) 17 X 26 X 1.2	(19/02/2014 - 31/12/2020)
3160	0147 1479 03	2	BOLT	(19/02/2014 - 31/12/2020)

Legend:


FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

5 - Coupling Assembly - GA200VSD 10/10.4/13.8/14 bar(e)

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2



2256 0806 94_01

5 - Coupling Assembly - GA200VSD 10/10.4/13.8/14 bar(e)

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1635 1187 00	1	COUPLING DRIVE	(19/02/2014 - 31/12/2020)
2010 •	0196 1360 00	1	SET SCREW	(12/03/2014 - 31/12/2020)
1020	1623 7339 01	1	ABSORBER	(19/02/2014 - 31/12/2020)
1030	0211 1402 00	10	CAP SCREW	(19/02/2014 - 31/12/2020)
1040	1623 7131 00	1	COUPLING ELEM.	(19/02/2014 - 31/12/2020)
3010 •	0196 1360 00	1	SET SCREW	

Legend:


FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

6 - Coupling Assembly - GA200VSD 8.5/8.6 bar(e) / GA250/315VSD

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2



2256 0806 96_01

6 - Coupling Assembly - GA200VSD 8.5/8.6 bar(e) / GA250/315VSD

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 7340 00	1	COUPLING DRIVE	(19/02/2014 - 31/12/2020)
2010 •	0192 1398 00	1	SCREW SET	
1020	1635 0996 00	1	ABSORBER	(19/02/2014 - 31/12/2020)
1030	1623 7340 02	1	COUPLING ELEM.	(19/02/2014 - 31/12/2020)
3010 •	0192 1398 00	1	SCREW SET	
1040	0211 1403 00	16	SCR CAP SOC M12	(19/02/2014 - 31/12/2020)

Legend:


FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

7 - Motor Assembly

((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:8.6BAR) , MODEL:GA200VSDA2 + PRESS:13.8BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + FREQ:60HZ , ((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA200VSDA2 + PRESS:14BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ



7 - Motor Assembly

((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:8.6BAR) , MODEL:GA200VSDA2 + PRESS:13.8BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + FREQ:60HZ , ((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA200VSDA2 + PRESS:14BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ

Ref	Part Number	Qty	Name	Validity
1010	1623 8312 28	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:50HZ + MODEL:GA200VSDA2 + MOVOL:500V-3PH + PRESS:8.5BAR
1010	1623 8312 01	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:50HZ + MODEL:GA200VSDA2 + MOVOL:400V-3PH + PRESS:8.5BAR
1010	1623 8312 35	1	MOTOR	(19/02/2014 - 31/12/2020) (MOVOL:525V-3PH , MOVOL:550V-3PH) + FREQ:50HZ + MODEL:GA200VSDA2 + PRESS:8.5BAR
1010	1623 8312 02	1	MOTOR	(19/02/2014 - 31/12/2020) ((MOVOL:380V-3PH , MOVOL:400V-3PH) + (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ , (PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ + MOVOL:380V-3PH) + MODEL:GA200VSDA2
1010	1623 8312 03	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:50HZ + MODEL:GA250VSDA2 + MOVOL:400V-3PH
1010	1623 8312 08	1	MOTOR	(19/02/2014 - 31/12/2020) (FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 + MOVOL:380V-3PH
1010	1623 8312 09	1	MOTOR	(19/02/2014 - 31/12/2020) MODEL:GA250VSDA2 + MOVOL:380V-3PH
1010	1623 8312 12	1	MOTOR	(19/02/2014 - 31/12/2020) ((PRESS:10BAR , PRESS:8.5BAR) + FREQ:50HZ , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA315VSDA2 + MOVOL:380V-3PH
1010	1623 8312 14	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:440V-3PH + PRESS:8.6BAR
1010	1623 8312 15	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:440V-3PH
1010	1623 8312 16	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA250VSDA2 + MOVOL:440V-3PH
1010	1623 8312 21	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:460V-3PH + PRESS:8.6BAR
1010	1623 8312 22	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:460V-3PH
1010	1623 8312 23	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA250VSDA2 + MOVOL:460V-3PH
1010	1623 8312 29	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ + MODEL:GA200VSDA2 + MOVOL:500V-3PH
1010	1623 8312 30	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:50HZ + MODEL:GA250VSDA2 + MOVOL:500V-3PH
1010	1623 8312 36	1	MOTOR	(19/02/2014 - 31/12/2020) (MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ + MODEL:GA200VSDA2
1010	1623 8312 37	1	MOTOR	(19/02/2014 - 31/12/2020) (MOVOL:525V-3PH , MOVOL:550V-3PH) + FREQ:50HZ + MODEL:GA250VSDA2
1010	1623 8312 42	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:575V-3PH + PRESS:8.6BAR
1010	1623 8312 43	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:575V-3PH
1010	1623 8312 44	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA250VSDA2 + MOVOL:575V-3PH
1010	1623 8312 49	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:50HZ + MODEL:GA200VSDA2 + MOVOL:690V-3PH + PRESS:8.5BAR
1010	1623 8312 50	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ + MODEL:GA200VSDA2 + MOVOL:690V-3PH
1010	1623 8312 51	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:50HZ + MODEL:GA250VSDA2 + MOVOL:690V-3PH
1010	1623 8312 06	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10BAR , PRESS:8.5BAR) + FREQ:50HZ + MODEL:GA315VSDA2 + MOVOL:400V-3PH
1010	1623 8312 13	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:380V-3PH + PRESS:10.4BAR
1010	1623 8312 19	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:440V-3PH + PRESS:8.6BAR
1010	1623 8312 20	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:440V-3PH + PRESS:10.4BAR
1010	1623 8312 26	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:460V-3PH + PRESS:8.6BAR
1010	1623 8312 27	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:460V-3PH + PRESS:10.4BAR
1010	1623 8312 33	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10BAR , PRESS:8.5BAR) + FREQ:50HZ + MODEL:GA315VSDA2 + MOVOL:500V-3PH

Legend:


FREQ:50HZ - Frequency:50 Hz
 MODEL:GA250VSDA2 - Model:GA 250 VSD
 MOVOL:400V-3PH - Supply voltage:400V
 MOVOL:500V-3PH - Supply voltage:500V (3ph)
 MOVOL:575V-3PH - Supply voltage:575V (3ph)
 PRESS:10BAR - Working pressure:10 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA315VSDA2 - Model:GA 315 VSD
 MOVOL:440V-3PH - Supply voltage:440V (3ph)
 MOVOL:525V-3PH - Supply voltage:525 V (3ph)
 MOVOL:690V-3PH - Supply voltage:690V (3ph)
 PRESS:13.8BAR - Working pressure:13.8 bar
 PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
 MOVOL:380V-3PH - Supply voltage:380V (3ph)
 MOVOL:460V-3PH - Supply voltage:460V (3ph)
 MOVOL:550V-3PH - Supply voltage:550 V (3ph)
 PRESS:10.4BAR - Working pressure:10.4 bar
 PRESS:14BAR - Working pressure:14 bar

7 - Motor Assembly

((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:8.6BAR) , MODEL:GA200VSDA2 + PRESS:13.8BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + FREQ:60HZ , ((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA200VSDA2 + PRESS:14BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ



7 - Motor Assembly

((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:8.6BAR) , MODEL:GA200VSDA2 + PRESS:13.8BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + FREQ:60HZ , ((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA200VSDA2 + PRESS:14BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ

Ref	Part Number	Qty	Name	Validity
1010	1623 8312 40	1	MOTOR	(19/02/2014 - 31/12/2020) (MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:8.5BAR) + FREQ:50HZ + MODEL:GA315VSDA2
1010	1623 8312 47	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:575V-3PH + PRESS:8.6BAR
1010	1623 8312 48	1	MOTOR	(19/02/2014 - 31/12/2020) FREQ:60HZ + MODEL:GA315VSDA2 + MOVOL:575V-3PH + PRESS:10.4BAR
1010	1623 8312 54	1	MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10BAR , PRESS:8.5BAR) + FREQ:50HZ + MODEL:GA315VSDA2 + MOVOL:690V-3PH
1020	1503 0786 00	1	ROTATION ARROW	(19/02/2014 - 31/12/2020)
1030	1088 1001 04	1	STICKER	(19/02/2014 - 31/12/2020)
1040	1079 9901 29	1	LABEL	(19/02/2014 - 31/12/2020)
1050	2000 1060 03	1	WIRING MOTOR	(19/02/2014 - 31/12/2020) (((PRESS:10.4BAR , PRESS:13.8BAR , PRESS:8.6BAR) + MOVOL:460V-3PH , MOVOL:440V-3PH + PRESS:8.6BAR) + FREQ:60HZ , FREQ:50HZ + MOVOL:400V-3PH + PRESS:8.5BAR) + MODEL:GA200VSDA2 , ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA250VSDA2 , (PRESS:10BAR , PRESS:8.5BAR) + MODEL:GA315VSDA2 + MOVOL:690V-3PH) + FREQ:50HZ , FREQ:60HZ + MODEL:GA250VSDA2 + MOVOL:575V-3PH
	• 0694 5281 28	6	CABLE LUG	
	• 0694 5281 23	2	LUG	
1050	2000 1060 04	1	WIRING MOTOR	(19/02/2014 - 31/12/2020) ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + FREQ:50HZ , (PRESS:10.4BAR , PRESS:13.8BAR , PRESS:8.6BAR) + FREQ:60HZ + MOVOL:575V-3PH) + MODEL:GA200VSDA2 , FREQ:50HZ + MODEL:GA250VSDA2 + MOVOL:690V-3PH
	• 0694 5281 26	6	CABLE LUG	
	• 0694 5281 23	1	LUG	
1050	2000 1060 01	2	WIRING MOTOR	(19/02/2014 - 31/12/2020) (((MOVOL:380V-3PH , MOVOL:400V-3PH) + PRESS:14BAR , MOVOL:400V-3PH + PRESS:10BAR) + MODEL:GA200VSDA2 , ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA315VSDA2 , MODEL:GA200VSDA2 + MOVOL:380V-3PH) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA250VSDA2 + MOVOL:400V-3PH) + FREQ:50HZ , (((MOVOL:380V-3PH , MOVOL:440V-3PH) + (PRESS:10.4BAR , PRESS:13.8BAR) , MOVOL:380V-3PH + PRESS:8.6BAR) + MODEL:GA200VSDA2 , (MOVOL:440V-3PH , MOVOL:460V-3PH) + MODEL:GA250VSDA2 , (PRESS:10.4BAR , PRESS:8.6BAR) + MODEL:GA315VSDA2 + MOVOL:575V-3PH) + FREQ:60HZ
	• 0694 5281 23	6	LUG	
	• 0694 5281 23	1	LUG	
1050	2000 1060 01	1	WIRING MOTOR	(19/02/2014 - 31/12/2020) (PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + FREQ:50HZ + MODEL:GA200VSDA2 + MOVOL:690V-3PH
	• 0694 5281 23	6	LUG	
	• 0694 5281 23	1	LUG	
1050	2000 1060 04	2	WIRING MOTOR	(19/02/2014 - 31/12/2020) ((MOVOL:380V-3PH , MOVOL:400V-3PH) + (PRESS:10BAR , PRESS:8.5BAR) + FREQ:50HZ , (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH) + (PRESS:10.4BAR , PRESS:8.6BAR) + FREQ:60HZ) + MODEL:GA315VSDA2 , MODEL:GA250VSDA2 + MOVOL:380V-3PH
	• 0694 5281 26	6	CABLE LUG	
	• 0694 5281 23	1	LUG	

Legend:

FREQ:50HZ - Frequency:50 Hz

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:400V-3PH - Supply voltage:400V

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

PRESS:13.8BAR - Working pressure:13.8 bar

PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:460V-3PH - Supply voltage:460V (3ph)


MOVOL:550V-3PH - Supply voltage:550 V (3ph)

PRESS:10.4BAR - Working pressure:10.4 bar

PRESS:14BAR - Working pressure:14 bar

7 - Motor Assembly

((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:8.6BAR) , MODEL:GA200VSDA2 + PRESS:13.8BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + FREQ:60HZ , ((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA200VSDA2 + PRESS:14BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ



7 - Motor Assembly

((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:8.6BAR) , MODEL:GA200VSDA2 + PRESS:13.8BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + FREQ:60HZ , ((MODEL:GA200VSDA2 , MODEL:GA315VSDA2) + (PRESS:10BAR , PRESS:8.5BAR) , MODEL:GA200VSDA2 + PRESS:14BAR , MODEL:GA250VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ

Ref	Part Number	Qty	Name	Validity
1060	0697 9809 18	2	NUT LOCK	(19/02/2014 - 31/12/2020) ((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + (PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + MODEL:GA200VSDA2 , (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + MODEL:GA250VSDA2 , (PRESS:10BAR , PRESS:8.5BAR) + MODEL:GA315VSDA2 + MOVOL:690V-3PH) + FREQ:50HZ , ((MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + (PRESS:10.4BAR , PRESS:13.8BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 + MOVOL:575V-3PH) + FREQ:60HZ
1060	0697 9809 18	1	NUT LOCK	(19/02/2014 - 31/12/2020) (((PRESS:10.4BAR , PRESS:8.6BAR) + MODEL:GA315VSDA2 , MODEL:GA250VSDA2) + MOVOL:440V-3PH , MODEL:GA250VSDA2 + MOVOL:380V-3PH) + FREQ:60HZ , ((MOVOL:380V-3PH , MOVOL:400V-3PH) + MODEL:GA250VSDA2 , (MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:8.5BAR) + MODEL:GA315VSDA2) + FREQ:50HZ
1070	0697 9810 23	2	PLUG	(19/02/2014 - 31/12/2020) ((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + (PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + MODEL:GA200VSDA2 , (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + MODEL:GA250VSDA2 , (PRESS:10BAR , PRESS:8.5BAR) + MODEL:GA315VSDA2 + MOVOL:690V-3PH) + FREQ:50HZ , ((MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) + (PRESS:10.4BAR , PRESS:13.8BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 + MOVOL:575V-3PH) + FREQ:60HZ
1070	0697 9810 23	1	PLUG	(19/02/2014 - 31/12/2020) (((PRESS:10.4BAR , PRESS:8.6BAR) + MODEL:GA315VSDA2 , MODEL:GA250VSDA2) + MOVOL:440V-3PH , MODEL:GA250VSDA2 + MOVOL:380V-3PH) + FREQ:60HZ , ((MOVOL:380V-3PH , MOVOL:400V-3PH) + MODEL:GA250VSDA2 , (MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:8.5BAR) + MODEL:GA315VSDA2) + FREQ:50HZ
1080	0697 9809 16	1	LOCK NUT	(19/02/2014 - 31/12/2020) ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + (PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + FREQ:50HZ , (PRESS:10.4BAR , PRESS:13.8BAR , PRESS:8.6BAR) + FREQ:60HZ + MOVOL:575V-3PH) + MODEL:GA200VSDA2 , FREQ:50HZ + MODEL:GA250VSDA2 + MOVOL:690V-3PH
1090	0697 9810 21	1	PLUG	(19/02/2014 - 31/12/2020) ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + (PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + FREQ:50HZ , (PRESS:10.4BAR , PRESS:13.8BAR , PRESS:8.6BAR) + FREQ:60HZ + MOVOL:575V-3PH) + MODEL:GA200VSDA2 , FREQ:50HZ + MODEL:GA250VSDA2 + MOVOL:690V-3PH

Legend:


FREQ:50HZ - Frequency:50 Hz
 MODEL:GA250VSDA2 - Model:GA 250 VSD
 MOVOL:400V-3PH - Supply voltage:400V
 MOVOL:500V-3PH - Supply voltage:500V (3ph)
 MOVOL:575V-3PH - Supply voltage:575V (3ph)
 PRESS:10BAR - Working pressure:10 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA315VSDA2 - Model:GA 315 VSD
 MOVOL:440V-3PH - Supply voltage:440V (3ph)
 MOVOL:525V-3PH - Supply voltage:525 V (3ph)
 MOVOL:690V-3PH - Supply voltage:690V (3ph)
 PRESS:13.8BAR - Working pressure:13.8 bar
 PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
 MOVOL:380V-3PH - Supply voltage:380V (3ph)
 MOVOL:460V-3PH - Supply voltage:460V (3ph)
 MOVOL:550V-3PH - Supply voltage:550 V (3ph)
 PRESS:10.4BAR - Working pressure:10.4 bar
 PRESS:14BAR - Working pressure:14 bar

8 - Motor Support - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2



2256 0833 90_01

8 - Motor Support - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1614 6366 01	1	ANTIVIBR.PAD	(19/02/2014 - 31/12/2020)
1020	0147 1401 03	2	SCREW CAP	(19/02/2014 - 31/12/2020)
1030	0301 2358 00	10	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1040	1623 8293 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1050	0300 0274 13	1	PLAIN WASHER(A) 21 X 37 X 3	(19/02/2014 - 31/12/2020)
1060	0147 1549 03	1	BOLT	(19/02/2014 - 31/12/2020)
1080	1623 8294 00	1	PLATE ANCHOR	(19/02/2014 - 31/12/2020)
1090	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1100	1623 8423 00	1	STUD	(19/02/2014 - 31/12/2020)
1110	0301 2421 00	1	WASHER	(19/02/2014 - 31/12/2020)
1120	0266 1136 01	1	NUT HEXAGON	(19/02/2014 - 31/12/2020)

Legend:


FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

9 - Motor Support - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2



2256 0833 91_01

9 - Motor Support - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1614 6366 01	1	ANTIVIBR.PAD	(12/11/2015 - 31/12/2020)	
1020	0147 1401 03	2	SCREW CAP	(12/11/2015 - 31/12/2020)	
1030	0301 2358 00	6	PLAIN WASHER(A) 13 X 24 X 2.5	(12/11/2015 - 31/12/2020)	
1040	1623 8425 00	1	SUPPORT	(12/11/2015 - 31/12/2020)	
1050	0266 2118 00	1	NUT	(12/11/2015 - 31/12/2020)	
1070	0147 1412 03	2	BOLT	(12/11/2015 - 31/12/2020)	
	● Remarks:	for transport only			
1100	1623 8427 00	1	STUD	(12/11/2015 - 31/12/2020)	
1120	1623 6907 25	2	SPACER	(12/11/2015 - 31/12/2020)	
	● Remarks:	for transport only			
1130	1623 6907 35	2	SPACER	(12/11/2015 - 31/12/2020)	
	● Remarks:	for transport only			
1140	1623 6907 01	2	SPACER	(12/11/2015 - 31/12/2020)	

Legend:


FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

10 - Motor Baffle - C242

((FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR



2256 0832 92_01

10 - Motor Baffle - C242

((FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 8386 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
1020	0147 1963 08	5	SCREW	(19/02/2014 - 31/12/2020)
1030	1619 5337 01	2	BOLT	(19/02/2014 - 31/12/2020)
1040	1623 8387 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
1050	0147 1963 08	1	SCREW	(19/02/2014 - 31/12/2020)
1060	1619 5337 01	1	BOLT	(19/02/2014 - 31/12/2020)
1070	1623 8385 00	1	BAFFLE	(19/02/2014 - 31/12/2020)
1080	0147 1963 08	15	SCREW	(19/02/2014 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

11 - Motor Baffle - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + COOL:AIR + MODEL:GA200VSDA2



2256 0832 94_02

11 - Motor Baffle - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + COOL:AIR + MODEL:GA200VSDA2

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1623 8396 00	1	BAFFLE	(19/02/2014 - 31/12/2020)
1020	0147 1963 08	5	SCREW	(19/02/2014 - 31/12/2020)
1030	1619 5337 01	4	BOLT	(19/02/2014 - 31/12/2020)
1040	1623 8394 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
1050	0147 1963 08	5	SCREW	(19/02/2014 - 31/12/2020)
1060	1623 8393 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
1070	0147 1963 08	3	SCREW	(19/02/2014 - 31/12/2020)
1080	1623 8392 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1088 0803 10	1	GROMMET	
1090	0147 1963 08	18	SCREW	(19/02/2014 - 31/12/2020)
1100	0147 1322 03	1	HEX. HEAD SCREW M8 X 16	(29/04/2014 - 31/12/2020)
1110	0301 2344 00	1	WASHER PLAIN	(29/04/2014 - 31/12/2020)
1120	0346 1000 87	1	CLAMP PIPE	(29/04/2014 - 31/12/2020)
2010	1619 5337 01	4	BOLT	(20/11/2014 - 31/12/2020)
2020	1635 2740 00	1	PLATE BOTTOM	(20/11/2014 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar



12.1 - Air Inlet - Standard - Air Cooled C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + COOL:AIR + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 7760 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1020	0147 1963 08	8	SCREW	(27/10/2014 - 31/12/2020)
1040	0147 1360 03	4	SCREW CAP	(19/02/2014 - 31/12/2020)
1050	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1060	1635 0705 00	1	PIPE	(19/02/2014 - 26/10/2014)
	↻ Substituted by: 1635 2749 00 - PIPE - (quantity: 1)			
1060	1635 2749 00	1	PIPE -	(27/10/2014 - 31/12/2020)
1070	1623 4704 00	2	HOSE HUMP	(19/02/2014 - 31/12/2020)
1080	0347 6100 49	4	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1090	1635 0238 00	1	HOSE	(19/02/2014 - 29/06/2015)
1090	1635 3696 00	1	HOSE	(30/06/2015 - 31/12/2020)
1100	1030 1005 03	2	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1110	1623 7825 00	1	PIPE	(19/02/2014 - 31/12/2020)
1120	0686 3716 01	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
1130	0661 1000 25	1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1140	1635 1437 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
	1623 7784 80	1	FILTER AIR	(19/02/2014 - 31/12/2020)
2010	•	1	FILTER AIR	
2020	•	1	FILTER ELEMENT	(19/02/2014 - ...)
	🧰 Service kits: 3001 5311 11 - AIR + OIL FILTER KIT			

Legend:


COOL:AIR - Cooling:Air cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

12.2 - Air Inlet - Standard - Air Cooled C242

((FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR



2256 0811 97-99_03

12.2 - Air Inlet - Standard - Air Cooled C242

((FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR

Ref	Part Number	Qty	Name	Validity
1010	1623 7760 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1020	0147 1963 08	8	SCREW	(27/10/2014 - 31/12/2020)
1040	0147 1360 03	4	SCREW CAP	(19/02/2014 - 31/12/2020)
1050	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1060	1635 0705 00	1	PIPE	(19/02/2014 - 26/10/2014)
⚙ Substituted by:		1635 2749 00 - PIPE - (quantity: 1)		
1060	1635 2749 00	1	PIPE -	(27/10/2014 - 31/12/2020)
1070	1623 4704 00	1	HOSE HUMP	(19/02/2014 - 31/12/2020)
1080	0347 6100 49	2	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1090	1635 0238 00	1	HOSE	(19/02/2014 - 29/06/2015) (30/07/2015 - 31/12/2020) ENREC:Y
1090	1635 2561 00	1	HOSE	(30/06/2015 - 29/07/2015) (30/07/2015 - 31/12/2020) ENREC:N
1100	1030 1005 03	2	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1110	1635 1437 80	1	BAFFLE	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	(19/02/2014 - 29/07/2015) (30/07/2015 - 31/12/2020) ENREC:N
	• 1202 6584 00	8.4	SEAL	(30/07/2015 - 31/12/2020) ENREC:Y
	1623 7784 80	1	FILTER AIR	(19/02/2014 - 29/07/2015) (30/07/2015 - 31/12/2020) ENREC:N
	1623 7784 80			(30/07/2015 - 31/12/2020) ENREC:Y
2010	•	1	FILTER AIR	(19/02/2014 - 31/12/2020)
2020	•	1	FILTER ELEMENT	(19/02/2014 - ...)
🧰 Service kits:		3001 5311 11 - AIR + OIL FILTER KIT		

Legend:


COOL:AIR - Cooling:Air cooled
FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

ENREC:N - Energy recovery:N
FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

ENREC:Y - Energy recovery:Yes
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

12.3 - Air Inlet - Standard - Water Cooled C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + COOL:WATER + MODEL:GA200VSDA2



2256 0811 95_02

12.3 - Air Inlet - Standard - Water Cooled C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + COOL:WATER + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 7760 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1020	0147 1963 08	4	SCREW	(19/02/2014 - 31/12/2020)
1040	0147 1360 03	4	SCREW CAP	(19/02/2014 - 31/12/2020)
1050	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1060	1623 7825 00	2	PIPE	(19/02/2014 - 31/12/2020)
1070	1623 4704 00	2	HOSE HUMP	(19/02/2014 - 31/12/2020)
1080	0347 6100 49	4	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1090	1635 0238 00	1	HOSE	(19/02/2014 - 31/12/2020)
1100	1030 1005 03	2	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1110	1635 0660 80	1	SUPPORT	(19/02/2014 - 31/12/2020)
	• 1503 1056 00	AR	SEAL	
1120	0147 1963 08	2	SCREW	(19/02/2014 - 31/12/2020)
1130	0661 1000 25	1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1140	0686 3716 01	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
	1623 7784 80	1	FILTER AIR	(19/02/2014 - 31/12/2020)
2010	•	1	FILTER AIR	
2020	•	1	FILTER ELEMENT	(19/02/2014 - ...)
🛠 Service kits:		3001 5311 11	AIR + OIL FILTER KIT	

Legend:


COOL:WATER - Cooling:Water cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

12.4 - Air Inlet - Standard - Water Cooled C242

((FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:WATER



2256 0811 98_02

12.4 - Air Inlet - Standard - Water Cooled C242

((FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
1010	1623 7760 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1020	0147 1963 08	4	SCREW	(19/02/2014 - 31/12/2020)
1040	0147 1360 03	4	SCREW CAP	(19/02/2014 - 31/12/2020)
1050	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1060	1623 7825 00	1	PIPE	(19/02/2014 - 31/12/2020)
1070	1623 4704 00	1	HOSE HUMP	(19/02/2014 - 31/12/2020)
1080	0347 6100 49	2	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1090	1635 0238 00	1	HOSE	(19/02/2014 - 31/12/2020)
1100	1030 1005 03	2	HOSE CLAMP	(19/02/2014 - 31/12/2020)
1110	1635 0660 80	1	SUPPORT	(19/02/2014 - 31/12/2020)
	• 1503 1056 00	AR	SEAL	
1120	0147 1963 08	2	SCREW	(19/02/2014 - 31/12/2020)
	1623 7784 80	1	FILTER AIR	(19/02/2014 - 31/12/2020)
2010	•	1	FILTER AIR	
2020	•	1	FILTER ELEMENT	(19/02/2014 - ...)
	🧰 Service kits:	3001 5311 11	AIR + OIL FILTER KIT	
		3001 5312 35	KIT MAINTENANCE 16000 H	
		3001 5312 36	KIT MAINTENANCE 16000 H	
		3001 5312 34	KIT MAINTENANCE 16000 H	
		3001 5312 33	KIT MAINTENANCE 16000 H	

Legend:


COOL:WATER - Cooling:Water cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

12.5 - Air Inlet - Option separate air intake - Without Heavy duty filter

COOL:AIR + SEPAI:Y , COOL:WATER + HDFIL:N



2256 0812 91_01

12.5 - Air Inlet - Option separate air intake - Without Heavy duty filter

COOL:AIR + SEPAI:Y , COOL:WATER + HDFIL:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1635 0303 00	1	ROOF	(13/06/2013 - ...)
1020	1635 0314 00	1	DUCT	(13/06/2013 - ...)
1030	1030 1005 03	2	HOSE CLAMP	(13/06/2013 - ...)
1040	1621 1466 00	1	HUMP HOSE	(13/06/2013 - ...)
1050	0147 1963 08	8	SCREW	(13/06/2013 - ...)


Legend:

COOL:AIR - Cooling:Air cooled

COOL:WATER - Cooling:Water cooled

HDFIL:N - Heavy duty air inlet filter:N

SEPAI:Y - Separate air intake:Yes



2256 0812 95_01

12.6 - Air Inlet - Option separate air intake - With heavy duty filter

HDFIL:Y

Atlas Copco



Ref	Part Number	Qty	Name	Validity
1010	1635 0404 00	1	PROFILE	(20/08/2013 - 31/12/2020)
	• 1619 2758 00	AR	SEAL GASKET	
1020	1635 0487 00	1	PROFILE	(20/08/2013 - 31/12/2020)
1030	0147 1325 03	6	HEX. HEAD SCREW M8X25	(20/08/2013 - 31/12/2020)
1040	1623 1128 00	1	CAP	(20/08/2013 - 31/12/2020)
1050	1626 0230 00	2	SUPPORT	(20/08/2013 - 31/12/2020)
1060	0147 1326 03	4	HEX. HEAD SCREW M8 X 30	(20/08/2013 - 31/12/2020)
1070	0266 2110 00	4	HEXAGON NUT M8	(20/08/2013 - 31/12/2020)
1080	0300 0274 94	8	PLAIN WASHER	(23/06/2014 - 31/12/2020)
1090	1623 9280 00	1	PIPE	(20/08/2013 - 31/12/2020)
1100	1030 1005 03	2	HOSE CLAMP	(20/08/2013 - 31/12/2020)
1110	1621 1466 00	1	HUMP HOSE	(20/08/2013 - 31/12/2020)
1120	1635 1101 00	1	FILTER AIR	(20/08/2013 - 31/12/2020)

Legend:

HDFIL:Y - Heavy duty air inlet filter:Yes

13 - Air System Valve - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2



2256 0801 94_02

13 - Air System Valve - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 7491 00	1	HOUSING VALVE	(19/02/2014 - 31/12/2020)
1020		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05 3001 5311 88 - KIT ELEMENT OVERHAUL		
1030		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05 3001 5311 88 - KIT ELEMENT OVERHAUL		
1040		3	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05 3001 5311 88 - KIT ELEMENT OVERHAUL		
1050		1	CHECK VALVE	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05		
1060		1	SPRING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05		
1070	1614 8974 00	1	PISTON	(19/02/2014 - 31/12/2020)
1080		1	SPRING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05		
1090	1623 4597 00	1	VALVE OIL STOP	(19/02/2014 - 07/04/2014)
	 Substituted by:	1635 0715 00 - VALVE OIL STOP (quantity: 1)		
1090		1	VALVE OIL STOP	(08/04/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05		
1100		2	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05		
1110	1635 0859 00	2	COVER VALVE	(19/02/2014 - 31/12/2020)
1120		2	CIRCLIP	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 15 - KIT CV-OSV Q-05		
1140	0686 3716 01	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
1150	0661 1000 25	1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1160	0211 1960 28	4	CAP SCREW	(19/02/2014 - 31/12/2020)
1170	0147 1478 03	2	HEX. HEAD SCREW M16 X 45	(19/02/2014 - 31/12/2020)

Legend:



FREQ:50HZ - Frequency:50 Hz
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

14 - Air System Valve - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2



2256 0801 95_02

14 - Air System Valve - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1092 0030 89	1	VALVE CHECK	(19/02/2014 - 31/12/2020)
1020		1	VALVE CHECK	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
1030		1	COMPR.SPRING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
1040	1623 1354 00	1	VALVE OIL STOP	(19/02/2014 - 07/04/2014)
	 Substituted by:	1635 0714 00	VALVE OIL STOP (quantity: 1)	
1040		1	VALVE OIL STOP	(08/04/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
1050		1	SPRING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
1060	2252 6269 00	1	SPRING GUIDE	(19/02/2014 - 31/12/2020)
1070		1	INT.CIRCLIP	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
1080		2	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
		3001 5311 87	KIT ELEMENT OVERHAUL	
1090		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
		3001 5311 87	KIT ELEMENT OVERHAUL	
1100		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
		3001 5311 87	KIT ELEMENT OVERHAUL	
1110		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
		3001 5311 87	KIT ELEMENT OVERHAUL	
1115	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1120	0147 1421 03	4	BOLT	(19/02/2014 - 31/12/2020)
1125	0301 2358 00	2	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1130	0147 1413 03	2	BOLT	(19/02/2014 - 31/12/2020)
1140	2255 2813 00	1	PISTON	(19/02/2014 - 31/12/2020)
1170	0686 3716 10	1	PLUG 1 1/2 A A	(19/02/2014 - 31/12/2020)
1180		1	SEAL WASHER	(19/02/2014 - 18/11/2015)
	 Service kits:	2906 0961 00	GA90/160 C190 CV+OSV KIT	
1180	0661 1000 61	1	SEAL	(19/11/2015 - 31/12/2020)
1190	0686 6441 00	1	PLUG	(19/02/2014 - 31/12/2020)
1200	0686 3101 00	1	PLUG	(19/02/2014 - 31/12/2020)
1210	0686 3115 69	1	PLUG	(19/02/2014 - 31/12/2020)

Legend:


FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

15 - Air Flow - C190 Water Cooled - Small vessel

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + MODEL:GA200VSDA2



2256 0815 90_02

15 - Air Flow - C190 Water Cooled - Small vessel

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + MODEL:GA200VSDA2


Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 8380 00	2	PIPE	(19/02/2014 - 31/12/2020)
1020	0661 1000 25	2	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1030	0686 3716 01	2	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
1040	0634 1001 45	3	COUPLING	(19/02/2014 - 31/12/2020)
1050	1623 9853 00	1	PIPE	(19/02/2014 - 31/12/2020)
1060		1	O-RING 99.5 X 3	(19/02/2014 - 31/12/2020)
	🛠 Service kits:		3001 5311 13 - KIT MPV (A-B-C-D VESSEL)	
1070	0147 1364 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1080	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1090	1623 9857 00	1	PIPE	(19/02/2014 - 31/12/2020)
1100	1623 9858 00	1	PIPE	(19/02/2014 - 31/12/2020)
1110		1	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:		3001 5311 21 - KIT COOLER	
1120	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1130	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1140	0634 1000 29	2	VICTAULIC COUPLING	(19/02/2014 - 31/12/2020)

Legend:COOL:WATER - Cooling:Water cooled
PRESS:10BAR - Working pressure:10 barMODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 barPRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

16 - Air Flow - C242 Water Cooled - Small vessel

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:WATER



2256 0815 96_02


16 - Air Flow - C242 Water Cooled - Small vessel

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
1010	1623 8139 00	1	PIPE	(19/02/2014 - 31/12/2020)
1020	1623 8395 00	1	PIPE	(19/02/2014 - 31/12/2020)
	🔧 Substituted by: 1635 4132 00 - PIPE (quantity: 1)			
1030	0634 1001 84	2	COUPLING	(19/02/2014 - 31/12/2020)
1040	1635 0782 00	1	PIPE	(19/02/2014 - 31/12/2020)
1050	0634 1001 45	2	COUPLING	(19/02/2014 - 31/12/2020)
1060	1623 9853 00	1	PIPE	(19/02/2014 - 31/12/2020)
1070		1	O-RING 99.5 X 3	(19/02/2014 - 31/12/2020)
	🔧 Service kits: 3001 5311 13 - KIT MPV (A-B-C-D VESSEL)			
1080	0147 1364 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1090	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1100	1623 9857 00	1	PIPE	(19/02/2014 - 31/12/2020)
1110	0634 1000 29	2	VICTAULIC COUPLING	(19/02/2014 - 31/12/2020)
1120	1623 9858 00	1	PIPE	(19/02/2014 - 31/12/2020)
1130		1	O-RING	(19/02/2014 - 31/12/2020)
	🔧 Service kits: 3001 5311 21 - KIT COOLER			
1140	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1150	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)

Legend:COOL:WATER - Cooling:Water cooled
PRESS:10.4BAR - Working pressure:10.4 barMODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:10BAR - Working pressure:10 bar

MODEL:GA315VSDA2 - Model:GA 315 VSD



2256 0815 97_02

17 - Air Flow - C242 Water Cooled - Large vessel

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
1010	1623 8139 00	1	PIPE	(19/02/2014 - 31/12/2020)
1020	1623 8145 00	1	PIPE	(19/02/2014 - 31/12/2020)
	⚙ Substituted by: 1635 4130 00 - PIPE (quantity: 1)			
1030	1635 0576 00	1	PIPE	(19/02/2014 - 31/12/2020)
	⚙ Substituted by: 1635 4133 00 - PIPE (quantity: 1)			
1040	1635 0475 00	1	PIPE	(19/02/2014 - 31/12/2020)
1050	0663 2106 20	1	O-RING	(19/02/2014 - 31/12/2020)
1060	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1070	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1080	0634 1001 84	4	COUPLING	(19/02/2014 - 31/12/2020)
1090	1623 8219 00	1	PIPE	(19/02/2014 - 31/12/2020)
1100		1	O-RING	(19/02/2014 - 31/12/2020)
	🧰 Service kits: 3001 5311 14 - KIT MPV (H VESSEL) 3001 5311 21 - KIT COOLER			
1110	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1120	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1130	1623 8350 00	1	PIPE	(19/02/2014 - 31/12/2020)
1140		1	O-RING	(19/02/2014 - 31/12/2020)
	🧰 Service kits: 3001 5311 21 - KIT COOLER			
1150	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(19/02/2014 - 31/12/2020)
1160	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1170	0634 1000 56	1	VICTAULIC COUPLING	(19/02/2014 - 18/11/2014)
1170	0634 1000 40	1	PIPE COUPLING	(19/11/2014 - 31/12/2020)

Legend:


COOL:WATER - Cooling:Water cooled

PRESS:8.5BAR - Working pressure:8.5 bar

PRESS:8.6BAR - Working pressure:8.6 bar

18 - Air Flow - C190 Air Cooled - Small vessel

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + MODEL:GA200VSDA2



2256 0815 99_02

18 - Air Flow - C190 Air Cooled - Small vessel


(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + MODEL:GA200VSDA2

Ref	Part Number	Qty	Name	Validity
1010	1623 8380 00	2	PIPE	(19/02/2014 - 31/12/2020)
1020	0661 1000 25	2	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1030	0686 3716 01	2	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
1040	0634 1001 45	3	COUPLING	(19/02/2014 - 31/12/2020)
1050	1623 9853 00	1	PIPE	(19/02/2014 - 31/12/2020)
1060		1	O-RING 99.5 X 3	(19/02/2014 - 31/12/2020)
	📦 Service kits:		3001 5311 13 - KIT MPV (A-B-C-D VESSEL)	
1070	0147 1364 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1080	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1090	1623 9854 00	1	PIPE	(19/02/2014 - 31/12/2020)
1100	0634 1000 29	1	VICTAULIC COUPLING	(19/02/2014 - 31/12/2020)
1110	0634 1000 40	1	PIPE COUPLING	(19/02/2014 - 31/12/2020)

Legend:COOL:AIR - Cooling:Air cooled
PRESS:10BAR - Working pressure:10 barMODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 barPRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

19 - Air Flow - C242 Air Cooled - Small vessel

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:AIR



2256 0815 95_02

19 - Air Flow - C242 Air Cooled - Small vessel

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:AIR


Ref	Part Number	Qty	Name	Validity
1010	1623 8139 00	1	PIPE	(19/02/2014 - 31/12/2020)
1020	1623 8395 00	1	PIPE	(19/02/2014 - 31/12/2020)
	🔄 Substituted by: 1635 4132 00 - PIPE (quantity: 1)			
1030	0634 1001 84	2	COUPLING	(19/02/2014 - 31/12/2020)
1040	1635 0782 00	1	PIPE	(19/02/2014 - 31/12/2020)
1050	0634 1001 45	2	COUPLING	(19/02/2014 - 31/12/2020)
1060	1623 9853 00	1	PIPE	(19/02/2014 - 31/12/2020)
1070		1	O-RING 99.5 X 3	(19/02/2014 - 31/12/2020)
	🛠 Service kits: 3001 5311 13 - KIT MPV (A-B-C-D VESSEL)			
1080	0147 1364 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1090	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1100	0634 1000 29	1	VICTAULIC COUPLING	(19/02/2014 - 31/12/2020)
1110	1623 9854 00	1	PIPE	(19/02/2014 - 31/12/2020)
1120	0634 1000 40	1	PIPE COUPLING	(19/02/2014 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
PRESS:10.4BAR - Working pressure:10.4 bar

MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:10BAR - Working pressure:10 bar

MODEL:GA315VSDA2 - Model:GA 315 VSD



20 - Air Flow - C242 Air Cooled - Large vessel

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:AIR

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1623 8139 00	1	PIPE	(19/02/2014 - 31/12/2020)
1020	1623 8145 00	1	PIPE	(19/02/2014 - 31/12/2020)
	⚙ Substituted by: 1635 4130 00 - PIPE (quantity: 1)			
1030	1635 0576 00	1	PIPE	(19/02/2014 - 31/12/2020)
	⚙ Substituted by: 1635 4133 00 - PIPE (quantity: 1)			
1040	0634 1001 84	4	COUPLING	(19/02/2014 - 31/12/2020)
1045	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/11/2014 - 31/12/2020)
1050	1635 0475 00	1	PIPE	(19/02/2014 - 31/12/2020)
1060	0663 2106 20	1	O-RING	(19/02/2014 - 31/12/2020)
1070	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(19/02/2014 - 31/12/2020)
1080	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/11/2014 - 31/12/2020)
1090	1623 8128 00	1	PIPE	(19/02/2014 - 31/12/2020)
1100		1	O-RING	(19/02/2014 - 31/12/2020)
	🧰 Service kits: 3001 5311 14 - KIT MPV (H VESSEL)			
1110	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1130	0634 1000 40	1	PIPE COUPLING	(19/02/2014 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

PRESS:8.5BAR - Working pressure:8.5 bar

PRESS:8.6BAR - Working pressure:8.6 bar



2256 0820 91-2256 0821 91-2256 0822 91-2256 0859 90-2256 0899 95_02

21 - Air Receiver - Small Vessel 10/10.4 Bar GA315 VSD

(PRESS:10.4BAR , PRESS:10BAR) + MODEL:GA315VSDA2

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1030	1623 1226 00	1	PIPE	(29/04/2013 - 31/12/2020)
1040	0663 2109 68	1	O-RING	(29/04/2013 - 31/12/2020)
1090	0803 5012 11	1	SILENCER 1/8	(29/04/2013 - 31/12/2020)
1100	1623 8246 00	1	PLATE BOTTOM	(29/04/2013 - 31/12/2020)
1110	0147 1360 03	4	SCREW CAP	(02/12/2014 - 31/12/2020)
1120	0301 2344 00	4	WASHER PLAIN	(02/12/2014 - 31/12/2020)
1130	0147 1360 03	2	SCREW CAP	(29/04/2013 - 31/12/2020)
1140	0333 3232 00	2	LOCK WASHER	(29/04/2013 - 31/12/2020)
1150	1088 0010 25	2	CABLE LUG	(29/04/2013 - 31/12/2020)
1160	0017 2071 00	5	CABLE	(29/04/2013 - 31/12/2020)
	1623-0412-88	1	VESSEL AIR	(29/04/2013 - 01/12/2014) MAPPR:CE
	⚙ Substituted by: 1635 1765 88 - VESSEL AIR (quantity: 1)			
	1635 1765 88			(02/12/2014 - 31/12/2020) MAPPR:CE
	1623-0412-82			(29/04/2013 - 01/12/2014) (MAPPR:ASME , MAPPR:CRN , MAPPR:MOM)
	⚙ Substituted by: 1635 1765 82 - VESSEL AIR (quantity: 1)			
	1635 1765 82			(02/12/2014 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN , MAPPR:MOM)
	1623-0412-85			(29/04/2013 - 01/12/2014) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL)
	⚙ Substituted by: 1635 1765 85 - VESSEL AIR (quantity: 1)			
	1635 1765 85			(02/12/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL)
2010 •	1623 0412 08	1	VESSEL	(29/04/2013 - 18/11/2014) MAPPR:CE
2010 •	1635 1765 08	1	VESSEL AIR	(28/10/2015 - 31/12/2020) MAPPR:CE
2010 •	1623 0412 02	1	VESSEL	(29/04/2013 - 18/11/2014) (MAPPR:ASME , MAPPR:CRN , MAPPR:MOM)
2010 •	1635 1765 02	1	VESSEL AIR	(28/10/2015 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN , MAPPR:MOM)
2010 •	1623 0412 05	1	VESSEL	(29/04/2013 - 18/11/2014) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL)
2010 •	1635 1765 05	1	VESSEL AIR	(28/10/2015 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL)
2030 •		1	O-RING	(29/04/2013 - ...)
	🧰 Service kits: 3001 5311 06 - OIL SEPARATOR KIT (A-D VESSEL) 3001 5311 07 - OIL SEPARATOR KIT (B VESSEL)			
2035 •		1	O-RING	(29/04/2013 - ...)
	🧰 Service kits: 3001 5311 06 - OIL SEPARATOR KIT (A-D VESSEL) 3001 5311 07 - OIL SEPARATOR KIT (B VESSEL) 3001 5311 13 - KIT MPV (A-B-C-D VESSEL)			
2040 •	0300 0274 13	12	PLAIN WASHER(A) 21 X 37 X 3	(29/04/2013 - ...)
2050 •	0147 1964 85	12	BOLT	(29/04/2013 - ...)
3010	1623 5777 00	4	BUFFER	(29/04/2013 - 31/12/2020)
3020	0300 0274 17	8	WASHER	(29/04/2013 - 31/12/2020)
3030	0266 2111 00	4	NUT HEXAGON	(29/04/2013 - 31/12/2020)
3040	0147 1406 03	4	HEX. HEAD SCREW M12 X 55	(29/04/2013 - 31/12/2020)
3050	1623 0839 00	4	SPACER	(29/04/2013 - 31/12/2020)
3060	0348 0101 12	4	CABLE TIE	(29/04/2013 - 31/12/2020)
3070	0686 3716 02	2	PLUG 1/2 A A	(29/04/2013 - 31/12/2020)
3071	0300 0129 28	2	WASHER	(02/12/2014 - 31/12/2020)
3110	1623 0345 00	1	SHAFT	(29/04/2013 - 31/12/2020)
3130	1621 4326 00	1	RING	(29/04/2013 - 31/12/2020)
3140	1614 7279 00	1	RING SEAL	(29/04/2013 - 31/12/2020)
3150	1623 0344 00	1	NUT	(29/04/2013 - 31/12/2020)
3160	1623 8081 00	1	HOUSING VALVE	(02/12/2014 - 31/12/2020)
3180	0663 2109 49	1	O-RING	(29/04/2013 - 31/12/2020)

Legend:

MAPPR:AS1210 - Pressure Vessel Approval:AS1210
 MAPPR:CRN - Pressure Vessel Approval:CRN
 MAPPR:MOM - Pressure Vessel Approval:MOM
 PRESS:10BAR - Working pressure:10 bar

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
 MAPPR:ML - Pressure Vessel Approval:ML
 MODEL:GA315VSDA2 - Model:GA 315 VSD

MAPPR:CE - Pressure Vessel Approval:CE
 MAPPR:MOL - Pressure Vessel Approval:Japan
 PRESS:10.4BAR - Working pressure:10.4 bar



21 - Air Receiver - Small Vessel 10/10.4 Bar GA315 VSD

(PRESS:10.4BAR , PRESS:10BAR) + MODEL:GA315VSDA2

Ref	Part Number	Qty	Name	Validity
3190	1623 0519 00	1	PIPE SUCTION	(02/12/2014 - 31/12/2020)
3195	0661 1000 26	1	SEAL WASHER	(29/04/2013 - 31/12/2020)
3200	0663 7127 00	1	O-RING	(02/12/2014 - 31/12/2020)
3210	0686 3716 02	2	PLUG 1/2 A A	(29/04/2013 - 31/12/2020)
3211	0661 1000 27	2	SEAL GASKET	(29/04/2013 - 31/12/2020)
3220	0211 1102 16	2	SCREW	(29/04/2013 - 31/12/2020)
3230	0663 7127 00	2	O-RING	(02/12/2014 - 31/12/2020)
3240	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(02/12/2014 - 31/12/2020)
3250	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(02/12/2014 - 31/12/2020)
3260	1623 0515 00	1	FILTER ELEM.	(29/04/2013 - 01/12/2014)
3260	1623 0514 00	1	FILTER ELEM.	(02/12/2014 - 31/12/2020)
⚙ Substituted by:		1623 0514 99 - OIL SEPARATOR ELEMENT (quantity: 1)		
3270	1614 9184 00	1	INDICATOR LEVEL	(29/04/2013 - 31/12/2020)
3280	0560 0200 74	1	ELBOW	(29/04/2013 - 31/12/2020)
3300	1079 5840 29	1	HEXAGON NIPPLE	(29/04/2013 - 31/12/2020)
3310	0575 0056 35	1	FLEXIBLE	(29/04/2013 - 31/12/2020)
3320	0661 1000 29	1	WASHER	(29/04/2013 - 31/12/2020)
3330	1614 9252 00	1	PLUG HEXAGON	(29/04/2013 - 31/12/2020)
3340	1623 6821 00	1	BUSHING	(29/04/2013 - 31/12/2020)
3350	1623 6822 00	1	SCREW	(29/04/2013 - 31/12/2020)
3360	0266 2116 00	1	HEXAGON NUT M20	(29/04/2013 - 31/12/2020)
3380	0147 1400 03	4	HEX. HEAD SCREW M12 X 25	(02/12/2014 - 31/12/2020)
3390	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(02/12/2014 - 31/12/2020)
3400	0147 1564 12	1	BOLT	(02/12/2014 - 31/12/2020)
3410	0300 0274 13	1	PLAIN WASHER(A) 21 X 37 X 3	(02/12/2014 - 31/12/2020)
3420	1623 6844 00	1	WASHER	(02/12/2014 - 31/12/2020)
3425	0605 8300 87	1	BUSHING	(09/12/2014 - 31/12/2020)
3430	0515 8000 12	1	CAGE	(02/12/2014 - 31/12/2020)
3435	0605 8514 07	1	BUSHING	(02/12/2014 - 31/12/2020)
3440	0147 1249 03	6	BOLT	(02/12/2014 - 31/12/2020)
⚙ Substituted by:		0147 1247 03 - BOLT (quantity: 1)		
3450	0301 2321 00	6	PLAIN WASHER(A) 6.4 X 12 X 1.6	(02/12/2014 - 31/12/2020)
3460	1623 8535 00	1	RING SEAL	(02/12/2014 - 31/12/2020)
3470	0663 2117 17	1	O-RING	(02/12/2014 - 31/12/2020)
3490	0661 1000 27	1	SEAL GASKET	(17/04/2015 - 31/12/2020)
3500	1623 1974 00	1	PLUG HEXAGON	(17/04/2015 - 31/12/2020)
3510	0605 8300 89	1	BUSHING	(17/04/2015 - 31/12/2020)
4010	1623 0456 06	1	SPRING COMPRESSION	(06/01/2014 - 31/12/2020)
4020	1623 4457 03	1	VALVE PRESS	(06/01/2014 - 31/12/2020)
4030		1	SEAL	(06/01/2014 - 31/12/2020)
🧰 Service kits:		3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
4040		1	SEAL	(06/01/2014 - 31/12/2020)
🧰 Service kits:		3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
4050		1	SEAL	(06/01/2014 - 31/12/2020)
🧰 Service kits:		3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
5010	0605 8300 97	1	FITTING	(13/12/2013 - ...)

Legend:


MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CRN - Pressure Vessel Approval:CRN
MAPPR:MOM - Pressure Vessel Approval:MOM
PRESS:10BAR - Working pressure:10 bar

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:ML - Pressure Vessel Approval:ML
MODEL:GA315VSDA2 - Model:GA 315 VSD

MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOL - Pressure Vessel Approval:Japan
PRESS:10.4BAR - Working pressure:10.4 bar

22 - Air Receiver - Small Vessel 10/10.4/13.8/14 Bar GA200VSD or 10/10.4 Bar GA250VSD

(MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) , (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2



2256 0859 90-2256 0899 95-2256 0820 98-99-
2256 0821 98-99-2256 0822 98-99-1611 6841 92_02

22 - Air Receiver - Small Vessel 10/10.4/13.8/14 Bar GA200VSD or 10/10.4 Bar GA250VSD

Atlas Copco

(MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) , (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2

Ref	Part Number	Qty	Name	Validity
1030	1623 1226 00	1	PIPE	(02/12/2014 - 31/12/2020)
1040	0663 2109 68	1	O-RING	(02/12/2014 - 31/12/2020)
1090	0803 5012 11	1	SILENCER 1/8	(02/12/2014 - 31/12/2020)
1100	1623 8246 00	1	PLATE BOTTOM	(02/12/2014 - 31/12/2020)
1110	0147 1360 03	4	SCREW CAP	(02/12/2014 - 31/12/2020)
1120	0301 2344 00	4	WASHER PLAIN	(02/12/2014 - 31/12/2020)
1130	0147 1360 03	2	SCREW CAP	(02/12/2014 - 31/12/2020)
1140	0333 3232 00	2	LOCK WASHER	(02/12/2014 - 31/12/2020)
1150	1088 0010 25	2	CABLE LUG	(02/12/2014 - 31/12/2020)
1160	0017 2071 00	5	CABLE	(02/12/2014 - 31/12/2020)
	1635 1765 88	1	VESSEL AIR	(02/12/2014 - 31/12/2020) MAPPR:CE
	1635 1765 82			(02/12/2014 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN , MAPPR:MOM)
	1635 1765 85			(02/12/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL) + (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2
	1635 1765 85			(02/12/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL) + (MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR)
2010 •	1635 1765 08	1	VESSEL AIR	(28/10/2015 - 31/12/2020) MAPPR:CE
2010 •	1635 1765 02	1	VESSEL AIR	(28/10/2015 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN , MAPPR:MOM)
2010 •	1635 1765 05	1	VESSEL AIR	(28/10/2015 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ML , MAPPR:MOL)
2030 •		1	O-RING	(28/10/2015 - 31/12/2020)
	Service kits:	3001 5311 08 - OIL SEPARATOR KIT (C VESSEL)		
		3001 5311 07 - OIL SEPARATOR KIT (B VESSEL)		
2035 •		1	O-RING	(28/10/2015 - 31/12/2020)
	Service kits:	3001 5311 08 - OIL SEPARATOR KIT (C VESSEL)		
		3001 5311 07 - OIL SEPARATOR KIT (B VESSEL)		
		3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
2040 •	0300 0274 13	12	PLAIN WASHER(A) 21 X 37 X 3	(28/10/2015 - 31/12/2020)
2050 •	0147 1964 85	12	BOLT	(28/10/2015 - 31/12/2020)
3010	1623 5777 00	4	BUFFER	(02/12/2014 - 31/12/2020)
3020	0300 0274 17	8	WASHER	(02/12/2014 - 31/12/2020)
3030	0266 2111 00	4	NUT HEXAGON	(02/12/2014 - 31/12/2020)
3040	0147 1406 03	4	HEX. HEAD SCREW M12 X 55	(02/12/2014 - 31/12/2020)
3050	1623 0839 00	4	SPACER	(02/12/2014 - 31/12/2020)
3060	0348 0101 12	4	CABLE TIE	(02/12/2014 - 31/12/2020)
3070	0686 3716 02	2	PLUG 1/2 A A	(02/12/2014 - 31/12/2020)
3071	0300 0129 28	2	WASHER	(02/12/2014 - 31/12/2020)
3110	1623 0345 00	1	SHAFT	(02/12/2014 - 31/12/2020)
3130	1621 4326 00	1	RING	(02/12/2014 - 31/12/2020)
3140	1614 7279 00	1	RING SEAL	(02/12/2014 - 31/12/2020)
3150	1623 0344 00	1	NUT	(02/12/2014 - 31/12/2020)
3160	1623 8081 00	1	HOUSING VALVE	(02/12/2014 - 08/12/2014) (MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) (09/12/2014 - 31/12/2020)
3180	0663 2109 49	1	O-RING	(02/12/2014 - 31/12/2020)
3190	1623 0517 00	1	PIPE SUCTION	(02/12/2014 - 31/12/2020) (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2
3190	1623 0518 00	1	PIPE SUCTION	(02/12/2014 - 31/12/2020) (MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR)
3195	0661 1000 26	1	SEAL WASHER	(02/12/2014 - 31/12/2020)
3200	0663 7127 00	1	O-RING	(02/12/2014 - 31/12/2020)
3210	0686 3716 02	2	PLUG 1/2 A A	(02/12/2014 - 31/12/2020)

Legend:


MAPPR:AS1210 - Pressure Vessel Approval:AS1210
 MAPPR:CRN - Pressure Vessel Approval:CRN
 MAPPR:MOM - Pressure Vessel Approval:MOM
 PRESS:10.4BAR - Working pressure:10.4 bar
 PRESS:14BAR - Working pressure:14 bar

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
 MAPPR:ML - Pressure Vessel Approval:ML
 MODEL:GA200VSDA2 - Model:GA 200 VSD
 PRESS:10BAR - Working pressure:10 bar

MAPPR:CE - Pressure Vessel Approval:CE
 MAPPR:MOL - Pressure Vessel Approval:Japan
 MODEL:GA250VSDA2 - Model:GA 250 VSD
 PRESS:13.8BAR - Working pressure:13.8 bar

22 - Air Receiver - Small Vessel 10/10.4/13.8/14 Bar GA200VSD or 10/10.4 Bar GA250VSD

(MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) , (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2



2256 0859 90-2256 0899 95-2256 0820 98-99-
2256 0821 98-99-2256 0822 98-99-1611 6841 92_02

22 - Air Receiver - Small Vessel 10/10.4/13.8/14 Bar GA200VSD or 10/10.4 Bar GA250VSD

(MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) , (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2


Ref	Part Number	Qty	Name	Validity
3211	0661 1000 27	2	SEAL GASKET	(02/12/2014 - 31/12/2020)
3220	0211 1102 16	2	SCREW	(02/12/2014 - 31/12/2020)
3230	0663 7127 00	2	O-RING	(02/12/2014 - 31/12/2020)
3240	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(02/12/2014 - 31/12/2020)
3250	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(02/12/2014 - 31/12/2020)
3260	1623 0516 00	1	FILTER ELEM.	(02/12/2014 - 31/12/2020) (PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2
3260	1623 0515 00	1	FILTER ELEM.	(02/12/2014 - 31/12/2020) (MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR)
3270	1614 9184 00	1	INDICATOR LEVEL	(02/12/2014 - 31/12/2020)
3280	0560 0200 74	1	ELBOW	(02/12/2014 - 31/12/2020)
3300	1079 5840 29	1	HEXAGON NIPPLE	(02/12/2014 - 31/12/2020)
3310	0575 0056 35	1	FLEXIBLE	(02/12/2014 - 31/12/2020)
3320	0661 1000 29	1	WASHER	(02/12/2014 - 31/12/2020)
3330	1614 9252 00	1	PLUG HEXAGON	(02/12/2014 - 31/12/2020)
3340	1623 6821 00	1	BUSHING	(02/12/2014 - 31/12/2020)
3350	1623 6822 00	1	SCREW	(02/12/2014 - 31/12/2020)
3360	0266 2116 00	1	HEXAGON NUT M20	(02/12/2014 - 31/12/2020)
3380	0147 1400 03	4	HEX. HEAD SCREW M12 X 25	(02/12/2014 - 31/12/2020)
3390	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(02/12/2014 - 31/12/2020)
3400	0147 1564 12	1	BOLT	(02/12/2014 - 31/12/2020)
3410	0300 0274 13	1	PLAIN WASHER(A) 21 X 37 X 3	(02/12/2014 - 31/12/2020)
3420	1623 6844 00	1	WASHER	(02/12/2014 - 31/12/2020)
3425	0605 8300 87	1	BUSHING	(09/12/2014 - 31/12/2020)
3430	0515 8000 12	1	CAGE	(02/12/2014 - 31/12/2020)
3435	0605 8514 07	1	BUSHING	(02/12/2014 - 31/12/2020)
3440	0147 1249 03	6	BOLT	(02/12/2014 - 31/12/2020)
	 Substituted by:	0147 1247 03 - BOLT (quantity: 1)		
3450	0301 2321 00	6	PLAIN WASHER(A) 6.4 X 12 X 1.6	(02/12/2014 - 31/12/2020)
3460	1623 8535 00	1	RING SEAL	(02/12/2014 - 08/12/2014) (MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + (PRESS:10.4BAR , PRESS:10BAR)
				(09/12/2014 - 31/12/2020)
3470	0663 2117 17	1	O-RING	(02/12/2014 - 31/12/2020)
3490	0661 1000 27	1	SEAL GASKET	(17/04/2015 - 31/12/2020)
3500	1623 1974 00	1	PLUG HEXAGON	(17/04/2015 - 31/12/2020)
3510	0605 8300 89	1	BUSHING	(17/04/2015 - 31/12/2020)
4010	1623 0456 02	1	SPRING COMPRESSION	(26/03/2012 - 31/12/2020) PRESS:13.8BAR , PRESS:14BAR
4010	1623 0456 06	1	SPRING COMPRESSION	(06/01/2014 - 31/12/2020) PRESS:10.4BAR , PRESS:10BAR
4020	1623 4457 03	1	VALVE PRESS	(26/03/2012 - ...)
4030		1	SEAL	(26/03/2012 - ...)
	 Service kits:	3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
4040		1	SEAL	(26/03/2012 - ...)
	 Service kits:	3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
4050		1	SEAL	(26/03/2012 - ...)
	 Service kits:	3001 5311 13 - KIT MPV (A-B-C-D VESSEL)		
5010	0605 8300 97	1	FITTING	(13/12/2013 - ...)

Legend:

MAPPR:AS1210 - Pressure Vessel Approval:AS1210
 MAPPR:CRN - Pressure Vessel Approval:CRN
 MAPPR:MOM - Pressure Vessel Approval:MOM
 PRESS:10.4BAR - Working pressure:10.4 bar
 PRESS:14BAR - Working pressure:14 bar

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
 MAPPR:ML - Pressure Vessel Approval:ML
 MODEL:GA200VSDA2 - Model:GA 200 VSD
 PRESS:10BAR - Working pressure:10 bar

MAPPR:CE - Pressure Vessel Approval:CE
 MAPPR:MOL - Pressure Vessel Approval:Japan
 MODEL:GA250VSDA2 - Model:GA 250 VSD
 PRESS:13.8BAR - Working pressure:13.8 bar



23 - Air Receiver - Large Vessel CE 8.5/8.6 Bar

(PRESS:8.5BAR , PRESS:8.6BAR) + MAPPR:CE

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1020	0300 0274 13	16	PLAIN WASHER(A) 21 X 37 X 3	(12/03/2013 - 31/12/2020)
1030	0147 1107 71	16	SCREW	(12/03/2013 - 31/12/2020)
1040	1623 9646 00	1	RING INTERNAL	(12/03/2013 - 31/12/2020)
1050	0301 2321 00	6	PLAIN WASHER	(12/03/2013 - 31/12/2020)
1060	0147 1249 03	6	BOLT	(12/03/2013 - 31/12/2020)
	☞ Substituted by:		0147 1247 03 - BOLT (quantity: 1)	
1070	0663 2109 71	1	O-RING	(12/03/2013 - 31/12/2020)
1090		1	O-RING	(12/03/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 14 - KIT MPV (H VESSEL)	
1100	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)
1110	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(12/03/2013 - 31/12/2020)
1120		2	O-RING	(12/03/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1130		2	O-RING	(12/03/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1140		1	OIL SEPARATOR ELEMENT	(12/03/2013 - ...)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1150	1623 8597 00	1	SHIELD SEPARATOR	(27/11/2013 - 31/12/2020)
1155	0108 1290 00	1	SPRING PIN	(27/11/2013 - 31/12/2020)
1160	1614 9520 00	1	BUSHING	(12/03/2013 - 31/12/2020)
1170	0147 1479 03	1	BOLT	(12/03/2013 - 31/12/2020)
1180	1614 9089 00	1	PIVOT PIN	(12/03/2013 - 31/12/2020)
1190		1	SEAL WASHER	(12/03/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL) 3001 5311 14 - KIT MPV (H VESSEL)	
1200	1623 3672 00	1	PIPE	(12/03/2013 - 31/12/2020)
1205		1	SEAL WASHER	(08/08/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1210	1614 9184 00	1	INDICATOR LEVEL	(12/03/2013 - 31/12/2020)
1220	2250 2528 00	1	PLUG SCREW	(12/03/2013 - 31/12/2020)
1230	0661 1000 31	1	WASHER	(12/03/2013 - 31/12/2020)
1240		1	WASHER	(12/03/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 11 - AIR + OIL FILTER KIT 3001 5311 12 - KIT FILTER OIL	
1250	1619 5509 00	1	HEXAGON NIPPLE	(12/03/2013 - 31/12/2020)
1260	0575 0056 35	1	FLEXIBLE	(08/08/2013 - 31/12/2020)
1270	1614 9252 00	1	PLUG HEXAGON	(08/08/2013 - 31/12/2020)
1280	0661 1000 25	1	SEAL WASHER 13.74 X 20.57 X 2	(12/03/2013 - 31/12/2020)
1290	0580 8400 15	1	CONNECTOR	(12/03/2013 - 31/12/2020)
1300	1623 5777 00	4	BUFFER	(12/03/2013 - 31/12/2020)
1310	0301 2344 00	4	WASHER PLAIN	(12/03/2013 - 31/12/2020)
1320	0266 2111 00	4	NUT HEXAGON	(12/03/2013 - 31/12/2020)
1330	1623 0839 00	4	SPACER	(12/03/2013 - 31/12/2020)
1340	0147 1368 03	4	BOLT	(12/03/2013 - 31/12/2020)
1350	0348 0101 12	4	CABLE TIE	(12/03/2013 - 31/12/2020)
1360	0147 1360 03	2	SCREW CAP	(12/03/2013 - 31/12/2020)
1370	0333 3232 00	2	LOCK WASHER	(12/03/2013 - 31/12/2020)
1380	0017 2071 00	2	CABLE	(08/08/2013 - 31/12/2020)
1390	1088 0010 25	2	CABLE LUG	(12/03/2013 - 31/12/2020)
	1623 9044 08	1	VESSEL AIR	(12/03/2013 - 31/12/2020)
2010	• 1623 9044 10	1	VESSEL AIR	
2020	• 1623 8014 10	1	COVER VESSEL	
2030	• 1623 9650 00	1	FLANGE BLIND	
2040	• 0663 2107 24	1	O-RING	

Legend:

MAPPR:CE - Pressure Vessel Approval:CE

PRESS:8.5BAR - Working pressure:8.5 bar

PRESS:8.6BAR - Working pressure:8.6 bar



23 - Air Receiver - Large Vessel CE 8.5/8.6 Bar

(PRESS:8.5BAR , PRESS:8.6BAR) + MAPPR:CE

Ref	Part Number	Qty	Name	Validity
2050	• 0301 2358 00	6	PLAIN WASHER(A) 13 X 24 X 2.5	
2060	• 0147 1107 65	6	SCREW	
3020	1623 8016 00	1	HOUSING VALVE	(12/03/2013 - 31/12/2020)
	• 0259 0068 00	4	THREAD INSERT	
	• 0259 1442 00	2	THREAD INSERT	
	• 0259 1432 00	1	THREAD INSERT	
3060	1623 0345 00	1	SHAFT	(12/03/2013 - 31/12/2020)
3070	0211 1102 16	2	SCREW	(12/03/2013 - 31/12/2020)
3080	1623 4287 00	1	RING INTERNAL	(12/03/2013 - 31/12/2020)
3090	1623 0344 00	1	NUT	(12/03/2013 - 31/12/2020)
3100	0663 7126 00	3	O-RING	(12/03/2013 - 31/12/2020)
3110	1623 4288 00	1	WASHER PLAIN	(12/03/2013 - 31/12/2020)
3120	0300 0129 28	2	WASHER	(12/03/2013 - 31/12/2020)
3130	0686 3716 02	2	PLUG 1/2 A A	(12/03/2013 - 31/12/2020)
3140	0803 5012 11	1	SILENCER 1/8	(12/03/2013 - 31/12/2020)
4010	1623 4286 00	1	VALVE PRESS	(30/07/2015 - 31/12/2020)
4020	1623 8402 00	1	SPRING COMPRESSION	(30/07/2015 - 31/12/2020)
4030	0665 0701 53	1	SEAL	(30/07/2015 - 31/12/2020)
4040	0665 0701 54	1	SEAL	(30/07/2015 - 31/12/2020)
4050	0665 0701 56	1	SEAL	(30/07/2015 - 31/12/2020)

Legend:


MAPPR:CE - Pressure Vessel Approval:CE

PRESS:8.5BAR - Working pressure:8.5 bar

PRESS:8.6BAR - Working pressure:8.6 bar

24 - Air Receiver - Large Vessel AS1210/ML/MOL/ASME/CRN/MOM 8.5/8.6 Bar

(MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (PRESS:8.5BAR , PRESS:8.6BAR)



2256 0821 94-2256 0822 94-2256 0823 94-2256 0824 94-2256 0825 94-2256 0859 91_02

24 - Air Receiver - Large Vessel AS1210/ML/MOL/ASME/CRN/MOM 8.5/8.6 Bar

(MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (PRESS:8.5BAR , PRESS:8.6BAR)


Ref	Part Number	Qty	Name	Validity
1020	0300 0274 13	16	PLAIN WASHER(A) 21 X 37 X 3	(29/04/2013 - 31/12/2020)
1030	0147 1107 71	16	SCREW	(29/04/2013 - 31/12/2020)
1040	1623 9646 00	1	RING INTERNAL	(29/04/2013 - 31/12/2020)
1050	0301 2321 00	6	PLAIN WASHER	(29/04/2013 - 31/12/2020)
1060	0147 1249 03	6	BOLT	(29/04/2013 - 31/12/2020)
	☞ Substituted by:		0147 1247 03 - BOLT (quantity: 1)	
1070	0663 2109 71	1	O-RING	(29/04/2013 - 31/12/2020)
1090		1	O-RING	(29/04/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 14 - KIT MPV (H VESSEL)	
1100	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)
1110	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)
1120	1623 8597 00	1	SHIELD SEPARATOR	(29/04/2013 - ...) (MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM)
1130		2	O-RING	(29/04/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1140		2	O-RING	(29/04/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1150		1	OIL SEPARATOR ELEMENT	(29/04/2013 - ...)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL)	
1160	1623 8597 00	1	SHIELD SEPARATOR	(27/11/2013 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN)
1165	0108 1290 00	1	SPRING PIN	(27/11/2013 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN)
1170	1614 9520 00	1	BUSHING	(29/04/2013 - 31/12/2020)
1180	0147 1479 03	1	BOLT	(29/04/2013 - 31/12/2020)
1190	1614 9089 00	1	PIVOT PIN	(29/04/2013 - 31/12/2020)
1200		1	SEAL WASHER	(29/04/2013 - 31/12/2020)
	☞ Service kits:		3001 5311 09 - OIL SEPARATOR KIT (H VESSEL) 3001 5311 14 - KIT MPV (H VESSEL)	
1210	1623 3672 00	1	PIPE	(29/04/2013 - 31/12/2020)
1220	1614 9184 00	1	INDICATOR LEVEL	(29/04/2013 - 31/12/2020)
1230	2250 2528 00	1	PLUG SCREW	(29/04/2013 - 31/12/2020)
1240	0661 1000 29	1	WASHER	(08/08/2013 - 31/12/2020) MAPPR:AS1210
1240	0661 1000 31	1	WASHER	(29/04/2013 - ...) (MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM)
1250		1	WASHER	(29/04/2013 - ...) (MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM)
	☞ Service kits:		3001 5311 11 - AIR + OIL FILTER KIT 3001 5311 12 - KIT FILTER OIL	
1250	0661 1000 31	1	WASHER	(08/08/2013 - 31/12/2020) MAPPR:AS1210
1260	1619 5509 00	1	HEXAGON NIPPLE	(29/04/2013 - 31/12/2020)
1270	0575 0056 35	1	FLEXIBLE	(08/08/2013 - 31/12/2020)
1280	1614 9252 00	1	PLUG HEXAGON	(08/08/2013 - 31/12/2020)
1290	0661 1000 25	1	SEAL WASHER 13.74 X 20.57 X 2	(29/04/2013 - 31/12/2020)
1300	0580 8400 15	1	CONNECTOR	(29/04/2013 - 31/12/2020)
1310	1623 5777 00	4	BUFFER	(29/04/2013 - 31/12/2020)
1320	0301 2344 00	4	WASHER PLAIN	(29/04/2013 - 31/12/2020)
1330	0266 2111 00	4	NUT HEXAGON	(29/04/2013 - 31/12/2020)
1340	1623 0839 00	4	SPACER	(29/04/2013 - 31/12/2020)
1350	0147 1368 03	4	BOLT	(29/04/2013 - 31/12/2020)
1360	0348 0101 12	4	CABLE TIE	(29/04/2013 - 31/12/2020)
1370	0147 1360 03	2	SCREW CAP	(29/04/2013 - 31/12/2020)
1380	0333 3232 00	2	LOCK WASHER	(29/04/2013 - 31/12/2020)
1390	0017 2071 00	2	CABLE	(08/08/2013 - 31/12/2020)
1400	1088 0010 25	2	CABLE LUG	(29/04/2013 - 31/12/2020)

Legend:

MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ML - Pressure Vessel Approval:ML
PRESS:8.5BAR - Working pressure:8.5 bar

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:MOL - Pressure Vessel Approval:Japan
PRESS:8.6BAR - Working pressure:8.6 bar

MAPPR:CRN - Pressure Vessel Approval:CRN
MAPPR:MOM - Pressure Vessel Approval:MOM



2256 0821 94-2256 0822 94-2256 0823 94-2256 0824 94-2256 0825 94-2256 0859 91_02

24 - Air Receiver - Large Vessel AS1210/ML/MOL/ASME/CRN/MOM 8.5/8.6 Bar

(MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (PRESS:8.5BAR , PRESS:8.6BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1623 9044 02	1	VESSEL AIR	(29/04/2013 - 31/12/2020) (MAPPR:ASME , MAPPR:CRN)
	1623 9044 01			(29/04/2013 - 31/12/2020) MAPPR:ML
	1623 9044 04			(29/04/2013 - 31/12/2020) MAPPR:MOL
	1623 9044 03			(29/04/2013 - 31/12/2020) MAPPR:MOM
	1623 9044 05			(29/04/2013 - 31/12/2020) MAPPR:AS1210
2010	• 1623 9044 10	1	VESSEL AIR	(29/04/2013 - 31/12/2020)
2020	• 1623 8014 10	1	COVER VESSEL	(29/04/2013 - 31/12/2020)
2030	• 1623 9650 00	1	FLANGE BLIND	(29/04/2013 - 31/12/2020)
2040	• 0663 2107 24	1	O-RING	(29/04/2013 - 31/12/2020)
2050	• 0301 2358 00	6	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)
2060	• 0147 1107 65	6	SCREW	(29/04/2013 - 31/12/2020)
3020	1623 8016 00	1	HOUSING VALVE	(29/04/2013 - 31/12/2020)
	• 0259 0068 00	4	THREAD INSERT	
	• 0259 1442 00	2	THREAD INSERT	
	• 0259 1432 00	1	THREAD INSERT	
3060	1623 0345 00	1	SHAFT	(29/04/2013 - 31/12/2020)
3070	0211 1102 16	2	SCREW	(29/04/2013 - 31/12/2020)
3080	1623 4287 00	1	RING INTERNAL	(29/04/2013 - 31/12/2020)
3090	1623 0344 00	1	NUT	(29/04/2013 - 31/12/2020)
3100	0663 7126 00	3	O-RING	(29/04/2013 - 31/12/2020)
3110	1623 4288 00	1	WASHER PLAIN	(29/04/2013 - 31/12/2020)
3120	0300 0129 28	2	WASHER	(29/04/2013 - 31/12/2020)
3130	0686 3716 02	2	PLUG 1/2 A A	(29/04/2013 - 31/12/2020)
3140	0803 5012 11	1	SILENCER 1/8	(29/04/2013 - 31/12/2020)
4010	1623 4286 00	1	VALVE PRESS	(30/07/2015 - 31/12/2020)
4020	1623 8402 00	1	SPRING COMPRESSION	(30/07/2015 - 31/12/2020)
4030	0665 0701 53	1	SEAL	(30/07/2015 - 31/12/2020)
4040	0665 0701 54	1	SEAL	(30/07/2015 - 31/12/2020)
4050	0665 0701 56	1	SEAL	(30/07/2015 - 31/12/2020)

Legend:

MAPPR:AS1210 - Pressure Vessel Approval:AS1210

MAPPR:ML - Pressure Vessel Approval:ML

PRESS:8.5BAR - Working pressure:8.5 bar


MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)

MAPPR:MOL - Pressure Vessel Approval:Japan

PRESS:8.6BAR - Working pressure:8.6 bar

MAPPR:CRN - Pressure Vessel Approval:CRN

MAPPR:MOM - Pressure Vessel Approval:MOM



2256 0834 90-91_02

25 - Blow Off Valve - GA 200 VSD 8,5/8,6 bar

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2



Ref	Part Number	Qty	Name	Validity
1010	0603 4108 03	1	HEX. NIPPLE	(29/04/2013 - 12/12/2013)
1010	0603 5126 03	1	HEXAGON NIPPLE	(13/12/2013 - 31/12/2020)
1020	0560 0200 30	1	ELBOW	(13/12/2013 - 31/12/2020)
1030	0661 1000 31	1	WASHER	(08/08/2013 - 31/12/2020)
1040	0830 1010 53	1	VALVE SAFETY	(08/08/2013 - 31/12/2020)
1060	0575 0361 18	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)
1070	0574 9871 15	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)

Legend:

FREQ:50HZ - Frequency:50 Hz
PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD



2256 0834 95-96_01

26 - Blow Off Valve - GA 200 VSD - 13.8/14 Bar - Pack

(FREQ:50HZ + PRESS:14BAR , FREQ:60HZ + PRESS:13.8BAR) + IDRY:PACK + MODEL:GA200VSDA2

Atlas Copco



Ref	Part Number	Qty	Name	Validity
1010	0603 5120 03	1	HEXAGON NIPPLE	(08/08/2013 - 31/12/2020)
1020	0560 0200 24	1	ELBOW	(08/08/2013 - 31/12/2020)
1030	0661 1000 30	1	SEAL CARTRIDGE	(08/08/2013 - 31/12/2020)
1040	0830 1008 92	1	VALVE SAFETY	(08/08/2013 - 31/12/2020)
1050	0603 5125 03	1	HEXAGON NIPPLE	(18/11/2014 - 31/12/2020)
1060	0575 0121 29	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)
1070	0574 9871 13	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)

Legend:

FREQ:50HZ - Frequency:50 Hz
MODEL:GA200VSDA2 - Model:GA 200 VSD

FREQ:60HZ - Frequency:60 Hz
PRESS:13.8BAR - Working pressure:13.8 bar

IDRY:PACK - Integrated dryer:Pack
PRESS:14BAR - Working pressure:14 bar



2256 0834 95-96_01

27 - Blow Off Valve - GA 200 VSD - 13,8/14 bar Full Feature / 10/10,4 bar

((IDRY:FF + PRESS:13.8BAR , PRESS:10.4BAR) + FREQ:60HZ , (IDRY:FF + PRESS:14BAR , PRESS:10BAR) + FREQ:50HZ) + MODEL:GA200VSDA2




Ref	Part Number	Qty	Name	Validity
1010	0603 4107 03	1	HEXAGON NIPPLE	(08/08/2013 - 31/12/2020)
1020	0560 0200 30	1	ELBOW	(08/08/2013 - 31/12/2020)
1030	0661 1000 31	1	WASHER	(08/08/2013 - 31/12/2020)
1040	0830 1010 53	1	VALVE SAFETY	(08/08/2013 - 31/12/2020)
1050	0603 5126 03	1	HEXAGON NIPPLE	(18/11/2014 - 31/12/2020)
1060	0575 0121 29	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)
1070	0574 9871 13	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)

Legend:

FREQ:50HZ - Frequency:50 Hz
MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

IDRY:FF - Integrated dryer:Full feature
PRESS:10BAR - Working pressure:10 bar



2256 0834 90-91_02

28 - Blow Off Valve - GA 250/315 VSD

MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	0603 4108 03	1	HEX. NIPPLE	(12/03/2013 - 31/12/2020)
1020	0560 0200 56	1	ELBOW	(12/03/2013 - 31/12/2020)
1030	0661 1000 32	1	SEAL WASHER	(08/08/2013 - 31/12/2020)
1040	0830 1010 54	1	VALVE SAFETY	(08/08/2013 - 31/12/2020)
1060	0575 0361 18	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)
1070	0574 9871 15	1	HOSE ASSEMBLY	(17/04/2015 - 31/12/2020)


Legend:

MODEL:GA250VSDA2 - Model:GA 250 VSD

MODEL:GA315VSDA2 - Model:GA 315 VSD

29 - Air Outlet - Air Cooled Pack (Small WSD)

((PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2 , PRESS:10.4BAR , PRESS:10BAR) + COOL:AIR + IDRY:PACK



2256 0816 90_02

29 - Air Outlet - Air Cooled Pack (Small WSD)

(PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2 , PRESS:10.4BAR , PRESS:10BAR) + COOL:AIR + IDRY:PACK

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 9385 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1020	0634 1000 56	2	VICTAULIC COUPLING	(29/04/2013 - 31/12/2020)	
1040	1635 0661 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1050	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1060	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1070	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1080	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
1090	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
		Remarks: For Transport only			
1100	1623 0808 00	1	BUSHING	(10/12/2014 - 31/12/2020)	
1110	0661 1000 34	1	SEAL WASHER	(10/12/2014 - 31/12/2020)	
	1623 7868 80	1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	• 1623 7868 00	1	PIPE		
2020	• 1623 7869 00	1	PIPE		
2030	• 1623 0507 00	1	SEPARATOR WATER		
2040	• 0147 1246 03	2	BOLT		
2050	• 1623 2588 00	1	PLATE	(09/08/2013 - 31/12/2020)	
2060	• 0211 1244 01	6	SCREW		
2070	• 1623 0446 00	1	PLATE PERFORATE		
2080	• 1623 1778 00	1	BOWL		
2090	• 0147 1404 03	4	HEX. HEAD SCREW M12 X 45		
2100	•	1	O-RING	(29/04/2013 - ...)	
		Service kits: 3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			

Legend:


COOL:AIR - Cooling:Air cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

IDRY:PACK - Integrated dryer:Pack
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

30 - Air Outlet - Air Cooled Pack (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:AIR + IDRY:PACK



2256 0816 91_01

30 - Air Outlet - Air Cooled Pack (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:AIR + IDRY:PACK

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 9385 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1020	0634 1000 56	2	VICTAULIC COUPLING	(29/04/2013 - 31/12/2020)	
1040	1635 0661 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1050	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1060	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1070	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1080	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
1090	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
Remarks: For Transport only					
	1623 7464 80	1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	• 1623 7464 00	1	PIPE		
2020	• 1623 4281 00	1	SEPARATOR WATER		
2030	• 0211 1959 23	3	SCREW		
2040	• 1623 4317 00	1	PIPE		
2050	• 0211 1244 01	6	SCREW		
2060	• 1623 0446 00	1	PLATE PERFORATE		
2070	• 1623 6555 00	1	PLATE COVER		
2080	• 0300 0275 37	3	WASHER		
2090	• 0291 1128 03	3	LOCK NUT M5		
2100	• 1623 6556 00	3	STUD		
2110	• 1623 4280 00	1	BOWL		
2120	• 0663 2111 96	1	O-RING		
2130	• 0147 1961 80	4	BOLT		

Legend:


COOL:AIR - Cooling:Air cooled
PRESS:8.6BAR - Working pressure:8.6 bar

IDRY:PACK - Integrated dryer:Pack

PRESS:8.5BAR - Working pressure:8.5 bar

31 - Air Outlet - Air Cooled Full Feature without flange (Small WSD)

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + IDRY:FF + MODEL:GA200VSDA2



2256 0816 94_02

31 - Air Outlet - Air Cooled Full Feature without flange (Small WSD)

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + IDRY:FF + MODEL:GA200VSDA2

Atlas Copco


Ref	Part Number	Qty	Name	Validity	R.
1010	1623 9385 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1020	0634 1000 56	2	VICTAULIC COUPLING	(29/04/2013 - 31/12/2020)	
1040	1623 7751 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1050	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1060	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1070	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1080	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1090	0147 1485 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1100	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1110	0266 2114 00	8	HEXAGON NUT M16	(29/04/2013 - 31/12/2020)	
1120	1635 0662 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1130	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
1140	0147 1485 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1150	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1160	0266 2114 00	8	HEXAGON NUT M16	(29/04/2013 - 31/12/2020)	
1170	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1180	1614 9709 00	1	VALVE	(29/04/2013 - 31/12/2020)	
1190	0147 1492 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1200	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1210	0266 2114 00	8	HEXAGON NUT M16	(29/04/2013 - 31/12/2020)	
1220	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
Remarks:		For Transport only			
1230	1623 0808 00	1	BUSHING	(10/12/2014 - 31/12/2020)	
1240	0661 1000 34	1	SEAL WASHER	(10/12/2014 - 31/12/2020)	
		1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	• 1623 7868 00	1	PIPE		
2020	• 1623 7869 00	1	PIPE		
2030	• 1623 0507 00	1	SEPARATOR WATER		
2040	• 0147 1246 03	2	BOLT		
2050	• 1623 2588 00	1	PLATE	(09/08/2013 - 31/12/2020)	
2060	• 0211 1244 01	6	SCREW		
2070	• 1623 0446 00	1	PLATE PERFORATE		
2080	• 1623 1778 00	1	BOWL		
2090	• 0147 1404 03	4	HEX. HEAD SCREW M12 X 45		
2100	•	1	O-RING	(29/04/2013 - ...)	
Service kits:		3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			

Legend:

COOL:AIR - Cooling:Air cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

IDRY:FF - Integrated dryer:Full feature
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar



32 - Air Outlet - Air Cooled Full Feature without flange (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:AIR + IDRY:FF + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 9385 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1020	0634 1000 56	2	VICTAULIC COUPLING	(12/03/2013 - 31/12/2020)	
1040	1623 7751 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1050	0663 2106 19	1	O-RING	(12/03/2013 - 31/12/2020)	
1060	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(12/03/2013 - 31/12/2020)	
1070	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)	
1080	0663 7151 00	1	O-RING	(12/03/2013 - 31/12/2020)	
1090	0147 1485 03	8	BOLT	(12/03/2013 - 31/12/2020)	
1100	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)	
1110	0266 2114 00	8	HEXAGON NUT M16	(12/03/2013 - 31/12/2020)	
1120	1635 0662 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1130	0147 1963 08	4	SCREW	(12/03/2013 - 31/12/2020)	
1140	0147 1485 03	8	BOLT	(12/03/2013 - 31/12/2020)	
1150	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)	
1160	0266 2114 00	8	HEXAGON NUT M16	(12/03/2013 - 31/12/2020)	
1170	0663 7151 00	1	O-RING	(12/03/2013 - 31/12/2020)	
1180	1614 9709 00	1	VALVE	(12/03/2013 - 31/12/2020)	
1190	0147 1492 03	8	BOLT	(12/03/2013 - 31/12/2020)	
1200	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)	
1210	0266 2114 00	8	HEXAGON NUT M16	(12/03/2013 - 31/12/2020)	
1220	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
Remarks: For Transport only					
	1623 7464 80	1	SEPARATOR WATER	(12/03/2013 - 31/12/2020)	
2010	• 1623 7464 00	1	PIPE		
2020	• 1623 4281 00	1	SEPARATOR WATER		
2030	• 0211 1959 23	3	SCREW		
2040	• 1623 4317 00	1	PIPE		
2050	• 0211 1244 01	6	SCREW		
2060	• 1623 0446 00	1	PLATE PERFORATE		
2070	• 1623 6555 00	1	PLATE COVER		
2080	• 0300 0275 37	3	WASHER		
2090	• 0291 1128 03	3	LOCK NUT		
2100	• 1623 6556 00	3	STUD		
2110	• 1623 4280 00	1	BOWL		
2120	• 0663 2111 96	1	O-RING		
2130	• 0147 1961 80	4	BOLT		

Legend:


COOL:AIR - Cooling:Air cooled
PRESS:8.5BAR - Working pressure:8.5 bar

IDRY:FF - Integrated dryer:Full feature
PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD

33 - Air Outlet - Air Cooled Full Feature with Dryer Intermediate Flange (Small WSD)

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:AIR + IDRY:FF



2256 0818 90_01

33 - Air Outlet - Air Cooled Full Feature with Dryer Intermediate Flange (Small WSD)


(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:AIR + IDRY:FF



Ref	Part Number	Qty	Name	Validity	R.
1010	1623 9385 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1030	0634 1000 56	2	VICTAULIC COUPLING	(19/02/2014 - 31/12/2020)	
1040	1623 7751 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1050	0663 2106 19	1	O-RING	(19/02/2014 - 31/12/2020)	
1060	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(19/02/2014 - 31/12/2020)	
1070	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)	
1080	1635 0662 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1090	0147 1963 08	4	SCREW	(19/02/2014 - 31/12/2020)	
1100	1614 9709 00	1	VALVE	(19/02/2014 - 31/12/2020)	
1110	0147 1492 03	8	BOLT	(19/02/2014 - 31/12/2020)	
1120	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(19/02/2014 - 31/12/2020)	
1130	0266 2114 00	8	HEXAGON NUT M16	(19/02/2014 - 31/12/2020)	
1140	0663 7151 00	2	O-RING	(19/02/2014 - 31/12/2020)	
1150	0147 1479 03	16	BOLT	(19/02/2014 - 31/12/2020)	
1160	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(19/02/2014 - 31/12/2020)	
1170	1623 5819 00	2	FLANGE ADAPTOR	(19/02/2014 - 31/12/2020)	
1180	0663 2103 19	2	O-RING	(19/02/2014 - 31/12/2020)	
1190	0147 1555 03	16	BOLT	(19/02/2014 - 31/12/2020)	
1200	0300 0274 13	16	PLAIN WASHER(A) 21 X 37 X 3	(19/02/2014 - 31/12/2020)	
1210	0686 9010 27	1	PROTECTING PLUG	(19/02/2014 - 31/12/2020)	
Remarks:		For Transport only			
	1623 7868 80	1	SEPARATOR WATER	(19/02/2014 - 31/12/2020)	
2010	• 1623 7868 00	1	PIPE		
2020	• 1623 7869 00	1	PIPE		
2030	• 1623 0507 00	1	SEPARATOR WATER		
2040	• 0147 1246 03	2	BOLT		
2050	• 1623 2588 00	1	PLATE		
2060	• 0211 1244 01	6	SCREW		
2070	• 1623 0446 00	1	PLATE PERFORATE		
2080	• 1623 1778 00	1	BOWL		
2090	• 0147 1404 03	4	HEX. HEAD SCREW M12 X 45		
2100	•	1	O-RING	(19/02/2014 - ...)	
Service kits:		3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSDIDRY:FF - Integrated dryer:Full feature
PRESS:10.4BAR - Working pressure:10.4 barMODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:10BAR - Working pressure:10 bar

34 - Air Outlet - Air Cooled Full Feature with Dryer Intermediate Flange (Large WSD) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:8.5BAR , PRESS:8.6BAR) + COOL:AIR + IDRY:FF



2256 0816 93_01

34 - Air Outlet - Air Cooled Full Feature with Dryer Intermediate Flange (Large WSD)


(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:8.5BAR , PRESS:8.6BAR) + COOL:AIR + IDRY:FF

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 9385 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1020	0634 1000 56	2	VICTAULIC COUPLING	(29/04/2013 - 31/12/2020)	
1040	1623 7751 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1050	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1060	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1070	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1080	0147 1479 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1090	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1100	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1110	1635 0662 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1120	0147 1479 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1130	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1140	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1150	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
1160	1614 9709 00	1	VALVE	(29/04/2013 - 31/12/2020)	
1170	0147 1492 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1180	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1190	0266 2114 00	8	HEXAGON NUT M16	(29/04/2013 - 31/12/2020)	
1200	1623 5819 00	2	FLANGE ADAPTOR	(29/04/2013 - 31/12/2020)	
1210	0663 2103 19	2	O-RING	(29/04/2013 - 31/12/2020)	
1220	0147 1555 03	16	BOLT	(29/04/2013 - 31/12/2020)	
1230	0300 0274 13	16	PLAIN WASHER(A) 21 X 37 X 3	(29/04/2013 - 31/12/2020)	
1240	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
● Remarks: For Transport only					
	1623 7464 80	1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	● 1623 7464 00	1	PIPE		
2020	● 1623 4281 00	1	SEPARATOR WATER		
2030	● 0211 1959 23	3	SCREW		
2040	● 1623 4317 00	1	PIPE		
2050	● 0211 1244 01	6	SCREW		
2060	● 1623 0446 00	1	PLATE PERFORATE		
2070	● 1623 6555 00	1	PLATE COVER		
2080	● 0300 0275 37	3	WASHER		
2090	● 0291 1128 03	3	LOCK NUT		
2100	● 1623 6556 00	3	STUD		
2110	● 1623 4280 00	1	BOWL		
2120	● 0663 2111 96	1	O-RING		
2130	● 0147 1961 80	4	BOLT		

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSDIDRY:FF - Integrated dryer:Full feature
PRESS:8.5BAR - Working pressure:8.5 barMODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

35 - Air Outlet - Water Cooled Pack (Small WSD)

((PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2 , PRESS:10.4BAR , PRESS:10BAR) + COOL:WATER + IDRY:PACK



2256 0816 96_02

35 - Air Outlet - Water Cooled Pack (Small WSD)

(PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2 , PRESS:10.4BAR , PRESS:10BAR) + COOL:WATER + IDRY:PACK

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1020	1623 7855 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1030	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1040	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1050	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1060	1623 8339 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1070	1623 8340 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1080	1635 0661 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1090	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1100	0147 1407 03	4	BOLT	(29/04/2013 - 31/12/2020)	
1110	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1120	0266 2112 00	4	HEXAGON NUT M12	(29/04/2013 - 31/12/2020)	
1130	0147 1963 08	6	SCREW	(29/04/2013 - 31/12/2020)	
1140	1635 0523 00	2	SUPPORT	(29/04/2013 - 31/12/2020)	
1150	0634 1000 56	2	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
1160	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
Remarks:		For Transport only			
1170	0661 1000 34	1	SEAL WASHER	(10/12/2014 - 31/12/2020)	
1180	1623 0808 00	1	BUSHING	(10/12/2014 - 31/12/2020)	
1190	0634 1000 56	1	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
		1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	• 1623 7868 00	1	PIPE		
2020	• 1623 7869 00	1	PIPE		
2030	• 1623 0507 00	1	SEPARATOR WATER		
2040	• 0147 1246 03	2	BOLT		
2050	• 1623 2588 00	1	PLATE	(09/08/2013 - 31/12/2020)	
2060	• 0211 1244 01	6	SCREW		
2070	• 1623 0446 00	1	PLATE PERFORATE		
2080	• 1623 1778 00	1	BOWL		
2090	• 0147 1404 03	4	HEX. HEAD SCREW M12 X 45		
2100	•	1	O-RING	(29/04/2013 - ...)	
Service kits:		3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			

Legend:


COOL:WATER - Cooling:Water cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

IDRY:PACK - Integrated dryer:Pack
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

36 - Air Outlet - Water Cooled Pack (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER + IDRY:PACK



2256 0816 97_02

36 - Air Outlet - Water Cooled Pack (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER + IDRY:PACK

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1020	1623 7855 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1030	0663 2106 19	1	O-RING	(12/03/2013 - 31/12/2020)	
1040	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(12/03/2013 - 31/12/2020)	
1050	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)	
1060	1623 8339 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1070	1623 8340 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1080	1635 0661 00	1	PIPE	(09/08/2013 - 31/12/2020)	
1090	0663 2106 19	1	O-RING	(12/03/2013 - 31/12/2020)	
1100	0147 1407 03	4	BOLT	(12/03/2013 - 31/12/2020)	
1110	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)	
1120	0266 2112 00	4	HEXAGON NUT M12	(12/03/2013 - 31/12/2020)	
1130	0147 1963 08	6	SCREW	(09/08/2013 - 31/12/2020)	
1140	0634 1000 56	2	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
1150	1635 0523 00	2	SUPPORT	(09/08/2013 - 31/12/2020)	
1160	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
● Remarks:			For Transport only		
1170	0634 1000 56	1	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
		1	SEPARATOR WATER	(12/03/2013 - 31/12/2020)	
2010	• 1623 7464 00	1	PIPE		
2020	• 1623 4281 00	1	SEPARATOR WATER		
2030	• 0211 1959 23	3	SCREW		
2040	• 1623 4317 00	1	PIPE		
2050	• 0211 1244 01	6	SCREW		
2060	• 1623 0446 00	1	PLATE PERFORATE		
2070	• 1623 6555 00	1	PLATE COVER		
2080	• 0300 0275 37	3	WASHER		
2090	• 0291 1128 03	3	LOCK NUT M5		
2100	• 1623 6556 00	3	STUD		
2110	• 1623 4280 00	1	BOWL		
2120	• 0663 2111 96	1	O-RING		
2130	• 0147 1961 80	4	BOLT		


Legend:COOL:WATER - Cooling:Water cooled
PRESS:8.6BAR - Working pressure:8.6 bar

IDRY:PACK - Integrated dryer:Pack

PRESS:8.5BAR - Working pressure:8.5 bar

37 - Air Outlet - Water Cooled Full Feature without flange (Small WSD)

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + IDRY:FF + MODEL:GA200VSDA2



2256 0816 92_03

37 - Air Outlet - Water Cooled Full Feature without flange (Small WSD)

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + IDRY:FF + MODEL:GA200VSDA2

Ref	Part Number	Qty	Name	Validity	R.
1020	1623 7855 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1030	0663 2106 19	2	O-RING	(29/04/2013 - 31/12/2020)	
1040	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(10/12/2014 - 31/12/2020)	
1045	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(10/12/2014 - 31/12/2020)	
1050	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1060	1623 9054 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1070	1623 9053 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1080	1623 9052 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1090	0147 1485 03	16	BOLT	(29/04/2013 - 31/12/2020)	
1100	0301 2378 00	24	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1110	0266 2114 00	24	HEXAGON NUT M16	(29/04/2013 - 31/12/2020)	
1120	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1130	1623 9050 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1140	0147 1492 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1150	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1160	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1170	1614 9709 00	1	VALVE	(29/04/2013 - 31/12/2020)	
1180	1623 9051 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1190	1623 7859 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1200	1635 0661 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1210	0147 1407 03	4	BOLT	(29/04/2013 - 31/12/2020)	
1220	0266 2112 00	4	HEXAGON NUT M12	(29/04/2013 - 31/12/2020)	
1230	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1240	1635 0523 00	2	SUPPORT	(29/04/2013 - 31/12/2020)	
1250	0147 1963 08	6	SCREW	(29/04/2013 - 31/12/2020)	
1260	0634 1000 56	5	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
1270	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
	• Remarks:	For Transport only			
1280	1623 0808 00	1	BUSHING	(10/12/2014 - 31/12/2020)	
1290	0661 1000 34	1	SEAL WASHER	(10/12/2014 - 31/12/2020)	
1300	0634 1000 56	1	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
1310	1619 6607 03	2	U-BOLT	(11/06/2015 - 31/12/2020)	
1320	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(11/06/2015 - 31/12/2020)	
		1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	• 1623 7868 00	1	PIPE		
2020	• 1623 7869 00	1	PIPE		
2030	• 1623 0507 00	1	SEPARATOR WATER		
2040	• 0147 1246 03	2	BOLT		
2050	• 1623 2588 00	1	PLATE	(09/08/2013 - 31/12/2020)	
2060	• 0211 1244 01	6	SCREW		
2070	• 1623 0446 00	1	PLATE PERFORATE		
2080	• 1623 1778 00	1	BOWL		
2090	• 0147 1404 03	4	HEX. HEAD SCREW M12 X 45		
2100	•	1	O-RING	(29/04/2013 - ...)	
	• Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			

Legend:


COOL:WATER - Cooling:Water cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

IDRY:FF - Integrated dryer:Full feature
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

38 - Air Outlet - Water Cooled Full Feature without flange (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER + IDRY:FF + MODEL:GA200VSDA2



2256 0816 98_03

38 - Air Outlet - Water Cooled Full Feature without flange (Large WSD)

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER + IDRY:FF + MODEL:GA200VSDA2


Ref	Part Number	Qty	Name	Validity	R.
1020	1623 7855 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1030	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1040	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1050	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(29/04/2013 - 31/12/2020)	
1060	1623 9054 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1070	1623 9053 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1080	1623 9052 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1090	0147 1485 03	16	BOLT	(29/04/2013 - 31/12/2020)	
1100	0301 2378 00	24	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1110	0266 2114 00	24	HEXAGON NUT M16	(29/04/2013 - 31/12/2020)	
1120	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1130	1623 9050 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1140	0147 1492 03	8	BOLT	(29/04/2013 - 31/12/2020)	
1150	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1160	0663 7151 00	1	O-RING	(29/04/2013 - 31/12/2020)	
1170	1614 9709 00	1	VALVE	(29/04/2013 - 31/12/2020)	
1180	1623 9051 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1190	1623 7859 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1200	1635 0661 00	1	PIPE	(29/04/2013 - 31/12/2020)	
1210	0663 2106 19	1	O-RING	(29/04/2013 - 31/12/2020)	
1220	0147 1407 03	4	BOLT	(29/04/2013 - 31/12/2020)	
1230	0266 2112 00	4	HEXAGON NUT M12	(29/04/2013 - 31/12/2020)	
1240	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)	
1250	1635 0523 00	2	SUPPORT	(29/04/2013 - 31/12/2020)	
1260	0147 1963 08	6	SCREW	(29/04/2013 - 31/12/2020)	
1270	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(29/04/2013 - 31/12/2020)	
1280	0634 1000 56	1	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
1290	0686 9010 27	1	PROTECTING PLUG	(09/08/2013 - 31/12/2020)	
	• Remarks:	For Transport only			
1300	0634 1000 56	5	VICTAULIC COUPLING	(10/12/2014 - 31/12/2020)	
1310	1619 6607 03	2	U-BOLT	(11/06/2015 - 31/12/2020)	
1320	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(11/06/2015 - 31/12/2020)	
	1623 7464 80	1	SEPARATOR WATER	(29/04/2013 - 31/12/2020)	
2010	• 1623 7464 00	1	PIPE		
2020	• 1623 4281 00	1	SEPARATOR WATER		
2030	• 0211 1959 23	3	SCREW		
2040	• 1623 4317 00	1	PIPE		
2050	• 0211 1244 01	6	SCREW		
2060	• 1623 0446 00	1	PLATE PERFORATE		
2070	• 1623 6555 00	1	PLATE COVER		
2080	• 0300 0275 37	3	WASHER		
2090	• 0291 1128 03	3	LOCK NUT M5		
2100	• 1623 6556 00	3	STUD		
2110	• 1623 4280 00	1	BOWL		
2120	• 0663 2111 96	1	O-RING		
2130	• 0147 1961 80	4	BOLT		

Legend:COOL:WATER - Cooling:Water cooled
PRESS:8.5BAR - Working pressure:8.5 barIDRY:FF - Integrated dryer:Full feature
PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD

39 - Air Outlet - Water Cooled Full Feature With Dryer Intermediate Flange (Small WSD)

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:WATER + IDRY:FF



2256 0818 91_02

39 - Air Outlet - Water Cooled Full Feature With Dryer Intermediate Flange (Small WSD)

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:10.4BAR , PRESS:10BAR) + COOL:WATER + IDRY:FF

Ref	Part Number	Qty	Name	Validity	R.
1020	0634 1000 56	6	VICTAULIC COUPLING	(19/02/2014 - 31/12/2020)	
1030	1623 7855 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1040	0663 2106 19	1	O-RING	(19/02/2014 - 31/12/2020)	
1050	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(19/02/2014 - 31/12/2020)	
1060	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)	
1070	1635 0523 00	2	SUPPORT	(19/02/2014 - 31/12/2020)	
1080	1623 9054 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1090	1623 9053 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1100	1623 9052 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1110	1623 9050 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1120	1614 9709 00	1	VALVE	(19/02/2014 - 31/12/2020)	
1130	0147 1492 03	8	BOLT	(19/02/2014 - 31/12/2020)	
1140	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(19/02/2014 - 31/12/2020)	
1150	0266 2114 00	8	HEXAGON NUT M16	(19/02/2014 - 31/12/2020)	
1160	0663 7151 00	2	O-RING	(19/02/2014 - 31/12/2020)	
1170	0147 1479 03	16	BOLT	(19/02/2014 - 31/12/2020)	
1180	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(19/02/2014 - 31/12/2020)	
1190	1623 5819 00	2	FLANGE ADAPTOR	(19/02/2014 - 31/12/2020)	
1200	0147 1555 03	16	BOLT	(19/02/2014 - 31/12/2020)	
1210	0300 0274 13	16	PLAIN WASHER(A) 21 X 37 X 3	(19/02/2014 - 31/12/2020)	
1220	0663 2103 19	2	O-RING	(19/02/2014 - 31/12/2020)	
1240	1623 9051 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1250	1623 7859 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1260	1635 0661 00	1	PIPE	(19/02/2014 - 31/12/2020)	
1270	0147 1407 03	4	BOLT	(19/02/2014 - 31/12/2020)	
1280	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)	
1290	0266 2112 00	4	HEXAGON NUT M12	(19/02/2014 - 31/12/2020)	
1300	0663 2106 19	1	O-RING	(19/02/2014 - 31/12/2020)	
1310	0147 1963 08	4	SCREW	(19/02/2014 - 31/12/2020)	
1320	0686 9010 27	1	PROTECTING PLUG	(19/02/2014 - 31/12/2020)	
	Remarks:	For Transport only			
1330	1619 6607 03	2	U-BOLT	(11/06/2015 - 31/12/2020)	
1340	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(11/06/2015 - 31/12/2020)	
	1623 7868 80	1	SEPARATOR WATER	(19/02/2014 - 31/12/2020)	
2010	• 1623 7868 00	1	PIPE		
2020	• 1623 7869 00	1	PIPE		
2030	• 1623 0507 00	1	SEPARATOR WATER		
2040	• 0147 1246 03	2	BOLT		
2050	• 1623 2588 00	1	PLATE		
2060	• 0211 1244 01	6	SCREW		
2070	• 1623 0446 00	1	PLATE PERFORATE		
2080	• 1623 1778 00	1	BOWL		
2090	• 0147 1404 03	4	HEX. HEAD SCREW M12 X 45		
2100	•	1	O-RING	(19/02/2014 - ...)	
	Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			

Legend:


COOL:WATER - Cooling:Water cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature
PRESS:10.4BAR - Working pressure:10.4 bar

MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:10BAR - Working pressure:10 bar

40 - Air Outlet - Water Cooled Full Feature With Dryer Intermediate Flange(Large WSD)

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER + IDRY:FF



2256 0816 99_02

40 - Air Outlet - Water Cooled Full Feature With Dryer Intermediate Flange(Large WSD)

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER + IDRY:FF


Ref	Part Number	Qty	Name	Validity	R.
1020	1623 7855 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1030	0663 2106 19	1	O-RING	(12/03/2013 - 31/12/2020)	
1040	0301 2358 00	1	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)	
1050	0147 1403 03	4	HEX. HEAD SCREW M12 X 40	(12/03/2013 - 31/12/2020)	
1060	1623 9054 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1070	1623 9053 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1080	1623 9052 00	1	PIPE	(08/08/2013 - 31/12/2020)	
1090	0147 1479 03	8	BOLT	(12/03/2013 - 31/12/2020)	
1100	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)	
1110	0663 7151 00	1	O-RING	(12/03/2013 - 31/12/2020)	
1120	1623 9050 00	1	PIPE	(08/08/2013 - 31/12/2020)	
1130	0147 1479 03	8	BOLT	(12/03/2013 - 31/12/2020)	
1140	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)	
1150	0663 7151 00	1	O-RING	(12/03/2013 - 31/12/2020)	
1160	1614 9709 00	1	VALVE	(12/03/2013 - 31/12/2020)	
1170	0147 1492 03	8	BOLT	(12/03/2013 - 31/12/2020)	
1180	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)	
1190	0266 2114 00	8	HEXAGON NUT M16	(12/03/2013 - 31/12/2020)	
1200	1623 5819 00	2	FLANGE ADAPTOR	(12/03/2013 - 31/12/2020)	
1210	0663 2103 19	2	O-RING	(12/03/2013 - 31/12/2020)	
1220	0147 1555 03	16	BOLT	(12/03/2013 - 31/12/2020)	
1230	0300 0274 13	16	PLAIN WASHER(A) 21 X 37 X 3	(12/03/2013 - 31/12/2020)	
1240	1623 9051 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1250	1623 7859 00	1	PIPE	(12/03/2013 - 31/12/2020)	
1260	1635 0661 00	1	PIPE	(08/08/2013 - 31/12/2020)	
1270	0147 1963 08	4	SCREW	(12/03/2013 - 31/12/2020)	
1280	0147 1407 03	4	BOLT	(12/03/2013 - 31/12/2020)	
1290	0266 2112 00	4	HEXAGON NUT M12	(12/03/2013 - 31/12/2020)	
1300	0663 2106 19	1	O-RING	(12/03/2013 - 31/12/2020)	
1310	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)	
1320	0634 1000 56	6	VICTAULIC COUPLING	(12/03/2013 - 31/12/2020)	
1330	1635 0523 00	2	SUPPORT	(08/08/2013 - 31/12/2020)	
1340	0686 9010 27	1	PROTECTING PLUG	(08/08/2013 - 31/12/2020)	
Remarks: For Transport only					
1350	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(10/12/2014 - 31/12/2020)	
1360	1619 6607 03	2	U-BOLT	(11/06/2015 - 31/12/2020)	
1370	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(11/06/2015 - 31/12/2020)	
	1623 7464 80	1	SEPARATOR WATER	(12/03/2013 - 31/12/2020)	
2010	• 1623 7464 00	1	PIPE		
2020	• 1623 4281 00	1	SEPARATOR WATER		
2030	• 0211 1959 23	3	SCREW		
2040	• 1623 4317 00	1	PIPE		
2050	• 0211 1244 01	6	SCREW		
2060	• 1623 0446 00	1	PLATE PERFORATE		
2070	• 1623 6555 00	1	PLATE COVER		
2080	• 0300 0275 37	3	WASHER		
2090	• 0291 1128 03	3	LOCK NUT M5		
2100	• 1623 6556 00	3	STUD		
2110	• 1623 4280 00	1	BOWL		
2120	• 0663 2111 96	1	O-RING		
2130	• 0147 1961 80	4	BOLT		

Legend:

COOL:WATER - Cooling:Water cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar



2256 0898 95-96-97_01

41 - ANSI Flanged Connection - ANSI

CONNE:ANSI

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1005	2255 0759 00	1	ADAPTER	(13/06/2013 - 31/12/2020)
1010	0650 0100 55	1	GASKET	(13/06/2013 - 31/12/2020)
1015	0147 1477 03	8	HEX. HEAD SCREW M16 X 40	(13/06/2013 - 31/12/2020)
1020	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(13/06/2013 - 31/12/2020)
1025	0650 0100 55	1	GASKET	(13/06/2013 - 31/12/2020)
1030	0147 1483 03	8	SCREW CAP	(13/06/2013 - 31/12/2020)
1035	0301 2378 00	16	PLAIN WASHER(A) 17 X 30 X 3	(13/06/2013 - 31/12/2020)
1040	0266 2114 00	8	HEXAGON NUT M16	(13/06/2013 - 31/12/2020)
2005	0605 8350 26	2	BUSHING	(13/06/2013 - 31/12/2020) (COOL:WATER , ENREC:Y)
3005	0603 4150 14	1	HEXAGON NIPPLE	(13/06/2013 - 31/12/2020)

Legend:


CONNE:ANSI - Flanged connection:ANSI flanges

COOL:WATER - Cooling:Water cooled

ENREC:Y - Energy recovery:Yes

42.1 - Cooler Assembly - Air Cooled Pack - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:PACK



2256 0807 92_02

42.1 - Cooler Assembly - Air Cooled Pack - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:PACK

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1020	0395 1006 73	1	INSULATION SILENCING	(29/04/2013 - 31/12/2020)	
1030	1619 5337 01	8	BOLT	(29/04/2013 - 31/12/2020)	
1040	1503 0786 00	2	ROTATION ARROW	(09/08/2013 - 31/12/2020)	
1050	0698 0153 00	1	RUBBER RING	(24/06/2014 - 31/12/2020)	
1060	0348 0102 08	2	CABLE TIE	(24/06/2014 - 31/12/2020)	
2020	1623 8089 80	1	PLATE FUNCTION	(29/04/2013 - 31/12/2020)	
	•	1	BAFFLE		
	• 1202 6584 00	AR	SEAL		
2030	1623 8090 80	1	PLATE FUNCTION	(29/04/2013 - 31/12/2020)	
	•	1	BAFFLE		
	• 1202 6584 00	AR	SEAL		
2040	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
2050	1623 8099 00	1	BAFFLE	(29/04/2013 - 31/12/2020)	
2060	0147 1963 08	11	SCREW	(29/04/2013 - 31/12/2020)	
2070	1623 8097 00	1	PROFILE	(29/04/2013 - 31/12/2020)	
2080	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2090	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2100	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2110	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2120	0147 1963 08	5	SCREW	(29/04/2013 - 31/12/2020)	
2130	1623 7217 00	2	COOLER OIL	(29/04/2013 - 31/12/2020)	
2140	0661 1000 27	2	SEAL GASKET	(29/04/2013 - 31/12/2020)	
2150	1635 1410 00	2	NIPPLE HEXAGON	(13/12/2013 - 31/12/2020)	
2160	0574 8235 42	2	HOSE ASSEMBLY	(29/04/2013 - 31/12/2020)	
2170	1614 9252 00	2	PLUG HEXAGON	(29/04/2013 - 31/12/2020)	
2180	0147 1360 03	8	SCREW CAP	(29/04/2013 - 31/12/2020)	
2190	0300 0274 93	8	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2200	1623 7390 00	1	COOLER AFTER	(29/04/2013 - 31/12/2020)	
2210	0147 1360 03	4	SCREW CAP	(29/04/2013 - 31/12/2020)	
2220	0300 0274 93	4	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2230	1623 8098 00	2	SUPPORT	(29/04/2013 - 31/12/2020)	
2240	0147 1360 03	4	SCREW CAP	(29/04/2013 - 31/12/2020)	
2250	0301 2344 00	4	WASHER PLAIN	(29/04/2013 - 31/12/2020)	
2260	1623 8095 00	2	BLOCK MOUNTING	(29/04/2013 - 31/12/2020)	
2270	0147 1327 03	4	HEX. HEAD SCREW	(29/04/2013 - 31/12/2020)	
2280	0301 2335 00	4	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2290	0291 1110 00	4	LOCKNUT	(29/04/2013 - 31/12/2020)	
2300	1623 4350 00	2	GRATING	(29/04/2013 - 14/01/2015)	
	⚡ Substituted by:	1635 1990 00	GRATING (quantity: 1)		
2300	1635 1990 00	2	GRATING	(15/01/2015 - 31/12/2020)	
2310	1623 9379 00	11	WASHER LOCK	(24/06/2014 - 31/12/2020)	
2315	1635 1529 00	1	SUPPORT	(24/06/2014 - 31/12/2020)	
2320	0277 1310 00	12	CAP NUT	(29/04/2013 - 31/12/2020)	
2330	0147 1327 12	12	HEX. HEAD SCREW	(29/04/2013 - 31/12/2020)	
2345	0346 1000 15	2	PIPE CLAMP	(24/06/2014 - 31/12/2020)	
2350	0147 1963 08	2	SCREW	(13/12/2013 - 31/12/2020)	
2360	0291 1110 00	2	LOCKNUT	(13/12/2013 - 31/12/2020)	
2370	1619 2861 04	1	CLAMP	(13/12/2013 - 31/12/2020)	
2380	0147 1963 08	1	SCREW	(13/12/2013 - 31/12/2020)	


Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:PACK - Integrated dryer:Pack

MODEL:GA250VSDA2 - Model:GA 250 VSD



42.1 - Cooler Assembly - Air Cooled Pack - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:PACK

Ref	Part Number	Qty	Name	Validity	R.
2390	0291 1110 00	1	LOCKNUT	(13/12/2013 - 31/12/2020)	
3010	1623 8074 80	1	STAY	(24/06/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1619 5188 00	AR	SEAL		
	• 1621 2538 00	2	HINGE		
	• 0147 1320 03	4	BOLT		
3020	0147 1963 08	15	SCREW	(24/06/2014 - 31/12/2020)	
3030	1623 8075 80	1	STAY	(24/06/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1619 5188 00	AR	SEAL		
	• 1621 2538 00	2	HINGE		
	• 0147 1320 03	4	BOLT		
3040	0147 1963 08	15	SCREW	(24/06/2014 - 31/12/2020)	
3050	1635 0960 80	1	SUPPORT	(24/06/2014 - 31/12/2020)	
	• 0216 1957 26	13	HEX SOCK. SCREW		
	• 0698 0154 00	1	GROMMET	(24/06/2014 - 20/11/2014)	
	• 1623 8093 00	1	STRIP		
	• 1623 8092 00	2	STRIP		
	• 1623 8091 00	1	STRIP		
3060	0147 1963 08	4	SCREW	(24/06/2014 - 31/12/2020)	
3070	1623 7237 80	1	PANEL	(24/06/2014 - 19/11/2014)	
	• 1619 5188 00	AR	SEAL		
3070	1635 1211 80	1	PANEL -	(20/11/2014 - 31/12/2020)	
	• 1619 5188 00	AR	SEAL		
3080	0147 1963 08	5	SCREW	(24/06/2014 - 31/12/2020)	
3090	1623 8082 00	1	SUPPORT	(24/06/2014 - 31/12/2020)	
3100	0147 1963 08	5	SCREW	(24/06/2014 - 31/12/2020)	
3110	1623 9319 80	1	STAY	(24/06/2014 - 31/12/2020)	
	• 0147 1963 08	3	SCREW		
	• 0147 1320 03	6	BOLT		
	• 1623 0503 00	3	HINGE		
	•	1	INSULATION SILENCING		1)
3120	0147 1963 08	4	SCREW	(24/06/2014 - 31/12/2020)	
3130	1623 8447 80	1	STAY	(24/06/2014 - 31/12/2020)	
	• 0147 1963 08	3	SCREW		
	• 0147 1320 03	6	BOLT		
	• 1623 0503 00	3	HINGE		
	•	1	INSULATION SILENCING		1)
3140	0147 1963 08	4	SCREW	(24/06/2014 - 31/12/2020)	
3150	1623 8083 80	1	SUPPORT	(24/06/2014 - 31/12/2020)	
	• 1623 8092 00	2	STRIP		
	• 1623 8093 00	1	STRIP		
	• 0216 1957 26	7	HEX SOCK. SCREW		
	• 1619 2665 00	AR	SEAL LIP		
3160	1623 8085 00	1	SUPPORT	(24/06/2014 - 31/12/2020)	
3170	0147 1963 08	5	SCREW	(24/06/2014 - 31/12/2020)	
3180	1623 8084 00	1	SUPPORT	(24/06/2014 - 31/12/2020)	
3190	0147 1963 08	5	SCREW	(24/06/2014 - 31/12/2020)	


Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:PACK - Integrated dryer:Pack

MODEL:GA250VSDA2 - Model:GA 250 VSD



42.1 - Cooler Assembly - Air Cooled Pack - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:PACK

Ref	Part Number	Qty	Name	Validity	R.
3200	1623 8088 80	2	SUPPORT	(24/06/2014 - 31/12/2020)	
	• 1619 2758 00	AR	SEAL GASKET		
3210	0147 1963 08	10	SCREW	(24/06/2014 - 31/12/2020)	
3220	1623 8166 80	1	BAFFLE	(24/06/2014 - 31/12/2020)	
	• 1623 2829 00	2	LOCK		
	• 1623 8166 00	1	BAFFLE		
3230	1623 8165 80	1	BAFFLE	(24/06/2014 - 31/12/2020)	
	• 1623 2829 00	2	LOCK		
	• 1623 8165 00	1	BAFFLE		
3240	0211 1250 03	4	SCREW	(24/06/2014 - 31/12/2020)	
3250	0277 1308 00	4	CAP NUT	(24/06/2014 - 31/12/2020)	
	↻ Substituted by: 0277 1128 05 - CAP NUT (quantity: 1)				
3260	1623 8086 80	2	PANEL	(24/06/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
3265	0147 1963 08	4	SCREW	(24/06/2014 - 31/12/2020)	
3280	1635 1441 80	1	BAFFLE	(24/06/2014 - 31/12/2020)	
	• 1088 0803 10	6	GROMMET	(14/11/2014 - 31/12/2020)	
	• 1202 6584 00	11	SEAL	(14/11/2014 - 31/12/2020)	
3290	0147 1963 08	9	SCREW	(24/06/2014 - 31/12/2020)	
3300	1623 9316 00	1	STRIP	(24/06/2014 - 31/12/2020)	
3310	0211 1325 03	5	CAP SCREW	(24/06/2014 - 31/12/2020)	
3320	1623 8111 80	2	DOOR	(24/06/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
	• 1623 4687 00	2	LOCK		
3330	1621 0607 00	6	HINGE	(24/06/2014 - 31/12/2020)	


Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:PACK - Integrated dryer:Pack

MODEL:GA250VSDA2 - Model:GA 250 VSD



42.2 - Cooler Assembly - Air Cooled Full feature/Pack - GA200VSD

COOL:AIR + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1020		1	INSULATION SILENCING	(29/04/2013 - 31/12/2020)	1)
1030	1619 5337 01	8	BOLT	(29/04/2013 - 31/12/2020)	
1040	1503 0786 00	2	ROTATION ARROW	(24/06/2014 - 31/12/2020)	
1050	0698 0153 00	1	RUBBER RING	(24/06/2014 - 31/12/2020)	
1060	0348 0102 08	2	CABLE TIE	(24/06/2014 - 31/12/2020)	
2020	1623 8099 00	1	BAFFLE	(29/04/2013 - 31/12/2020)	
2030	0147 1963 08	11	SCREW	(29/04/2013 - 31/12/2020)	
2040	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2050	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2060	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2070	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2080	1623 8097 00	1	PROFILE	(29/04/2013 - 31/12/2020)	
2090	0147 1963 08	5	SCREW	(29/04/2013 - 31/12/2020)	
2100	1623 8089 80	1	PLATE FUNCTION	(29/04/2013 - 31/12/2020)	
	• 1202 6584 00	AR	SEAL		
2110	0147 1963 08	2	SCREW	(29/04/2013 - 31/12/2020)	
2120	1623 8102 80	1	BAFFLE	(29/04/2013 - 31/12/2020)	
	• 1619 5188 00	AR	SEAL		
2130	0147 1963 08	2	SCREW	(29/04/2013 - 31/12/2020)	
2140	0147 1360 03	2	SCREW CAP	(29/04/2013 - 31/12/2020)	
2150	0300 0274 93	2	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2160	1623 7217 00	1	COOLER OIL	(29/04/2013 - 31/12/2020)	
2170	1623 7324 00	1	COOLER OIL	(29/04/2013 - 31/12/2020)	
2180	1635 1410 00	2	NIPPLE HEXAGON	(13/12/2013 - 31/12/2020)	
2190	0574 8235 42	2	HOSE ASSEMBLY	(29/04/2013 - 31/12/2020)	
2200	1614 9252 00	2	PLUG HEXAGON	(29/04/2013 - 31/12/2020)	
2210	0147 1360 03	8	SCREW CAP	(29/04/2013 - 31/12/2020)	
2220	0300 0274 93	8	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2230	0661 1000 27	2	SEAL GASKET	(29/04/2013 - 31/12/2020)	
2240	1623 7390 00	1	COOLER AFTER	(29/04/2013 - 31/12/2020)	
2250	0147 1360 03	4	SCREW CAP	(29/04/2013 - 31/12/2020)	
2260	0300 0274 93	4	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2270	1623 8098 00	2	SUPPORT	(29/04/2013 - 31/12/2020)	
2280	0147 1360 03	4	SCREW CAP	(29/04/2013 - 31/12/2020)	
2290	0301 2344 00	4	WASHER PLAIN	(29/04/2013 - 31/12/2020)	
2300	1623 8095 00	2	BLOCK MOUNTING	(29/04/2013 - 31/12/2020)	
2310	0147 1327 03	4	HEX. HEAD SCREW	(29/04/2013 - 31/12/2020)	
2320	0301 2335 00	4	PLAIN WASHER	(29/04/2013 - 31/12/2020)	
2330	0291 1110 00	4	LOCKNUT	(29/04/2013 - 31/12/2020)	
2340	1623 4350 00	2	GRATING	(29/04/2013 - 14/01/2015)	
	☛ Substituted by:	1635 1990 00	GRATING (quantity: 1)		
2340	1635 1990 00	2	GRATING	(15/01/2015 - 31/12/2020)	
2350	1623 9379 00	11	WASHER LOCK	(24/06/2014 - 31/12/2020)	
2355	1635 1529 00	1	SUPPORT	(24/06/2014 - 31/12/2020)	
2360	0277 1310 00	12	CAP NUT	(29/04/2013 - 31/12/2020)	
2370	0147 1327 12	12	HEX. HEAD SCREW	(29/04/2013 - 31/12/2020)	
2380	0346 1000 15	2	PIPE CLAMP	(13/12/2013 - 31/12/2020)	
2390	0147 1963 08	2	SCREW	(13/12/2013 - 31/12/2020)	
2400	0291 1110 00	2	LOCKNUT	(13/12/2013 - 31/12/2020)	

Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)


Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA200VSDA2 - Model:GA 200 VSD

42.2 - Cooler Assembly - Air Cooled Full feature/Pack - GA200VSD

COOL: AIR + MODEL: GA200VSDA2



2256 0807 99_02

42.2 - Cooler Assembly - Air Cooled Full feature/Pack - GA200VSD

COOL:AIR + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
2410	1619 2861 04	1	CLAMP	(13/12/2013 - 31/12/2020)	
2420	0147 1963 08	1	SCREW	(13/12/2013 - 31/12/2020)	
2430	0291 1110 00	1	LOCKNUT	(13/12/2013 - 31/12/2020)	
3010	1623 8074 80	1	STAY	(29/04/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1619 5188 00	AR	SEAL		
	• 1621 2538 00	2	HINGE		
	• 0147 1320 03	4	BOLT		
3020	0147 1963 08	15	SCREW	(29/04/2013 - 31/12/2020)	
3030	1623 8075 80	1	STAY	(29/04/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1619 5188 00	AR	SEAL		
	• 1621 2538 00	2	HINGE		
	• 0147 1320 03	4	BOLT		
3040	0147 1963 08	15	SCREW	(29/04/2013 - 31/12/2020)	
3050	1635 0960 80	1	SUPPORT	(09/08/2013 - 31/12/2020)	
	• 0216 1957 26	13	HEX SOCK. SCREW		
	• 0698 0154 00	1	GROMMET	(09/08/2013 - 20/11/2014)	
	• 1623 8093 00	1	STRIP		
	• 1623 8092 00	2	STRIP		
	• 1623 8091 00	1	STRIP		
3060	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
3070	1623 7237 80	1	PANEL	(29/04/2013 - 19/11/2014)	
	• 1619 5188 00	AR	SEAL		
3070	1635 1211 80	1	PANEL -	(20/11/2014 - 31/12/2020)	
	• 1619 5188 00	AR	SEAL		
3080	0147 1963 08	5	SCREW	(29/04/2013 - 31/12/2020)	
3090	1623 8082 00	1	SUPPORT	(29/04/2013 - 31/12/2020)	
3100	0147 1963 08	5	SCREW	(29/04/2013 - 31/12/2020)	
3110	1623 9319 80	1	STAY	(29/04/2013 - 31/12/2020)	
	• 0147 1963 08	3	SCREW		
	• 0147 1320 03	6	BOLT		
	• 1623 0503 00	3	HINGE		
	•	1	INSULATION SILENCING		1)
3120	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
3130	1623 8447 80	1	STAY	(29/04/2013 - 31/12/2020)	
	• 0147 1963 08	3	SCREW		
	• 0147 1320 03	6	BOLT		
	• 1623 0503 00	3	HINGE		
	•	1	INSULATION SILENCING		1)
3140	0147 1963 08	4	SCREW	(29/04/2013 - 31/12/2020)	
3150	1623 8083 80	1	SUPPORT	(29/04/2013 - 31/12/2020)	
	• 1623 8092 00	2	STRIP		
	• 1623 8093 00	1	STRIP		
	• 0216 1957 26	7	HEX SOCK. SCREW		
	• 1619 2665 00	AR	SEAL LIP		
3160	1623 8085 00	1	SUPPORT	(29/04/2013 - 31/12/2020)	
3170	0147 1963 08	5	SCREW	(29/04/2013 - 31/12/2020)	
3180	1623 8084 00	1	SUPPORT	(29/04/2013 - 31/12/2020)	


Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA200VSDA2 - Model:GA 200 VSD



2256 0807 99_02

42.2 - Cooler Assembly - Air Cooled Full feature/Pack - GA200VSD

COOL:AIR + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
3190	0147 1963 08	5	SCREW	(29/04/2013 - 31/12/2020)	
3200	1623 8088 80	2	SUPPORT	(29/04/2013 - 31/12/2020)	
	• 1619 2758 00	AR	SEAL GASKET		
3210	0147 1963 08	10	SCREW	(29/04/2013 - 31/12/2020)	
3220	1623 8166 80	1	BAFFLE	(29/04/2013 - 31/12/2020)	
	• 1623 2829 00	2	LOCK		
3230	1623 8165 80	1	BAFFLE	(29/04/2013 - 31/12/2020)	
	• 1623 2829 00	2	LOCK		
3240	0211 1250 03	4	SCREW	(29/04/2013 - 31/12/2020)	
3250	0277 1308 00	4	CAP NUT	(29/04/2013 - 31/12/2020)	
	↻ Substituted by:		0277 1128 05 - CAP NUT (quantity: 1)		
3260	1623 8086 80	2	PANEL	(02/09/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
3265	0147 1963 08	4	SCREW	(02/09/2013 - 31/12/2020)	
3280	1635 1441 80	1	BAFFLE	(13/12/2013 - 31/12/2020)	
	• 1088 0803 10	6	GROMMET	(14/11/2014 - 31/12/2020)	
	• 1202 6584 00	AR	SEAL	(14/11/2014 - 31/12/2020)	
3290	0147 1963 08	9	SCREW	(29/04/2013 - 31/12/2020)	
3300	1623 9316 00	1	STRIP	(29/04/2013 - 31/12/2020)	
3310	0211 1325 03	5	CAP SCREW	(29/04/2013 - 31/12/2020)	
3320	1623 8111 80	2	DOOR	(29/04/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
	• 1623 4687 00	2	LOCK		
3330	1621 0607 00	6	HINGE	(29/04/2013 - 31/12/2020)	


Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA200VSDA2 - Model:GA 200 VSD



42.3 - Cooler Assembly - Air Cooled Full Feature - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:FF

Ref	Part Number	Qty	Name	Validity	R.
1020		1	INSULATION SILENCING	(12/03/2013 - 31/12/2020)	1)
1030	1619 5337 01	8	BOLT	(12/03/2013 - 31/12/2020)	
1040	1503 0786 00	2	ROTATION ARROW	(12/03/2013 - 31/12/2020)	
1050	0698 0153 00	1	RUBBER RING	(24/06/2014 - 31/12/2020)	
1060	0348 0102 08	2	CABLE TIE	(24/06/2014 - 31/12/2020)	
2010	1623 8095 00	2	BLOCK MOUNTING	(12/03/2013 - 31/12/2020)	
2020	1623 8089 80	1	PLATE FUNCTION	(12/03/2013 - 31/12/2020)	
	• 1202 6584 00	AR	SEAL		
2030	1623 8090 80	1	PLATE FUNCTION	(12/03/2013 - 31/12/2020)	
	• 1202 6584 00	AR	SEAL		
2040	0147 1963 08	4	SCREW	(12/03/2013 - 31/12/2020)	
2050	1623 8097 00	1	PROFILE	(12/03/2013 - 31/12/2020)	
2060	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2070	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2080	1619 5188 00	AR	SEAL	(24/06/2014 - 31/12/2020)	
2090	0147 1963 08	9	SCREW	(12/03/2013 - 31/12/2020)	
2100	1623 7217 00	2	COOLER OIL	(12/03/2013 - 31/12/2020)	
2110	0661 1000 27	2	SEAL GASKET	(12/03/2013 - 31/12/2020)	
2120	1079 5840 15	2	FITTING	(12/03/2013 - 12/12/2013)	
2120	1635 1410 00	2	NIPPLE HEXAGON	(13/12/2013 - 31/12/2020)	
2125	0574 8235 42	2	HOSE ASSEMBLY	(12/03/2013 - 31/12/2020)	
2127	1614 9252 00	2	PLUG HEXAGON	(09/08/2013 - 31/12/2020)	
2130	0147 1360 03	8	SCREW CAP	(12/03/2013 - 31/12/2020)	
2140	0300 0274 93	8	PLAIN WASHER	(12/03/2013 - 31/12/2020)	
2150	1623 7218 00	1	COOLER AFTER	(12/03/2013 - 31/12/2020)	
2160	0147 1360 03	6	SCREW CAP	(12/03/2013 - 31/12/2020)	
2170	0300 0274 93	6	PLAIN WASHER	(12/03/2013 - 31/12/2020)	
2180	1623 8098 00	2	SUPPORT	(12/03/2013 - 31/12/2020)	
2190	0147 1360 03	4	SCREW CAP	(12/03/2013 - 31/12/2020)	
2200	0301 2344 00	4	WASHER PLAIN	(12/03/2013 - 31/12/2020)	
2220	0147 1327 03	4	HEX. HEAD SCREW M8 X 35	(12/03/2013 - 31/12/2020)	
2230	0301 2335 00	4	PLAIN WASHER(A) 8.4 X 16 X 1.6	(12/03/2013 - 31/12/2020)	
2240	0291 1110 00	4	LOCKNUT	(12/03/2013 - 31/12/2020)	
2250	1623 4350 00	2	GRATING	(12/03/2013 - 14/01/2015)	
	☞ Substituted by:	1635 1990 00	GRATING (quantity: 1)		
2250	1635 1990 00	2	GRATING	(15/01/2015 - 31/12/2020)	
2260	1623 9379 00	11	WASHER LOCK	(24/06/2014 - 31/12/2020)	
2265	1635 1529 00	1	SUPPORT	(24/06/2014 - 31/12/2020)	
2270	0277 1310 00	12	CAP NUT	(12/03/2013 - 31/12/2020)	
2280	0147 1327 12	12	HEX. HEAD SCREW M8 X 35	(12/03/2013 - 31/12/2020)	
2300	0346 1000 15	2	PIPE CLAMP	(13/12/2013 - 31/12/2020)	
2310	0147 1963 08	2	SCREW	(13/12/2013 - 31/12/2020)	
2320	0291 1110 00	2	LOCKNUT	(13/12/2013 - 31/12/2020)	
2330	1619 2861 04	1	CLAMP	(13/12/2013 - 31/12/2020)	
2340	0147 1963 08	1	SCREW	(13/12/2013 - 31/12/2020)	
2350	0291 1110 00	1	LOCKNUT	(13/12/2013 - 31/12/2020)	
3010	1623 8074 80	1	STAY	(12/03/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1619 5188 00	AR	SEAL		

Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)


Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature

MODEL:GA250VSDA2 - Model:GA 250 VSD

42.3 - Cooler Assembly - Air Cooled Full Feature - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:FF



2256 0807 90_02

42.3 - Cooler Assembly - Air Cooled Full Feature - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
	• 1621 2538 00	2	HINGE		
	• 0147 1320 03	4	BOLT		
3020	0147 1963 08	15	SCREW	(12/03/2013 - 31/12/2020)	
3030	1623 8075 80	1	STAY	(12/03/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1619 5188 00	AR	SEAL		
	• 1621 2538 00	2	HINGE		
	• 0147 1320 03	4	BOLT		
3040	0147 1963 08	15	SCREW	(12/03/2013 - 31/12/2020)	
3050	1623 7228 80	1	SUPPORT	(12/03/2013 - 08/08/2013)	
3050	1635 0960 80	1	SUPPORT	(09/08/2013 - 31/12/2020)	
3060	0147 1963 08	4	SCREW	(12/03/2013 - 31/12/2020)	
3070	1623 7237 80	1	PANEL	(12/03/2013 - 19/11/2014)	
	• 1619 5188 00	AR	SEAL		
3070	1635 1211 80	1	PANEL -	(20/11/2014 - 31/12/2020)	
	• 1619 5188 00	AR	SEAL		
3080	0147 1963 08	5	SCREW	(12/03/2013 - 31/12/2020)	
3090	1623 8082 00	1	SUPPORT	(12/03/2013 - 31/12/2020)	
3100	0147 1963 08	5	SCREW	(12/03/2013 - 31/12/2020)	
3110	1623 9319 80	1	STAY	(12/03/2013 - 31/12/2020)	
	• 0147 1963 08	3	SCREW		
	• 0147 1320 03	6	BOLT		
	• 1623 0503 00	3	HINGE		
	•	1	INSULATION SILENCING		1)
3120	0147 1963 08	4	SCREW	(12/03/2013 - 31/12/2020)	
3130	1623 8447 80	1	STAY	(12/03/2013 - 31/12/2020)	
	• 0147 1963 08	3	SCREW		
	• 0147 1320 03	6	BOLT		
	• 1623 0503 00	3	HINGE		
	•	1	INSULATION SILENCING		1)
3140	0147 1963 08	4	SCREW	(12/03/2013 - 31/12/2020)	
3150	1623 8083 80	1	SUPPORT	(12/03/2013 - 31/12/2020)	
	• 1623 8092 00	2	STRIP		
	• 1623 8093 00	1	STRIP		
	• 0216 1957 26	7	HEX SOCK. SCREW M6 X 16		
	• 1619 2665 00	AR	SEAL LIP		
3160	1623 8085 00	1	SUPPORT	(12/03/2013 - 31/12/2020)	
3170	0147 1963 08	5	SCREW	(12/03/2013 - 31/12/2020)	
3180	1623 8084 00	1	SUPPORT	(12/03/2013 - 31/12/2020)	
3190	0147 1963 08	5	SCREW	(12/03/2013 - 31/12/2020)	
3200	1623 8088 80	2	SUPPORT	(12/03/2013 - 31/12/2020)	
	• 1619 2758 00	AR	SEAL GASKET		
3210	0147 1963 08	10	SCREW	(12/03/2013 - 31/12/2020)	
3220	1623 8166 80	1	BAFFLE	(12/03/2013 - 31/12/2020)	
	• 1623 2829 00	2	LOCK		
3230	1623 8165 80	1	BAFFLE	(12/03/2013 - 31/12/2020)	
	• 1623 2829 00	2	LOCK		
3240	0211 1250 03	4	SCREW	(12/03/2013 - 31/12/2020)	

Remarks:


1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature

MODEL:GA250VSDA2 - Model:GA 250 VSD



42.3 - Cooler Assembly - Air Cooled Full Feature - GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
3250	0277 1308 00	4	CAP NUT M6	(12/03/2013 - 31/12/2020)	
	⚙ Substituted by: 0277 1128 05 - CAP NUT (quantity: 1)				
3260	1623 8086 80	2	PANEL	(02/09/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
3265	0147 1963 08	4	SCREW	(02/09/2013 - 31/12/2020)	
3280	1635 1441 80	1	BAFFLE	(13/12/2013 - 31/12/2020)	
	• 1088 0803 10	6	GROMMET	(14/11/2014 - 31/12/2020)	
	• 1202 6584 00	AR	SEAL	(14/11/2014 - 31/12/2020)	
3290	0147 1963 08	9	SCREW	(12/03/2013 - 31/12/2020)	
3300	1623 9316 00	1	STRIP	(12/03/2013 - 31/12/2020)	
3310	0211 1325 03	5	CAP SCREW	(12/03/2013 - 31/12/2020)	
3320	1623 8111 80	2	DOOR	(12/03/2013 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
	• 1623 4687 00	2	LOCK		
3330	1621 0607 00	6	HINGE	(12/03/2013 - 31/12/2020)	

Remarks:


1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

COOL:AIR - Cooling:Air cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature

MODEL:GA250VSDA2 - Model:GA 250 VSD



2256 0807 94_02

42.4 - Cooler Assembly - Water Cooled

COOL:WATER

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1623 7851 00	1	SUPPORT	(29/04/2013 - 31/12/2020)
1020	0147 1400 03	6	HEX. HEAD SCREW M12 X 25	(29/04/2013 - 31/12/2020)
1030	0301 2358 00	6	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)
1040	1623 9466 02	1	COOLER AFTER	(29/04/2013 - 31/12/2020)
	•	2	SEAL WASHER 13.74 X 20.57 X 2	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	1	RING INTERNAL	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	1	PROFILE	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	1	SEAL GASKET	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	4	O-RING	(27/05/2013 - ...)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
1050	0147 1402 03	4	HEX. HEAD SCREW M12 X 35	(29/04/2013 - 31/12/2020)
1060	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)
1070	1623 9467 02	1	COOLER OIL	(29/04/2013 - 31/12/2020)
	•	2	SEAL WASHER 13.74 X 20.57 X 2	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	2	SEAL WASHER	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	4	O-RING	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	1	LEAKAGE RING	(27/05/2013 - ...)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	1	SEAL GASKET	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
	•	1	STRIP	(27/05/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
1080	0147 1402 03	4	HEX. HEAD SCREW M12 X 35	(29/04/2013 - 31/12/2020)
1085	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)
1090	0147 1404 03	4	HEX. HEAD SCREW M12 X 45	(29/04/2013 - 31/12/2020)
1100	0301 2358 00	4	PLAIN WASHER(A) 13 X 24 X 2.5	(29/04/2013 - 31/12/2020)
1110	1614 6632 00	1	PLATE	(29/04/2013 - 31/12/2020)
1120		4	O-RING	(29/04/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	- KIT COOLER	
1130	0147 1365 03	4	SCREW	(24/06/2014 - 31/12/2020)
1140	0301 2344 00	4	WASHER PLAIN	(24/06/2014 - 31/12/2020)
1150	1635 2490 00	1	SUPPORT	(27/10/2014 - 31/12/2020)
1160	1635 2491 00	1	SUPPORT	(27/10/2014 - 31/12/2020)
1170	0291 1110 00	2	LOCKNUT	(27/10/2014 - 31/12/2020)
1180	0147 1963 08	5	SCREW	(27/10/2014 - 31/12/2020)
1190	0147 1963 08	5	SCREW	(27/10/2014 - 31/12/2020)
1200	1619 6607 03	2	U-BOLT	(27/10/2014 - 11/06/2015)
1210	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(27/10/2014 - 11/06/2015)
	1950 0208 13	1	WATER COOLER ASSY	(03/06/2013 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled

42.5 - Fan Air Cooled - GA200VSD/GA250VSD

(MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + COOL:AIR



2256 0809 94_02

42.5 - Fan Air Cooled - GA200VSD/GA250VSD

(MODEL:GA200VSDA2 , MODEL:GA250VSDA2) + COOL:AIR

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1623 6631 01	2	MOTOR	(06/05/2013 - 31/12/2020)
1020	1635 1532 00	1	FAN AXIAL	(14/01/2014 - 31/12/2020)
1025	1635 1623 00	1	FAN AXIAL	(14/01/2014 - 31/12/2020)
1030	1623 6945 00	2	RING LOCKING	(06/05/2013 - 31/12/2020)
1040	0300 0274 60	2	PLAIN WASHER(A) 11 X 34 X 4	(06/05/2013 - 31/12/2020)
1050	0147 1364 03	2	SCREW HEXAGON	(06/05/2013 - 31/12/2020)
1060	1635 0780 00	8	SUPPORT -	(22/08/2013 - 31/12/2020)
1070	1635 0779 00	8	SUPPORT -	(22/08/2013 - 31/12/2020)
1080	1623 6251 00	8	WASHER LOCK	(22/08/2013 - 31/12/2020)
	Substituted by: 1635 0606 00 - WASHER LOCK (quantity: 1)			
1090	1635 0610 00	8	WASHER LOCK	(22/08/2013 - 31/12/2020)
1091	1635 0606 00	16	WASHER LOCK	(22/08/2013 - 31/12/2020)
1092	1635 0608 00	16	WASHER LOCK	(22/08/2013 - 31/12/2020)
1100	0147 1963 08	16	SCREW	(06/05/2013 - 31/12/2020)
1110	0147 1401 03	16	SCREW CAP	(06/05/2013 - 31/12/2020)
1120	0300 0274 34	16	WASHER	(22/08/2013 - 31/12/2020)
1130	0301 2358 00	16	PLAIN WASHER(A) 13 X 24 X 2.5	(22/08/2013 - 31/12/2020)
1140	1088 1001 01	2	WARNING MARK FD280-1600 & ID'S	(22/08/2013 - 31/12/2020)
1150	1635 2089 00	1	DECAL UNIT	(03/03/2014 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA200VSDA2 - Model:GA 200 VSD

MODEL:GA250VSDA2 - Model:GA 250 VSD



2256 0809 98_02

42.6 - Fan Air Cooled - GA315VSD

COOL:AIR + MODEL:GA315VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 6631 01	2	MOTOR	(12/03/2013 - 19/11/2014)
1010	1623 6631 51	2	MOTOR	(20/11/2014 - 31/12/2020)
1020	1635 1534 00	1	FAN AXIAL	(04/12/2013 - 19/11/2014)
	⚡ Substituted by: 1635 2997 00 - FAN AXIAL (quantity: 1)			
1020	1635 2997 00	1	FAN AXIAL	(20/11/2014 - 31/12/2020)
1025	1635 1624 00	1	FAN AXIAL	(04/12/2013 - 19/11/2014)
	⚡ Substituted by: 1635 2998 00 - FAN AXIAL (quantity: 1)			
1025	1635 2998 00	1	FAN AXIAL	(20/11/2014 - 31/12/2020)
1030	1623 6945 00	2	RING LOCKING	(12/03/2013 - 31/12/2020)
1040	0300 0274 60	2	PLAIN WASHER(A) 11 X 34 X 4	(12/03/2013 - 31/12/2020)
1050	0147 1364 03	2	SCREW HEXAGON	(12/03/2013 - 31/12/2020)
1060	1623 8175 00	8	SUPPORT	(12/03/2013 - 31/12/2020)
	⚡ Substituted by: 1635 0780 00 - SUPPORT - (quantity: 1)			
1070	1623 8174 00	8	SUPPORT	(12/03/2013 - 31/12/2020)
	⚡ Substituted by: 1635 0779 00 - SUPPORT - (quantity: 1)			
1080	1623 6251 00	16	WASHER LOCK	(12/03/2013 - 31/12/2020)
	⚡ Substituted by: 1635 0606 00 - WASHER LOCK (quantity: 1)			
1090	1623 6252 00	16	WASHER LOCK	(12/03/2013 - 31/12/2020)
	⚡ Substituted by: 1635 0608 00 - WASHER LOCK (quantity: 1)			
1100	0147 1963 08	16	SCREW	(12/03/2013 - 31/12/2020)
1110	0147 1401 03	16	SCREW CAP	(12/03/2013 - 31/12/2020)
1120	1088 1001 01	2	WARNING MARK FD280-1600 & ID'S	(12/03/2013 - 31/12/2020)
1130	0301 2358 00	16	PLAIN WASHER(A) 13 X 24 X 2.5	(22/08/2013 - 31/12/2020)
1140	0300 0274 34	16	WASHER	(22/08/2013 - 31/12/2020)
1150	1635 2089 00	1	DECAL UNIT	(03/03/2014 - 31/12/2020)


Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA315VSDA2 - Model:GA 315 VSD

42.7 - Fan - Water Cooled 380V 50 Hz / 400V

(FREQ:50HZ + MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:WATER



2256 0891 91_01

42.7 - Fan - Water Cooled 380V 50 Hz / 400V

(FREQ:50HZ + MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:WATER

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1614 9608 01	1	FAN ASSEMBLY	(12/03/2013 - 31/12/2020)
1020	0147 1251 03	3	BOLT	(09/08/2013 - 31/12/2020)
1030	0300 0274 35	6	WASHER	(09/08/2013 - 31/12/2020)
1035	0291 1128 16	3	NUT LOCK	(09/08/2013 - 31/12/2020)
1040	1503 0786 00	1	ROTATION ARROW	(12/03/2013 - 31/12/2020)
1050	1088 1001 01	1	WARNING MARK FD280-1600 & ID'S	(12/03/2013 - 31/12/2020)
1060	2000 0211 28	1	WIRING	(12/03/2013 - 31/12/2020)
1070	1079 9697 05	1	REDUCER	(09/08/2013 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled
MOVOL:400V-3PH - Supply voltage:400V

FREQ:50HZ - Frequency:50 Hz

MOVOL:380V-3PH - Supply voltage:380V (3ph)



2256 0891 91_92_93_94_95_96_97_01

42.8 - Fan - Water Cooled 380V 60Hz or 440V/460V/500V/525V/550V/575V/690V

(FREQ:60HZ + MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH , MOVOL:690V-3PH) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
1010	1614 9608 03	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) FREQ:60HZ + MOVOL:380V-3PH
1010	1614 9608 02	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) MOVOL:500V-3PH
1010	1614 9608 04	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) (MOVOL:440V-3PH , MOVOL:460V-3PH)
1010	1614 9608 05	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) MOVOL:575V-3PH
1010	1614 9608 10	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) MOVOL:525V-3PH
1010	1614 9608 11	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) MOVOL:550V-3PH
1010	1614 9608 12	1	FAN ASSEMBLY	(29/04/2013 - 31/12/2020) MOVOL:690V-3PH
1020	0147 1251 03	3	BOLT	(09/08/2013 - 31/12/2020) FREQ:60HZ + MOVOL:380V-3PH
1020	0147 1247 03	3	BOLT	(29/04/2013 - 08/08/2013) (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH , MOVOL:690V-3PH) (09/08/2013 - 31/12/2020) MOVOL:575V-3PH
1020	0147 1247 03	1	BOLT	(29/04/2013 - 31/12/2020) (MOVOL:440V-3PH , MOVOL:460V-3PH)
1020	0147 1249 03	3	BOLT	(09/08/2013 - 31/12/2020) (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH)
	⚡ Substituted by: 0147 1247 03 - BOLT (quantity: 1)			
1030	0300 0274 35	6	WASHER	(29/04/2013 - 31/12/2020) (FREQ:60HZ + MOVOL:380V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH , MOVOL:690V-3PH)
1030	0300 0274 35	4	WASHER	(29/04/2013 - 31/12/2020) (MOVOL:440V-3PH , MOVOL:460V-3PH)
1040	0291 1128 16	3	NUT LOCK	(29/04/2013 - 31/12/2020)
1050	1503 0786 00	1	ROTATION ARROW	(29/04/2013 - 31/12/2020)
1060	1088 1001 01	1	WARNING MARK FD280-1600 & ID'S	(29/04/2013 - 31/12/2020)
1070	2000 0211 29	1	WIRING	(29/04/2013 - 19/05/2015) (FREQ:60HZ + MOVOL:380V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH) (20/05/2015 - 31/12/2020) (MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:575V-3PH)
1070	2000 0211 28	1	WIRING	(29/04/2013 - 19/05/2015) (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) (20/05/2015 - 31/12/2020) (FREQ:60HZ + MOVOL:380V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH)
1080	1079 9697 05	1	REDUCER	(09/08/2013 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

FREQ:60HZ - Frequency:60 Hz


MOVOL:460V-3PH - Supply voltage:460V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)



2256 0826 94-2256 0893 91_01

43.1 - Oil System - Standard - Air Cooled

COOL:AIR

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1020	1623 8369 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1030	0663 2109 68	3	O-RING	(17/03/2014 - 31/12/2020)
1040	0301 2344 00	8	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1050	0147 1363 03	8	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1060	1623 7394 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1070	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1080	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1090	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
2010	1623 7494 00	1	HOUSING FILTER	(19/02/2014 - 31/12/2020)
2020	0211 1363 03	2	CAP SCREW	(19/02/2014 - 31/12/2020)
2030	1623 1451 00	2	NIPPLE	(19/02/2014 - 31/12/2020)
2040		2	OIL FILTER ELEMENT	(19/02/2014 - ...)
	 Service kits:	3001 5311 12 - KIT FILTER OIL		
		3001 5311 11 - AIR + OIL FILTER KIT		
2050	0603 4102 03	1	HEXAGON NIPPLE	(19/02/2014 - 31/12/2020)
2060	0852 0010 36	1	BALL VALVE 8 G 1/4	(19/02/2014 - 31/12/2020)
2070		1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 12 - KIT FILTER OIL		
		3001 5311 11 - AIR + OIL FILTER KIT		
2080	0686 4202 03	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
3010	1623 7565 00	1	HOUSING VALVE	(29/04/2013 - ...)
3020		1	THERMOSTAT	(29/04/2013 - ...)
	 Service kits:	3001 5311 51 - THERMOSTAT VALVE 65 DEG C		
3030	1623 7816 00	1	COVER VALVE	(29/04/2013 - ...)
3040		1	CIRCLIP	(29/04/2013 - ...)
	 Service kits:	3001 5311 51 - THERMOSTAT VALVE 65 DEG C		
3050		1	O-RING	(29/04/2013 - ...)
	 Service kits:	3001 5311 51 - THERMOSTAT VALVE 65 DEG C		
3060	0663 2109 68	1	O-RING	(29/04/2013 - ...)
3070	0147 1363 03	2	SCREW HEXAGON	(08/08/2013 - ...)
3080	0301 2344 00	2	WASHER PLAIN	(08/08/2013 - ...)

Legend:

COOL:AIR - Cooling:Air cooled

43.2 - Oil System - Standard - C190 Water Cooled

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER



2256 0826 92_02

43.2 - Oil System - Standard - C190 Water Cooled

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
1020	1623 9419 00	1	PIPE	(19/02/2014 - 31/12/2020)
1030	0663 2109 68	1	O-RING	(19/02/2014 - 31/12/2020)
1040	0147 1363 03	2	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1050	0301 2344 00	2	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1060	1623 9418 00	1	PIPE	(19/02/2014 - 31/12/2020)
1070		1	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	3001 5311 21	KIT COOLER	
1080	0147 1363 03	2	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1090	0301 2344 00	2	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1100	1635 0241 00	1	PIPE	(19/02/2014 - 31/12/2020)
1110	0663 2109 68	1	O-RING	(19/02/2014 - 31/12/2020)
1120	0147 1365 03	2	SCREW	(19/02/2014 - 31/12/2020)
1130	0266 2111 00	2	NUT HEXAGON	(19/02/2014 - 31/12/2020)
1140	0301 2344 00	4	WASHER PLAIN	(16/02/2015 - 31/12/2020)
1150	1635 2898 00	1	VALVE 3 WAY	(16/02/2015 - 31/12/2020)
1160	1621 0392 00	1	NIPPLE	(16/02/2015 - 31/12/2020)
1170	0661 1000 32	3	SEAL WASHER	(16/02/2015 - 31/12/2020)
1180	1623 3576 00	2	NIPPLE	(16/02/2015 - 31/12/2020)
1190	0634 1000 28	1	COUPLING	(16/02/2015 - 31/12/2020)
1200	0634 1001 51	2	COUPLING	(16/02/2015 - 31/12/2020)
1210	1079 5840 01	1	NIPPLE	(16/02/2015 - 31/12/2020)
1220	0661 1000 24	1	WASHER	(16/02/2015 - 31/12/2020)
1230	0574 8231 31	1	HOSE ASSEMBLY	(16/02/2015 - 31/12/2020)
1240	1079 5840 01	2	NIPPLE	(16/02/2015 - 31/12/2020)
1250	0661 1000 24	2	WASHER	(16/02/2015 - 31/12/2020)
1255	1089 0606 03	1	REGULATOR	(07/05/2015 - 31/12/2020)
1260	1623 4137 00	1	BRACKET	(16/02/2015 - 31/12/2020)
1270	0147 1244 03	2	HEX. HEAD SCREW M6 X 12	(16/02/2015 - 31/12/2020)
1280	0266 2108 00	2	HEXAGON NUT M6	(16/02/2015 - 31/12/2020)
1290	0574 9917 15	1	HOSE ASSEMBLY	(16/02/2015 - 31/12/2020)
1300	0661 1000 27	1	SEAL GASKET	(16/02/2015 - 31/12/2020)
1310	1079 5840 19	1	NIPPLE	(16/02/2015 - 31/12/2020)
1320	0564 0001 21	1	FITTING PIPE	(16/02/2015 - 31/12/2020)
2010	1623 7494 00	1	HOUSING FILTER	(19/02/2014 - 31/12/2020)
2020	0211 1363 03	2	CAP SCREW	(19/02/2014 - 31/12/2020)
2030	1623 1451 00	2	NIPPLE	(19/02/2014 - 31/12/2020)
2040		2	OIL FILTER ELEMENT	(19/02/2014 - ...)
	🛠 Service kits:	3001 5311 12	KIT FILTER OIL	
		3001 5311 11	AIR + OIL FILTER KIT	
2050	0603 4102 03	1	HEXAGON NIPPLE	(19/02/2014 - 31/12/2020)
2060	0852 0010 36	1	BALL VALVE 8 G 1/4	(19/02/2014 - 31/12/2020)
2070		1	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	3001 5311 12	KIT FILTER OIL	
		3001 5311 11	AIR + OIL FILTER KIT	
2080	0686 4202 03	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)

Legend:


COOL:WATER - Cooling:Water cooled
PRESS:13.8BAR - Working pressure:13.8 bar

PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

PRESS:10BAR - Working pressure:10 bar

43.3 - Oil System - Standard - C242 Water Cooled

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER



2256 0826 91-2256 0893 91_01

43.3 - Oil System - Standard - C242 Water Cooled

(PRESS:8.5BAR , PRESS:8.6BAR) + COOL:WATER

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1623 9680 00	1	PIPE	(12/03/2013 - 31/12/2020)
1030	0147 1363 03	6	SCREW HEXAGON	(12/03/2013 - 31/12/2020)
1040	0301 2344 00	10	WASHER PLAIN	(12/03/2013 - 31/12/2020)
1050	0663 2109 68	4	O-RING	(12/03/2013 - 31/12/2020)
1060	1623 9679 00	1	PIPE	(12/03/2013 - 31/12/2020)
1070	0634 1000 28	1	COUPLING	(08/08/2013 - 31/12/2020)
1080	1635 0236 00	1	PIPE	(12/03/2013 - 31/12/2020)
1090	1635 0237 00	1	PIPE	(12/03/2013 - 31/12/2020)
1100	0147 1365 03	2	SCREW	(12/03/2013 - 31/12/2020)
1110	0266 2111 00	2	NUT HEXAGON	(12/03/2013 - 31/12/2020)
1120	0634 1001 51	1	COUPLING	(08/08/2013 - 31/12/2020)
2010	1623 7494 00	1	HOUSING FILTER	(12/03/2013 - 31/12/2020)
2020	0147 1363 03	2	SCREW HEXAGON	(12/03/2013 - 07/08/2013)
2020	0211 1363 03	2	CAP SCREW	(08/08/2013 - 31/12/2020)
2030	1623 1451 00	2	NIPPLE	(12/03/2013 - 31/12/2020)
2040		2	OIL FILTER ELEMENT	
	🧰 Service kits:	3001 5311 11 - AIR + OIL FILTER KIT		
		3001 5311 12 - KIT FILTER OIL		
2050	0603 4102 03	1	HEXAGON NIPPLE	(12/03/2013 - 31/12/2020)
2060	0852 0010 36	1	BALL VALVE 8 G 1/4	(12/03/2013 - 31/12/2020)
2070		1	SEAL WASHER 13.74 X 20.57 X 2	(12/03/2013 - 31/12/2020)
	🧰 Service kits:	3001 5311 11 - AIR + OIL FILTER KIT		
		3001 5311 12 - KIT FILTER OIL		
2080	0686 4202 03	1	PLUG 1/4 A A	(12/03/2013 - 31/12/2020)
3010	1623 7565 00	1	HOUSING VALVE	(29/04/2013 - ...)
3020	1623 9926 00	1	THERMOSTAT	(29/04/2013 - ...)
3030	1623 7816 00	1	COVER VALVE	(29/04/2013 - ...)
3040	0335 2154 00	1	CIRCLIP	(29/04/2013 - ...)
3050	0663 2102 89	1	O-RING	(29/04/2013 - ...)
3060		1	O-RING	(29/04/2013 - ...)
	🧰 Service kits:	3001 5311 21 - KIT COOLER		
3070	0147 1363 03	2	SCREW HEXAGON	(08/08/2013 - ...)
3080	0301 2344 00	2	WASHER PLAIN	(08/08/2013 - ...)

Legend:


COOL:WATER - Cooling:Water cooled

PRESS:8.5BAR - Working pressure:8.5 bar

PRESS:8.6BAR - Working pressure:8.6 bar

43.4 - Oil System Connections - C190 Air Cooled without Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + ENREC:N + MODEL:GA200VSDA2



2256 0889 92_01

43.4 - Oil System Connections - C190 Air Cooled without Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + ENREC:N + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 9363 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1020	0663 2109 68	2	O-RING	(17/03/2014 - 31/12/2020)
1030	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1040	0301 2344 00	4	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1050	1623 8370 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1060	0663 2109 68	1	O-RING	(19/02/2014 - 31/12/2020)
1070		1	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits: 3001 5311 87 - KIT ELEMENT OVERHAUL			
1080	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1090	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1100	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1110	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1120	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)


Legend:

COOL:AIR - Cooling:Air cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

ENREC:N - Energy recovery:N
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

43.5 - Oil System Connections - C242 Air Cooled without Energy Recovery ((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + ENREC:N



2256 0889 91_01

43.5 - Oil System Connections - C242 Air Cooled without Energy Recovery

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + ENREC:N

Ref	Part Number	Qty	Name	Validity
1010	1623 9363 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1020	0663 2109 68	2	O-RING	(17/03/2014 - 31/12/2020)
1030	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1040	0301 2344 00	4	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1050	1623 8367 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1060	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1070	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1080	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1090		2	O-RING	(17/03/2014 - 31/12/2020)
	🛠 Service kits:		3001 5311 15 - KIT CV-OSV Q-05	
			3001 5311 88 - KIT ELEMENT OVERHAUL	
1100	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1110	0301 2344 00	4	WASHER PLAIN	(17/03/2014 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
 MODEL:GA250VSDA2 - Model:GA 250 VSD
 PRESS:8.6BAR - Working pressure:8.6 bar

ENREC:N - Energy recovery:N
 MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
 PRESS:8.5BAR - Working pressure:8.5 bar

43.6 - Oil System Connections - C190 Air Cooled with Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + ENREC:Y + MODEL:GA200VSDA2



2256 0889 98_01

43.6 - Oil System Connections - C190 Air Cooled with Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:AIR + ENREC:Y + MODEL:GA200VSDA2

Ref	Part Number	Qty	Name	Validity
1020	1635 0938 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1030	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1040	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1050	0301 2344 00	4	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1060	1623 8370 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1070	0663 2109 68	1	O-RING	(19/02/2014 - 31/12/2020)
1080	0663 2105 48	1	O-RING	(19/02/2014 - 31/12/2020)
1090	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1100	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1110	0663 2109 68	2	O-RING	(17/03/2014 - 31/12/2020)
1120	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1130	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
2010	1635 0947 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
2020	1623 5041 00	1	HEAT EXCHANGER	(19/02/2014 - 31/12/2020)
2030	1621 0471 00	2	BRACKET	(19/02/2014 - 31/12/2020)
2040	0266 2110 00	4	HEXAGON NUT M8	(19/02/2014 - 31/12/2020)
2050	0301 2335 00	4	PLAIN WASHER(A) 8.4 X 16 X 1.6	(19/02/2014 - 31/12/2020)
2060	1619 5337 01	2	BOLT	(19/02/2014 - 31/12/2020)
2070	1623 5387 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2080	1623 5386 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2090	0663 2107 77	6	O-RING	(19/02/2014 - 31/12/2020)
2100	0211 1375 00	4	SCREW	(19/02/2014 - 31/12/2020)
2105	0560 0202 08	1	FITTING PIPE THREADED ELBOW 90	(19/02/2014 - 31/12/2020)
2110	0661 1000 27	1	SEAL GASKET	(19/02/2014 - 31/12/2020)
2120	1079 5840 15	1	FITTING	(19/02/2014 - 31/12/2020)
2130	0574 8065 11	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
2140	1614 9252 00	1	PLUG HEXAGON	(19/02/2014 - 31/12/2020)
2150	1623 9224 00	1	PIPE	(19/02/2014 - 31/12/2020)
2160	0301 2344 00	10	WASHER PLAIN	(19/02/2014 - 31/12/2020)
2170	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(19/02/2014 - 31/12/2020)
2180	1635 0708 00	1	PIPE	(19/02/2014 - 31/12/2020)
2200	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
2210	1635 0710 00	1	PIPE	(19/02/2014 - 31/12/2020)
2220	0301 2358 00	3	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
2230	0147 1400 03	3	HEX. HEAD SCREW M12 X 25	(19/02/2014 - 31/12/2020)
2240	1635 0709 00	1	PIPE	(19/02/2014 - 31/12/2020)
2250	0147 1365 03	2	SCREW	(19/02/2014 - 31/12/2020)
2270	0266 2111 00	2	NUT HEXAGON	(19/02/2014 - 31/12/2020)
2280	0663 2109 68	2	O-RING	(19/02/2014 - 31/12/2020)
2290	0634 1000 28	2	COUPLING	(19/02/2014 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

ENREC:Y - Energy recovery:Yes
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

43.7 - Oil System Connections - C242 Air Cooled with Energy Recovery

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + ENREC:Y



2256 0889 97_01

43.7 - Oil System Connections - C242 Air Cooled with Energy Recovery

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + ENREC:Y

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1635 0938 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1030	0663 2109 68	2	O-RING	(17/03/2014 - 31/12/2020)
1040	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1050	0301 2344 00	4	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1060	1623 8367 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1070		2	O-RING	(19/02/2014 - 31/12/2020)
	📦 Service kits:			
		3001 5311 15	- KIT CV-OSV Q-05	
		3001 5311 88	- KIT ELEMENT OVERHAUL	
1080	0147 1363 03	2	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1090	0301 2344 00	2	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1100	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1110	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1120	0301 2344 00	4	WASHER PLAIN	(17/03/2014 - 31/12/2020)
2010	1635 0947 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
2020	1623 5041 00	1	HEAT EXCHANGER	(19/02/2014 - 31/12/2020)
2030	1621 0471 00	2	BRACKET	(19/02/2014 - 31/12/2020)
2040	0266 2110 00	4	HEXAGON NUT M8	(19/02/2014 - 31/12/2020)
2050	0301 2335 00	4	PLAIN WASHER(A) 8.4 X 16 X 1.6	(19/02/2014 - 31/12/2020)
2060	1619 5337 01	2	BOLT	(19/02/2014 - 31/12/2020)
2070	1623 5387 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2080	1623 5386 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2090	0663 2107 77	6	O-RING	(19/02/2014 - 31/12/2020)
2100	0211 1375 00	4	SCREW	(19/02/2014 - 31/12/2020)
2105	0560 0202 08	1	FITTING PIPE THREADED ELBOW 90	(19/02/2014 - 31/12/2020)
2110	0661 1000 27	1	SEAL GASKET	(19/02/2014 - 31/12/2020)
2120	1079 5840 15	1	FITTING	(19/02/2014 - 31/12/2020)
2130	0574 8065 11	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
2140	1614 9252 00	1	PLUG HEXAGON	(19/02/2014 - 31/12/2020)
2150	1623 9224 00	1	PIPE	(19/02/2014 - 31/12/2020)
2160	0301 2344 00	10	WASHER PLAIN	(19/02/2014 - 31/12/2020)
2170	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(19/02/2014 - 31/12/2020)
2180	1635 0708 00	1	PIPE	(19/02/2014 - 31/12/2020)
2200	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
2210	1635 0710 00	1	PIPE	(19/02/2014 - 31/12/2020)
2220	0301 2358 00	3	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
2230	0147 1400 03	3	HEX. HEAD SCREW M12 X 25	(19/02/2014 - 31/12/2020)
2240	1635 0709 00	1	PIPE	(19/02/2014 - 31/12/2020)
2250	0147 1365 03	2	SCREW	(19/02/2014 - 31/12/2020)
2270	0266 2111 00	2	NUT HEXAGON	(19/02/2014 - 31/12/2020)
2280	0663 2109 68	2	O-RING	(19/02/2014 - 31/12/2020)
2290	0634 1000 28	2	COUPLING	(19/02/2014 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

ENREC:Y - Energy recovery:Yes
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

43.8 - Oil System Connections - C190 Water Cooled without Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + ENREC:N + MODEL:GA200VSDA2



2256 0889 95_01

43.8 - Oil System Connections - C190 Water Cooled without Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + ENREC:N + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 9268 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1020	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1030	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1040	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1050	1635 1442 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1060	0663 2105 48	1	O-RING	(19/02/2014 - 31/12/2020)
1070	0663 2109 68	1	O-RING	(19/02/2014 - 31/12/2020)
1080	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1090	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1100	0663 2109 68	2	O-RING	(17/03/2014 - 31/12/2020)
1110	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1120	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)

Legend:


COOL:WATER - Cooling:Water cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

ENREC:N - Energy recovery:N
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

43.9 - Oil System Connections - C242 Water Cooled without Energy Recovery

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:WATER + ENREC:N



2256 0889 94_01

43.9 - Oil System Connections - C242 Water Cooled without Energy Recovery

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:WATER + ENREC:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 9268 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1020	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1030	0147 1363 03	4	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1040	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1050	1623 9420 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1060		2	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:		3001 5311 15 - KIT CV-OSV Q-05	
			3001 5311 88 - KIT ELEMENT OVERHAUL	
1070	0147 1372 03	2	HEX. HEAD SCREW M10 X 75	(19/02/2014 - 31/12/2020)
1080	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1090	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1100	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1110	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)



Legend:

COOL:WATER - Cooling:Water cooled
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

ENREC:N - Energy recovery:N
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

43.10 - Oil System Connections - C190 Water Cooled with Energy recovery (PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + ENREC:Y + MODEL:GA200VSDA2



2256 0890 91_01

43.10 - Oil System Connections - C190 Water Cooled with Energy recovery

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + COOL:WATER + ENREC:Y + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1635 0736 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1030	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1040	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1050	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1060	1635 1442 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1070	0663 2105 48	1	O-RING	(19/02/2014 - 31/12/2020)
1080	0663 2109 68	1	O-RING	(19/02/2014 - 31/12/2020)
1090	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1100	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1110	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1120	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1130	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
2010	1635 0947 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
2020	1623 5041 00	1	HEAT EXCHANGER	(19/02/2014 - 31/12/2020)
2030	1621 0471 00	2	BRACKET	(19/02/2014 - 31/12/2020)
2040	0266 2110 00	4	HEXAGON NUT M8	(19/02/2014 - 31/12/2020)
2050	0301 2335 00	4	PLAIN WASHER(A) 8.4 X 16 X 1.6	(19/02/2014 - 31/12/2020)
2060	1619 5337 01	2	BOLT	(19/02/2014 - 31/12/2020)
2070	1623 5387 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2080	1623 5386 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2090	0663 2107 77	6	O-RING	(19/02/2014 - 31/12/2020)
2100	0211 1375 00	4	SCREW	(19/02/2014 - 31/12/2020)
2105	0560 0202 08	1	FITTING PIPE THREADED ELBOW 90	(19/02/2014 - 31/12/2020)
2110	0661 1000 27	1	SEAL GASKET	(19/02/2014 - 31/12/2020)
2120	1079 5840 15	1	FITTING	(19/02/2014 - 31/12/2020)
2130	0574 8065 11	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
2140	1614 9252 00	1	PLUG HEXAGON	(19/02/2014 - 31/12/2020)
2150	1623 9224 00	1	PIPE	(19/02/2014 - 31/12/2020)
2160	0301 2344 00	10	WASHER PLAIN	(19/02/2014 - 31/12/2020)
2170	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(19/02/2014 - 31/12/2020)
2180	1635 0708 00	1	PIPE	(19/02/2014 - 31/12/2020)
2200	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
2210	1635 0710 00	1	PIPE	(19/02/2014 - 31/12/2020)
2220	0301 2358 00	3	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
2230	0147 1400 03	3	HEX. HEAD SCREW M12 X 25	(19/02/2014 - 31/12/2020)
2240	1635 0709 00	1	PIPE	(19/02/2014 - 31/12/2020)
2250	0147 1365 03	2	SCREW	(19/02/2014 - 31/12/2020)
2270	0266 2111 00	2	NUT HEXAGON	(19/02/2014 - 31/12/2020)
2280	0663 2109 68	2	O-RING	(19/02/2014 - 31/12/2020)
2290	0634 1000 28	2	COUPLING	(19/02/2014 - 31/12/2020)


Legend:

COOL:WATER - Cooling:Water cooled
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

ENREC:Y - Energy recovery:Yes
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

43.11 - Oil System Connections - C242 Water Cooled with Energy Recovery (PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:WATER + ENREC:Y



2256 0890 90_01

43.11 - Oil System Connections - C242 Water Cooled with Energy Recovery

(PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:WATER + ENREC:Y

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1635 0736 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1030	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1040	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1050	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
1060	1623 9420 00	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1070		2	O-RING	(19/02/2014 - 31/12/2020)
	Service kits: 3001 5311 15 - KIT CV-OSV Q-05 3001 5311 88 - KIT ELEMENT OVERHAUL			
1080	0147 1372 03	2	HEX. HEAD SCREW M10 X 75	(19/02/2014 - 31/12/2020)
1090	0147 1363 03	2	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
1100	0301 2344 00	4	WASHER PLAIN	(19/02/2014 - 31/12/2020)
1110	0663 2109 68	1	O-RING	(17/03/2014 - 31/12/2020)
1120	0147 1363 03	2	SCREW HEXAGON	(17/03/2014 - 31/12/2020)
1130	0301 2344 00	2	WASHER PLAIN	(17/03/2014 - 31/12/2020)
2010	1635 0947 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
2020	1623 5041 00	1	HEAT EXCHANGER	(19/02/2014 - 31/12/2020)
2030	1621 0471 00	2	BRACKET	(19/02/2014 - 31/12/2020)
2040	0266 2110 00	4	HEXAGON NUT M8	(19/02/2014 - 31/12/2020)
2050	0301 2335 00	4	PLAIN WASHER(A) 8.4 X 16 X 1.6	(19/02/2014 - 31/12/2020)
2060	1619 5337 01	2	BOLT	(19/02/2014 - 31/12/2020)
2070	1623 5387 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2080	1623 5386 00	1	BLOCK	(19/02/2014 - 31/12/2020)
2090	0663 2107 77	6	O-RING	(19/02/2014 - 31/12/2020)
2100	0211 1375 00	4	SCREW	(19/02/2014 - 31/12/2020)
2105	0560 0202 08	1	FITTING PIPE THREADED ELBOW 90	(19/02/2014 - 31/12/2020)
2110	0661 1000 27	1	SEAL GASKET	(19/02/2014 - 31/12/2020)
2120	1079 5840 15	1	FITTING	(19/02/2014 - 31/12/2020)
2130	0574 8065 11	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
2140	1614 9252 00	1	PLUG HEXAGON	(19/02/2014 - 31/12/2020)
2150	1623 9224 00	1	PIPE	(19/02/2014 - 31/12/2020)
2160	0301 2344 00	10	WASHER PLAIN	(19/02/2014 - 31/12/2020)
2170	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(19/02/2014 - 31/12/2020)
2180	1635 0708 00	1	PIPE	(19/02/2014 - 31/12/2020)
2200	0147 1363 03	4	SCREW HEXAGON	(19/02/2014 - 31/12/2020)
2210	1635 0710 00	1	PIPE	(19/02/2014 - 31/12/2020)
2220	0301 2358 00	3	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
2230	0147 1400 03	3	HEX. HEAD SCREW M12 X 25	(19/02/2014 - 31/12/2020)
2240	1635 0709 00	1	PIPE	(19/02/2014 - 31/12/2020)
2250	0147 1365 03	2	SCREW	(19/02/2014 - 31/12/2020)
2270	0266 2111 00	2	NUT HEXAGON	(19/02/2014 - 31/12/2020)
2280	0663 2109 68	2	O-RING	(19/02/2014 - 31/12/2020)
2290	0634 1000 28	2	COUPLING	(19/02/2014 - 31/12/2020)

Legend:


COOL:WATER - Cooling:Water cooled
MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

ENREC:Y - Energy recovery:Yes
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

43.12 - Valve for Energy Recovery - C242 8.5/8.6/10/10.4Bar

(PRESS:10.4BAR , PRESS:10BAR , PRESS:8.5BAR , PRESS:8.6BAR) + ENREC:Y



2256 0893 95_02

43.12 - Valve for Energy Recovery - C242 8.5/8.6/10/10.4Bar

(PRESS:10.4BAR , PRESS:10BAR , PRESS:8.5BAR , PRESS:8.6BAR) + ENREC:Y




Ref	Part Number	Qty	Name	Validity
1005	1623 7565 00	1	HOUSING VALVE	(08/08/2013 - 31/12/2020)
1010	1635 1571 00	1	COVER VALVE	(05/06/2015 - 31/12/2020)
1012	1635 2721 00	1	PLUG PROTECT.	(05/06/2015 - 31/12/2020)
1015	1635 1572 00	1	PLUG PROTECT.	(05/06/2015 - 31/12/2020)
1017	1621 0603 00	1	LABEL	(11/11/2015 - 31/12/2020)
1020	0266 2111 00	1	NUT HEXAGON	(11/11/2015 - 31/12/2020)
1020	0266 2110 00	1	HEXAGON NUT M8	(27/04/2015 - 10/11/2015)
1025	0301 2335 00	1	PLAIN WASHER(A) 8.4 X 16 X 1.6	(27/04/2015 - 31/12/2020)
1030	0335 2154 00	1	CIRCLIP	(08/08/2013 - 31/12/2020)
1035	0663 2102 89	1	O-RING	(08/08/2013 - 31/12/2020)
1040	0663 2109 68	1	O-RING	(08/08/2013 - 31/12/2020)
1045	0147 1363 03	2	SCREW HEXAGON	(08/08/2013 - 31/12/2020)
1050	0301 2344 00	2	WASHER PLAIN	(08/08/2013 - 31/12/2020)
1055	1635 2726 00	1	THERMOSTAT 65 DEGREE C.	(15/04/2015 - 31/12/2020)
1060	1635 2727 00	1	THERMOSTAT 75 DEGREE C.	(15/04/2015 - 31/12/2020)
1065	1635 2728 00	1	THERMOSTAT 80 DEGREE C.	(15/04/2015 - 31/12/2020)
1075	1635 2729 00	1	THERMOSTAT 85 DEGREE C.	(15/04/2015 - 31/12/2020)
1080	0663 2109 73	1	O-RING	(15/04/2015 - 31/12/2020)

Legend:ENREC:Y - Energy recovery:Yes
PRESS:8.5BAR - Working pressure:8.5 barPRESS:10.4BAR - Working pressure:10.4 bar
PRESS:8.6BAR - Working pressure:8.6 bar

PRESS:10BAR - Working pressure:10 bar

43.13 - Valve for Energy Recovery - C190 13.8/14Bar

(PRESS:13.8BAR , PRESS:14BAR) + ENREC:Y + MODEL:GA200VSDA2



2256 0893 96_02

43.13 - Valve for Energy Recovery - C190 13.8/14Bar

(PRESS:13.8BAR , PRESS:14BAR) + ENREC:Y + MODEL:GA200VSDA2

Ref	Part Number	Qty	Name	Validity
1005	1623 7565 00	1	HOUSING VALVE	(08/08/2013 - 31/12/2020)
1010	1635 1571 00	1	COVER VALVE	(05/06/2015 - 31/12/2020)
1012	1635 2721 00	1	PLUG PROTECT.	(05/06/2015 - 31/12/2020)
1015	1635 1572 00	1	PLUG PROTECT.	(05/06/2015 - 31/12/2020)
1017	1621 0603 00	1	LABEL	(11/11/2015 - 31/12/2020)
1020	0266 2110 00	1	HEXAGON NUT M8	(27/04/2015 - 10/11/2015)
1020	0266 2111 00	1	NUT HEXAGON	(11/11/2015 - 31/12/2020)
1025	0301 2335 00	1	PLAIN WASHER(A) 8.4 X 16 X 1.6	(27/04/2015 - 31/12/2020)
1030	0335 2154 00	1	CIRCLIP	(08/08/2013 - 31/12/2020)
1035	0663 2102 89	1	O-RING	(08/08/2013 - 31/12/2020)
1040	0663 2109 68	1	O-RING	(08/08/2013 - 31/12/2020)
1045	0147 1363 03	2	SCREW HEXAGON	(08/08/2013 - 31/12/2020)
1050	0301 2344 00	2	WASHER PLAIN	(08/08/2013 - 31/12/2020)
1055	1635 2727 00	1	THERMOSTAT 75 DEGREE C.	(15/04/2015 - 31/12/2020)
1060	1635 2728 00	1	THERMOSTAT 80 DEGREE C.	(15/04/2015 - 31/12/2020)
1075	1635 2729 00	1	THERMOSTAT 85 DEGREE C.	(15/04/2015 - 31/12/2020)
1080	0663 2109 73	1	O-RING	(15/04/2015 - 31/12/2020)




Legend:

ENREC:Y - Energy recovery:Yes

MODEL:GA200VSDA2 - Model:GA 200 VSD

PRESS:13.8BAR - Working pressure:13.8 bar

PRESS:14BAR - Working pressure:14 bar



2256 0839 91_01

44 - Water system - Air Cooled with Pack/Water Cooled with Energy Recovery

(COOL:AIR + IDRY:PACK , COOL:WATER) + ENREC:Y

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1623 8155 00	1	PIPE	(12/03/2013 - 31/12/2020)
1020	1623 8154 00	1	PIPE	(12/03/2013 - 31/12/2020)
1030	0147 1362 03	4	HEX. HEAD SCREW M10 X 25	(12/03/2013 - 31/12/2020)
1040	0301 2344 00	4	WASHER PLAIN	(12/03/2013 - 31/12/2020)
1050	1635 0942 00	1	PIPE	(09/08/2013 - 31/12/2020)
1050	1623 8157 00	1	PIPE	(12/03/2013 - 08/08/2013)
1060	1635 0943 00	1	PIPE	(09/08/2013 - 31/12/2020)
1060	1623 8158 00	1	PIPE	(12/03/2013 - 08/08/2013)
1070	1623 7773 00	2	PIPE	(12/03/2013 - 31/12/2020)
1080	0147 1963 08	2	SCREW	(12/03/2013 - 31/12/2020)
1090	0634 1000 27	4	VICTAULIC COUPLING	(12/03/2013 - 31/12/2020)
1100	0686 9170 00	2	PROTECTING PLUG 43.8X 47.1X 19	(09/08/2013 - 31/12/2020)
1110	1089 0574 70	2	SENSOR	(09/08/2013 - 31/12/2020)
1120	1623 7889 00	1	WIRING	(09/08/2013 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
IDRY:PACK - Integrated dryer:Pack

COOL:WATER - Cooling:Water cooled

ENREC:Y - Energy recovery:Yes



2256 0839 92_01

45 - Water system - Water Cooled Full Feature

COOL:WATER + IDRY:FF


Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 7773 00	2	PIPE	(12/03/2013 - 31/12/2020)
1020	0147 1963 08	2	SCREW	(12/03/2013 - 31/12/2020)
1030	1623 7844 00	1	PIPE	(12/03/2013 - 31/12/2020)
1040	1623 7845 00	1	PIPE	(12/03/2013 - 31/12/2020)
1050	1623 7846 00	2	PIPE	(12/03/2013 - 31/12/2020)
1060	1623 7848 00	2	PIPE	(12/03/2013 - 31/12/2020)
1070	1623 8868 00	1	PIPE	(12/03/2013 - 31/12/2020)
1080	0147 1406 03	2	HEX. HEAD SCREW M12 X 55	(12/03/2013 - 31/12/2020)
1085	0266 2112 00	2	HEXAGON NUT M12	(12/03/2013 - 31/12/2020)
1090	0301 2358 00	2	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)
1100	1621 0392 00	2	NIPPLE	(12/03/2013 - 31/12/2020)
1110	0661 1000 32	2	SEAL WASHER	(12/03/2013 - 31/12/2020)
1120	1619 6153 08	1	BALL VALVE	(12/03/2013 - 31/12/2020)
1130	1623 8867 00	1	PIPE	(12/03/2013 - 31/12/2020)
1150	0301 2358 00	2	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)
1160	1621 0392 00	2	NIPPLE	(12/03/2013 - 31/12/2020)
1170	0661 1000 32	2	SEAL WASHER	(12/03/2013 - 31/12/2020)
1180	1623 7916 00	1	PIPE	(12/03/2013 - 31/12/2020)
1190	0634 1000 23	1	VICTAULIC COUPLING	(12/03/2013 - 31/12/2020)
1200	1623 7917 00	1	PIPE	(12/03/2013 - 31/12/2020)
1210	0147 1961 80	4	BOLT	(12/03/2013 - 01/09/2013)
1210	0147 1479 03	4	BOLT	(02/09/2013 - 31/12/2020)
1220	0301 2378 00	8	PLAIN WASHER(A) 17 X 30 X 3	(12/03/2013 - 31/12/2020)
1230	0266 2114 00	4	HEXAGON NUT M16	(12/03/2013 - 01/09/2013)
1230	0261 2114 00	4	NUT	(02/09/2013 - 31/12/2020)
1240	0663 2106 12	1	O-RING	(12/03/2013 - 31/12/2020)
1250	0634 1000 27	5	VICTAULIC COUPLING	(09/08/2013 - 31/12/2020)
1255	0634 1000 27	6	VICTAULIC COUPLING	(09/08/2013 - 31/12/2020)
1260	0686 9170 00	2	PROTECTING PLUG 43.8X 47.1X 19	(09/08/2013 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled

IDRY:FF - Integrated dryer:Full feature



2256 0839 93_01

46 - Water system - Water Cooled Pack

COOL:WATER + IDRY:PACK




Ref	Part Number	Qty	Name	Validity
1010	1623 7773 00	2	PIPE	(12/03/2013 - 31/12/2020)
1020	0147 1963 08	2	SCREW	(12/03/2013 - 31/12/2020)
1030	1623 7844 00	1	PIPE	(12/03/2013 - 31/12/2020)
1040	1623 7845 00	1	PIPE	(12/03/2013 - 31/12/2020)
1050	1623 7846 00	2	PIPE	(12/03/2013 - 31/12/2020)
1060	0686 3716 10	2	PLUG 1 1/2 A A	(12/03/2013 - 31/12/2020)
1070	0661 1000 32	2	SEAL WASHER	(12/03/2013 - 31/12/2020)
1080	1623 7848 00	2	PIPE	(12/03/2013 - 31/12/2020)
1090	1623 8868 00	1	PIPE	(12/03/2013 - 31/12/2020)
1100	0147 1406 03	2	HEX. HEAD SCREW M12 X 55	(12/03/2013 - 31/12/2020)
1105	0266 2112 00	2	HEXAGON NUT M12	(12/03/2013 - 31/12/2020)
1110	0301 2358 00	2	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)
1120	1621 0392 00	2	NIPPLE	(12/03/2013 - 31/12/2020)
1130	0661 1000 32	2	SEAL WASHER	(12/03/2013 - 31/12/2020)
1140	1619 6153 08	1	BALL VALVE	(12/03/2013 - 31/12/2020)
1150	1623 8867 00	1	PIPE	(12/03/2013 - 31/12/2020)
1170	0301 2358 00	2	PLAIN WASHER(A) 13 X 24 X 2.5	(12/03/2013 - 31/12/2020)
1180	0634 1000 27	4	VICTAULIC COUPLING	(09/08/2013 - 31/12/2020)
1185	0634 1000 27	5	VICTAULIC COUPLING	(09/08/2013 - 31/12/2020)
1190	1079 9913 79	1	STICKER FD450-1200	(12/03/2013 - 31/12/2020)
1200	1079 9913 69	1	STICKER FD450-1200	(12/03/2013 - 31/12/2020)
1210	0686 9170 00	2	PROTECTING PLUG 43.8X 47.1X 19	(09/08/2013 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled

IDRY:PACK - Integrated dryer:Pack



2256 0817 90-94_01

47 - Drain system - Air Cooled Pack

COOL:AIR + IDRY:PACK

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	0581 0000 86	2	PIPE COUPLING TYPE 9.1	(29/04/2013 - 31/12/2020)
1020	0581 0000 53	2	PIPE COUPLING	(29/04/2013 - 31/12/2020)
1030	0653 1124 00	2	GASKET 21 X 26 X 1.5	(29/04/2013 - 31/12/2020)
1040	1079 9910 95	1	LABEL	(29/04/2013 - 31/12/2020)
1050	1079 9910 96	1	LABEL	(29/04/2013 - 31/12/2020)
1060	0852 0010 33	1	BALL VALVE	(29/04/2013 - 31/12/2020)
1070		3	SEAL WASHER 13.74 X 20.57 X 2	(13/12/2013 - 31/12/2020)
	Service kits: 3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			
1080	0581 0000 45	2	PIPE COUPLING	(29/04/2013 - 31/12/2020)
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:IEC
	Service kits: 3001 5311 19 - KIT EWD IEC			
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:CSA-UL
	Service kits: 3001 5311 20 - KIT EWD CSA-UL			
1100	0603 4102 03	1	HEXAGON NIPPLE	(13/12/2013 - 31/12/2020)
1130	1089 0659 57	1	SENSOR LEVEL	(29/04/2013 - 31/12/2020)
1140	0070 6002 06	AR	PLASTIC TUBE	(29/04/2013 - 31/12/2020)
1150	0070 6002 66	AR	TUBE	(29/04/2013 - 31/12/2020)
1160		1	WARNING MARK FD280-1600 & ID'S	(29/04/2013 - 31/12/2020)
	Service kits: 3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC			
1170	0686 9130 00	2	PROTECTING PLUG 17.5 X 20.1X14	(09/08/2013 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
IDRY:PACK - Integrated dryer:Pack

EAPPR:CSA-UL - Electrical approval:CSA-UL

EAPPR:IEC - Electrical approval:IEC



48 - Drain system - Air Cooled Full Feature

COOL:AIR + IDRY:FF

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	0581 0000 86	3	PIPE COUPLING TYPE 9.1	(12/03/2013 - ...)
1020	0581 0000 53	3	PIPE COUPLING	(12/03/2013 - ...)
1030	0653 1124 00	3	GASKET 21 X 26 X 1.5	(12/03/2013 - ...)
1040	1079 9910 95	1	LABEL	(12/03/2013 - ...)
1050	1079 9910 96	2	LABEL	(12/03/2013 - ...)
1060	0852 0010 33	1	BALL VALVE	(12/03/2013 - ...)
1070		3	SEAL WASHER 13.74 X 20.57 X 2	(13/12/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC		
1080	0581 0000 45	2	PIPE COUPLING	(12/03/2013 - ...)
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:IEC
	🛠 Service kits:	3001 5311 19 - KIT EWD IEC		
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:CSA-UL
	🛠 Service kits:	3001 5311 20 - KIT EWD CSA-UL		
1100	0603 4102 03	1	HEXAGON NIPPLE	(13/12/2013 - 31/12/2020)
1130	1089 0659 57	1	SENSOR LEVEL	(12/03/2013 - ...)
1140	0070 6002 06	AR	PLASTIC TUBE	(12/03/2013 - ...)
1150	0070 6002 66	AR	TUBE	(12/03/2013 - ...)
1160	0070 6002 06	AR	PLASTIC TUBE	(12/03/2013 - ...)
1170		1	WARNING MARK FD280-1600 & ID'S	(12/03/2013 - ...)
	🛠 Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC		
1180	0686 9130 00	3	PROTECTING PLUG 17.5 X 20.1X14	(09/08/2013 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
IDRY:FF - Integrated dryer:Full feature

EAPPR:CSA-UL - Electrical approval:CSA-UL

EAPPR:IEC - Electrical approval:IEC



2256 0817 92-96_01

49 - Drain system - Water cooled Pack

COOL:WATER + IDRY:PACK

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	0581 0000 86	2	PIPE COUPLING TYPE 9.1	(12/03/2013 - ...)
1020	0581 0000 53	2	PIPE COUPLING	(12/03/2013 - ...)
1030	0653 1124 00	2	GASKET 21 X 26 X 1.5	(12/03/2013 - ...)
1040	1079 9910 95	1	LABEL	(12/03/2013 - ...)
1050	1079 9910 96	1	LABEL	(12/03/2013 - ...)
1060	0852 0010 33	1	BALL VALVE	(12/03/2013 - ...)
1070		2	SEAL WASHER 13.74 X 20.57 X 2	(13/12/2013 - 31/12/2020) EAPPR:IEC
	🧰 Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC		
1070		3	SEAL WASHER 13.74 X 20.57 X 2	(13/12/2013 - 31/12/2020) EAPPR:CSA-UL
	🧰 Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC		
1080	0581 0000 45	2	PIPE COUPLING	(12/03/2013 - ...)
1090		1	VALVE SOLENOID	(13/03/2014 - 31/12/2020) EAPPR:IEC
	🧰 Service kits:	3001 5311 19 - KIT EWD IEC		
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:CSA-UL
	🧰 Service kits:	3001 5311 20 - KIT EWD CSA-UL		
1100	0603 4102 03	1	HEXAGON NIPPLE	(13/12/2013 - 31/12/2020)
1130	1089 0659 57	1	SENSOR LEVEL	(12/03/2013 - ...)
1140	0070 6002 06	AR	PLASTIC TUBE	(12/03/2013 - ...)
1150	0070 6002 66	AR	TUBE	(12/03/2013 - ...)
1160		1	WARNING MARK FD280-1600 & ID'S	(12/03/2013 - ...)
	🧰 Service kits:	3001 5311 20 - KIT EWD CSA-UL 3001 5311 19 - KIT EWD IEC		
1170	0686 9130 00	2	PROTECTING PLUG 17.5 X 20.1X14	(09/08/2013 - 31/12/2020) EAPPR:CSA-UL

Legend:

COOL:WATER - Cooling:Water cooled
IDRY:PACK - Integrated dryer:Pack

EAPPR:CSA-UL - Electrical approval:CSA-UL

EAPPR:IEC - Electrical approval:IEC



2256 0817 92-96

50 - Drain system - Water cooled Full Feature

COOL:WATER + IDRY:FF

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	0581 0000 86	3	PIPE COUPLING TYPE 9.1	(12/03/2013 - ...)
1020	0581 0000 53	3	PIPE COUPLING	(12/03/2013 - ...)
1030	0653 1124 00	3	GASKET 21 X 26 X 1.5	(12/03/2013 - ...)
1040	1079 9910 95	1	LABEL	(12/03/2013 - ...)
1050	1079 9910 96	2	LABEL	(12/03/2013 - ...)
1060	0852 0010 33	1	BALL VALVE	(12/03/2013 - ...)
1070		3	SEAL WASHER 13.74 X 20.57 X 2	(13/12/2013 - 31/12/2020)
	🛠 Service kits:	3001 5311 20 - KIT EWD CSA-UL		
		3001 5311 19 - KIT EWD IEC		
1080	0581 0000 45	2	PIPE COUPLING	(12/03/2013 - ...)
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:IEC
	🛠 Service kits:	3001 5311 19 - KIT EWD IEC		
1090		1	VALVE SOLENOID	(09/08/2013 - 31/12/2020) EAPPR:CSA-UL
	🛠 Service kits:	3001 5311 20 - KIT EWD CSA-UL		
1100	0603 4102 03	1	HEXAGON NIPPLE	(13/12/2013 - 31/12/2020)
1130	1089 0659 57	1	SENSOR LEVEL	(12/03/2013 - ...)
1140	0070 6002 06	AR	PLASTIC TUBE	(12/03/2013 - ...)
1150	0070 6002 66	AR	TUBE	(12/03/2013 - ...)
1160	0070 6002 06	AR	PLASTIC TUBE	(12/03/2013 - ...)
1170		1	WARNING MARK FD280-1600 & ID'S	(12/03/2013 - ...)
	🛠 Service kits:	3001 5311 20 - KIT EWD CSA-UL		
		3001 5311 19 - KIT EWD IEC		
1180	0686 9130 00	3	PROTECTING PLUG 17.5 X 20.1X14	(09/08/2013 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled
IDRY:FF - Integrated dryer:Full feature

EAPPR:CSA-UL - Electrical approval:CSA-UL

EAPPR:IEC - Electrical approval:IEC



1611 6869 90_01

51 - Option - Thermostatic Valve


THVAL:Y

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	0586 1058 03	1	COUPLING	(26/03/2012 - 31/12/2020)
1020	0603 4108 03	2	HEX. NIPPLE	(26/03/2012 - 31/12/2020)
1030	0564 0009 03	1	FITTING	(26/03/2012 - 31/12/2020)
1040	0603 5126 03	1	HEXAGON NIPPLE	(26/03/2012 - 31/12/2020)
1050	1621 6647 00	1	THERMOST.VALVE	(26/03/2012 - 31/12/2020)
1060	0607 2900 17	1	REDUCING SOCKET	(26/03/2012 - 31/12/2020)
1070	0607 1101 07	1	FITTING	(26/03/2012 - 31/12/2020)
1080	0605 8300 86	1	BUSHING	(26/03/2012 - 31/12/2020)
1090	0661 1000 27	1	SEAL GASKET	(26/03/2012 - 31/12/2020)
1100	1619 6554 00	1	CAPILL. SEAL	(26/03/2012 - 31/12/2020)

Legend:

THVAL:Y - Thermostatic valve:Yes



2256 0835 95_01

52 - Control system - Air Cooled

COOL:AIR

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1020	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1030	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1040	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1050	1089 9625 13	1	SENSOR PRESS	(19/02/2014 - 31/12/2020)
1055	1089 9625 13	1	SENSOR PRESS	(19/02/2014 - 31/12/2020)
1060	1089 9625 18	1	SENSOR PRESS	(19/02/2014 - 31/12/2020)
1070	1089 0574 12	1	TEMP.SENSOR	(19/02/2014 - 31/12/2020)
1080	1089 9625 01	1	SENSOR	(19/02/2014 - 31/12/2020)
1090	1615 3624 00	1	NOZZLE	(19/02/2014 - 31/12/2020)
1100	0580 0400 03	1	STR.COUPLING	(19/02/2014 - 31/12/2020)
1110	0661 1000 25	2	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1120	1079 5840 01	1	NIPPLE	(19/02/2014 - 31/12/2020)
1130	0661 1000 24	2	WASHER	(19/02/2014 - 31/12/2020)
1140	1619 5205 00	1	NIPPLE	(19/02/2014 - 31/12/2020)
1150	0575 0361 18	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1160	1089 0637 24	1	SWITCH TEMP.	(19/02/2014 - 31/12/2020)
1170	0661 1000 27	1	SEAL GASKET	(19/02/2014 - 31/12/2020)
1180	0301 2315 00	4	PLAIN WASHER(A) 4.3 X 9 X 0.8	(19/02/2014 - 31/12/2020)
1190	0160 6038 00	4	SCREW	(19/02/2014 - 31/12/2020)
1200	1900 5200 22	1	ELEKTRONIKON MK5 GRAPHIC PLUS	(19/02/2014 - 31/12/2020)
1210	1900 5200 31	1	I/O2 MODULE MET CCSAUS LOGO	(19/02/2014 - 16/03/2014)
	⚡ Substituted by: 1900 5200 33 - ELEKTRONIKON MK5 I/O2 (quantity: 1)			
1210	1900 5200 33	1	ELEKTRONIKON MK5 I/O2	(17/03/2014 - 31/12/2020)
1220	1623 9168 00	1	WIRE HARNESS	(19/02/2014 - 31/12/2020)
1230	0348 0102 08	24	CABLE TIE	(19/11/2014 - 31/12/2020)
2010	1900 5200 41	1	ELEKTRONIKON	(12/03/2013 - 06/05/2015) ENREC:Y + IDRY:PACK , IDRY:FF
	⚡ Substituted by: 1900 5200 42 - ELEKTRONIKON MK5 I/O34 (quantity: 1)			
2010	1900 5200 42	1	ELEKTRONIKON MK5 I/O34	(07/05/2015 - ...) ENREC:Y + IDRY:PACK , IDRY:FF
2020	1622 5099 02	1	ELEKTRONIKON CABLE	(12/03/2013 - ...) ENREC:Y + IDRY:PACK , IDRY:FF
	⚡ Substituted by: 1622 5099 01 - ELEKTRONIKON CABLE (quantity: 1)			

Legend:

COOL:AIR - Cooling:Air cooled
IDRY:PACK - Integrated dryer:Pack

ENREC:Y - Energy recovery:Yes

IDRY:FF - Integrated dryer:Full feature



2256 0835 97_02

53 - Control system - Water Cooled

COOL:WATER

Atlas Copco



Ref	Part Number	Qty	Name	Validity
1010	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1011	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1012	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1013	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1014	1089 0574 70	1	SENSOR	(19/02/2014 - 31/12/2020)
1020	1089 9625 13	1	SENSOR PRESS	(19/02/2014 - 31/12/2020)
1025	1089 9625 13	1	SENSOR PRESS	(19/02/2014 - 31/12/2020)
1030	1089 9625 18	1	SENSOR PRESS	(19/02/2014 - 31/12/2020)
1040	1089 9625 01	1	SENSOR	(19/02/2014 - 31/12/2020)
1050	0661 1000 24	2	WASHER	(19/02/2014 - 31/12/2020)
1060	1615 3624 00	1	NOZZLE	(19/02/2014 - 31/12/2020)
1070	0580 0400 03	1	STR.COUPLING	(19/02/2014 - 31/12/2020)
1080	0661 1000 25	3	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1090	0560 4401 09	1	TEE	(17/03/2014 - 31/12/2020)
1100	1619 5205 00	1	NIPPLE	(17/03/2014 - 31/12/2020)
1110	1079 5840 01	1	NIPPLE	(17/03/2014 - 31/12/2020)
1120	0575 0361 18	1	HOSE ASSEMBLY	(17/03/2014 - 31/12/2020)
1130	1089 0637 24	1	SWITCH TEMP.	(17/03/2014 - 31/12/2020)
1140	0661 1000 27	1	SEAL GASKET	(17/03/2014 - 31/12/2020)
1150	1900 5200 22	1	ELEKTRONIKON MK5 GRAPHIC PLUS	(17/03/2014 - 31/12/2020)
1160	1900 5200 33	1	ELEKTRONIKON MK5 I/O2	(17/03/2014 - 31/12/2020)
1170	0686 3716 01	1	PLUG 1/4 A A	(19/11/2014 - 31/12/2020)
1180	0301 2315 00	4	PLAIN WASHER(A) 4.3 X 9 X 0.8	(17/03/2014 - 31/12/2020)
1190	0160 6038 00	4	SCREW	(17/03/2014 - 31/12/2020)
1200	1623-8417-00	1	WIRE HARNESS	(17/03/2014 - 15/02/2015)
	⚡ Substituted by: 1635 2666 00 - WIRE HARNESS (quantity: 1)			
1200	1635 2666 00	1	WIRE HARNESS	(16/02/2015 - 31/12/2020)
1210	0348 0102 08	15	CABLE TIE	(19/11/2014 - 31/12/2020)
2010	1900-5200-41	1	ELEKTRONIKON	(12/03/2013 - 06/05/2015)
	⚡ Substituted by: 1900 5200 42 - ELEKTRONIKON MK5 I/O34 (quantity: 1)			
2010	1900 5200 42	1	ELEKTRONIKON MK5 I/O34	(07/05/2015 - ...)
2020	1622-5099-02	1	ELEKTRONIKON CABLE	(12/03/2013 - ...)
	⚡ Substituted by: 1622 5099 01 - ELEKTRONIKON CABLE (quantity: 1)			

Legend:

COOL:WATER - Cooling:Water cooled

54 - Regulation - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2



2256 0838 98_01

54 - Regulation - C190

((PRESS:10.4BAR , PRESS:13.8BAR) + FREQ:60HZ , (PRESS:10BAR , PRESS:14BAR) + FREQ:50HZ) + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 8376 00	1	PIPE	(19/02/2014 - 31/12/2020)
1020		1	O-RING	(19/02/2014 - 31/12/2020)
	🛠 Service kits:	3001 5311 87	- KIT ELEMENT OVERHAUL	
1030	0663 2108 13	1	O-RING	(19/02/2014 - 31/12/2020)
1040	0147 1404 03	8	HEX. HEAD SCREW M12 X 45	(19/02/2014 - 31/12/2020)
1050	0301 2358 00	8	PLAIN WASHER(A) 13 X 24 X 2.5	(19/02/2014 - 31/12/2020)
1060	0661 1000 29	2	WASHER	(19/02/2014 - 31/12/2020)
1070	0686 3716 35	1	PLUG 3/4 A A	(19/02/2014 - 31/12/2020)
1080	0661 1000 25	2	SEAL WASHER 13.74 X 20.57 X 2	(19/02/2014 - 31/12/2020)
1090	0686 3716 01	1	PLUG 1/4 A A	(19/02/2014 - 31/12/2020)
1100	1619 5205 00	1	NIPPLE	(19/02/2014 - 31/12/2020)
1110	0574 9917 14	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1120	0661 1000 30	1	SEAL CARTRIDGE	(19/02/2014 - 31/12/2020)
1130	1079 5840 22	1	HEXAGON NIPPLE	(19/02/2014 - 31/12/2020)
1140	1635 0063 80	1	PLATE COVER	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
1150	1619 2766 00	4	SCR.BOLT M8X20	(19/02/2014 - 31/12/2020)
1160	0581 0000 86	1	PIPE COUPLING TYPE 9.1	(19/02/2014 - 31/12/2020)
1170	0560 1305 03	1	ELBOW	(19/02/2014 - 31/12/2020)
1180	1617 6173 00	1	SILENCER	(19/02/2014 - 31/12/2020)
1190	0603 4100 50	1	FITTING	(19/02/2014 - 31/12/2020)
1200	1089 0641 14	1	VALVE SOLENOID	(19/02/2014 - 06/05/2015)
1200	1089 0624 08	1	VALVE SOLENOID	(07/05/2015 - 31/12/2020)
1210	1619 5509 00	1	HEXAGON NIPPLE	(19/02/2014 - 31/12/2020)
1220	0574 8001 45	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)

Legend:



FREQ:50HZ - Frequency:50 Hz
PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

55 - Regulation - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2



2256 0838 97_01

55 - Regulation - C242

(FREQ:50HZ + PRESS:8.5BAR , FREQ:60HZ + PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Ref	Part Number	Qty	Name	Validity
1010	1623 8379 00	1	PIPE	(19/02/2014 - 31/12/2020)
1020		1	O-RING	(19/02/2014 - 31/12/2020)
	 Service kits:	3001 5311 88	- KIT ELEMENT OVERHAUL	
1030	0147 1478 03	6	HEX. HEAD SCREW M16 X 45	(19/02/2014 - 31/12/2020)
1040	0301 2378 00	6	PLAIN WASHER(A) 17 X 30 X 3	(19/02/2014 - 31/12/2020)
1050	0661 1000 26	1	SEAL WASHER	(19/02/2014 - 19/11/2014)
1060	0686 3716 30	1	PLUG	(19/02/2014 - 19/11/2014)
1070	0661 1000 25	2	SEAL WASHER 13.74 X 20.57 X 2	(19/11/2014 - 31/12/2020)
1080	0686 3716 01	1	PLUG 1/4 A A	(19/11/2014 - 31/12/2020)
1090	0661 1000 31	1	WASHER	(19/02/2014 - 31/12/2020)
1100	0686 4209 00	1	PLUG	(19/02/2014 - 31/12/2020)
1110	1619 5205 00	1	NIPPLE	(19/02/2014 - 31/12/2020)
1120	0574 9917 14	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)
1130	1079 5840 22	1	HEXAGON NIPPLE	(19/02/2014 - 31/12/2020)
1140	0661 1000 30	1	SEAL CARTRIDGE	(19/02/2014 - 31/12/2020)
1150	1635 0063 80	1	PLATE COVER	(19/02/2014 - 31/12/2020)
	• 1202 6584 00	AR	SEAL	
1160	1619 2766 00	4	SCR.BOLT M8X20	(19/02/2014 - 31/12/2020)
1170	0581 0000 86	1	PIPE COUPLING TYPE 9.1	(19/02/2014 - 31/12/2020)
1180	0560 1305 03	1	ELBOW	(19/02/2014 - 31/12/2020)
1190	1617 6173 00	1	SILENCER	(19/02/2014 - 31/12/2020)
1200	0603 4100 50	1	FITTING	(19/02/2014 - 31/12/2020)
1210	1089 0641 14	1	VALVE SOLENOID	(19/02/2014 - 06/05/2015)
1210	1089 0624 08	1	VALVE SOLENOID	(07/05/2015 - 31/12/2020)
1220	0661 1000 29	1	WASHER	(19/02/2014 - 31/12/2020)
1230	1619 5509 00	1	HEXAGON NIPPLE	(19/02/2014 - 31/12/2020)
1240	0574 8001 45	1	HOSE ASSEMBLY	(19/02/2014 - 31/12/2020)

Legend:




FREQ:50HZ - Frequency:50 Hz
 MODEL:GA250VSDA2 - Model:GA 250 VSD
 PRESS:8.6BAR - Working pressure:8.6 bar

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
 PRESS:8.5BAR - Working pressure:8.5 bar

56 - Regulation - SPM - SPM Monitoring Equipments - C242

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + SPM:Y



2256 0836 95_01

56 - Regulation - SPM - SPM Monitoring Equipments - C242

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + SPM:Y

Atlas Copco







Ref	Part Number	Qty	Name	Validity
1010	1635 1481 00	1	WIRING	(19/02/2014 - 31/12/2020)
1020	1089 0457 04	4	SHOCK TRANSDUCER	(14/11/2014 - 31/12/2020)
1025	1089 0457 80	2	TRANSDUCER	(14/11/2014 - 31/12/2020)
1030	1089 0457 97	1	MODULE	(19/02/2014 - 31/12/2020)
1040	1622 5099 02	1	ELEKTRONIKON CABLE	(19/02/2014 - 03/03/2015)
	↻ Substituted by: 1622 5099 01 - ELEKTRONIKON CABLE (quantity: 1)			
1040	1622 5099 03	1	ELEKTRONIKON CABLE	(04/03/2015 - 31/12/2020)
1050	1635 0341 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1060	0348 0102 08	2	CABLE TIE	(19/02/2014 - 31/12/2020)

Legend:

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA315VSDA2 - Model:GA 315 VSD
SPM:Y - SPM monitoring equipment:SPM monitoring equipment



2256 0836 94_01

57 - Regulation - SPM - SPM Monitoring Equipments - C190

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2 + SPM:Y

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1635 1480 00	1	WIRING	(19/02/2014 - 31/12/2020)
1020	1089 0457 04	2	SHOCK TRANSDUCER	(14/11/2014 - 31/12/2020)
1025	1089 0457 80	2	TRANSDUCER	(14/11/2014 - 31/12/2020)
1030	1089 0457 97	1	MODULE	(19/02/2014 - 31/12/2020)
1040	1622 5099 02	1	ELEKTRONIKON CABLE	(19/02/2014 - 03/03/2015)
	↻ Substituted by:	1622 5099 01	ELEKTRONIKON CABLE (quantity: 1)	
1040	1622 5099 03	1	ELEKTRONIKON CABLE	(04/03/2015 - 31/12/2020)
1050	1635 0341 00	1	SUPPORT	(19/02/2014 - 31/12/2020)
1060	0348 0102 08	2	CABLE TIE	(19/02/2014 - 31/12/2020)

Legend:

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

PRESS:10BAR - Working pressure:10 bar
SPM:Y - SPM monitoring equipment:SPM monitoring equipment



2256 0899 99_01

58 - Regulation - SPM - Without SPM Monitoring Equipments - C242

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + SPM:N

Atlas Copco



Ref	Part Number	Qty	Name	Validity
1010	1619 6032 00	4	NIPPLE	(19/02/2014 - 31/12/2020)

Legend:

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA315VSDA2 - Model:GA 315 VSD
SPM:N - SPM monitoring equipment:N



2256 0899 98_01

59 - Regulation - SPM - Without SPM Monitoring Equipments - C190

(PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) + MODEL:GA200VSDA2 + SPM:N




Ref	Part Number	Qty	Name	Validity
1010	1619 6032 00	2	NIPPLE	(19/02/2014 - 31/12/2020)

Legend:

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:13.8BAR - Working pressure:13.8 bar

PRESS:10.4BAR - Working pressure:10.4 bar
PRESS:14BAR - Working pressure:14 bar

PRESS:10BAR - Working pressure:10 bar
SPM:N - SPM monitoring equipment:N



2256 0892 92_02

60.1 - Cable Box - IEC


EAPPR:IEC

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1621 1235 00	1	CABLE BOX	(08/09/2014 - 31/12/2020)
1020	0697 9810 40	4	PLUG	(08/09/2014 - 31/12/2020)
1040	1614 6567 00	1	SEAL	(08/09/2014 - 31/12/2020)
1050	0147 1322 03	6	HEX. HEAD SCREW M8 X 16	(08/09/2014 - 31/12/2020)
1060	0301 2335 00	6	PLAIN WASHER(A) 8.4 X 16 X 1.6	(08/09/2014 - 31/12/2020)
1080	1621 1309 00	1	PLATE	(08/09/2014 - 31/12/2020)
1090	0147 1320 03	2	BOLT	(08/09/2014 - 31/12/2020)
1100	0301 2335 00	2	PLAIN WASHER(A) 8.4 X 16 X 1.6	(08/09/2014 - 31/12/2020)
1110	1614 6562 00	4	CLAMP	(08/09/2014 - 31/12/2020)
1120	1614 6563 00	4	CLAMP	(08/09/2014 - 31/12/2020)
1150	0147 1961 27	8	BOLT	(08/09/2014 - 31/12/2020)
1160	0301 2321 00	8	PLAIN WASHER(A) 6.4 X 12 X 1.6	(08/09/2014 - 31/12/2020)
1170	0266 2108 00	8	HEXAGON NUT M6	(08/09/2014 - 31/12/2020)

Legend:

EAPPR:IEC - Electrical approval:IEC



2256 0892 93_02

60.2 - Cable Box - CSA-UL

EAPPR:CSA-UL




Ref	Part Number	Qty	Name	Validity
1010	1614 7146 00	1	FLANGE	(08/09/2014 - 31/12/2020)
1015	1614 7145 00	1	GASKET	(08/09/2014 - 31/12/2020)
1020	0147 1323 03	6	HEX. HEAD SCREW M8 X 20	(08/09/2014 - 31/12/2020)
1025	0301 2335 00	12	PLAIN WASHER(A) 8.4 X 16 X 1.6	(08/09/2014 - 31/12/2020)
1030	0266 2110 00	6	HEXAGON NUT M8	(08/09/2014 - 31/12/2020)

Legend:

EAPPR:CSA-UL - Electrical approval:CSA-UL

60.3 - Basis Module - IEC 380V/400V/440V/500V/525V/550V

(MOVOL:380V-3PH, MOVOL:400V-3PH, MOVOL:440V-3PH, MOVOL:500V-3PH, MOVOL:525V-3PH, MOVOL:550V-3PH) + EAPPR:IEC



2000 1050 01_03

60.3 - Basis Module - IEC 380V/400V/440V/500V/525V/550V

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + EAPPR:IEC

Ref	Part Number	Qty	Name	Validity
	1900 3700 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1089 0571 23	3	FAN ASSEMBLY	(07/05/2015 - 31/12/2020)
1020	• 1088 0037 81	1	CONNECTOR	
1025	• 1089 0362 80	1	BUTTON	
1030	• 1088 0061 29	3	TERMINAL	
1035	• 1635 3347 00	1	WIRE HARNESS	(07/05/2015 - 31/12/2020)
1040	• 1088 0061 28	1	TERMINAL	
1045	• 1089 0612 25	2	FUSE	(19/02/2014 - 29/07/2015)
1045	• 1089 9168 66	2	FUSE	(30/07/2015 - 31/12/2020)
1055	• 1089 9427 06	2	TERMINAL	
1060	• 1089 0649 03	1	BUTTON EM.STOP	
1065	• 1088 0038 18	2	TERMINAL	
1075	• 1089 9436 93	1	TRANSFORMER VOLTAGE	
1080	• 1088 0061 05	4	TERMINAL	(07/05/2015 - 31/12/2020)
1085	• 1088 1001 02	2	WARNING MARK MD50/1800 FD280	
1090	• 1088 0031 32	1	CONTACT	
1095	• 1089 9337 15	3	CONTACT BLOCK	
1100	• 1088 0039 93	23	TERMINAL	
1105	• 1089 0571 16	1	GUARD	(30/07/2015 - 31/12/2020)
1110	• 1088 0037 17	6	PLATE	
1115	• 0698 5140 72	1	CABLE GLAND	
1120	• 1088 0031 34	1	CONNECTOR	
1125	• 1088 0031 46	1	CONNECTOR	
1130	• 1089 9436 08	1	TRANSFORMER	
1135	• 1089 0612 01	3	FUSE HOLDER	
1140	• 1089 9427 07	1	TERMINAL	
1145	• 1088 0037 83	1	CONNECTOR	
1155	• 1088 0037 16	14	TERMINAL	
1160	• 1088 0039 27	2	TERMINAL	
1170	• 1089 9125 12	1	DATA PLATE	
1175	• 1089 0612 05	2	FUSE HOLDER	(19/02/2014 - 29/07/2015)
1175	• 1089 0612 01	2	FUSE HOLDER	(30/07/2015 - 31/12/2020)
1180	• 1079 9925 69	1	DECAL	
1185	• 0697 9809 21	1	LOCK NUT	
1190	• 1089 0691 02	1	RECEPTACLE	
1195	• 1088 0037 15	3	TERMINAL	
1200	• 1089 0506 52	1	TERMINAL	
1210	• 1088 0061 30	1	PLATE END	
1220	• 1088 0039 25	1	TERMINAL	
1230	• 1089 0691 01	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1235	• 1088 0039 95	1	PLATE END	
1240	• 1089 0506 62	2	THERMINAL	(07/05/2015 - 31/12/2020)
1245	• 1089 0612 24	1	FUSE	
1250	• 1089 0612 33	2	FUSE	(19/02/2014 - 29/07/2015)
1250	• 1089 9168 88	2	FUSE	(30/07/2015 - 31/12/2020)
1255	• 1089 9621 03	3	CIRCUIT BREAK.	
1275	• 1613 3431 00	1	LABEL	(07/05/2015 - 31/12/2020)
	• 1623 6283 80	1	CUBICLE	
2010	•• 1621 2538 00	6	HINGE	(12/11/2015 - 31/12/2020)
2020	•• 1635 1436 00	4	LOCK	

Legend:

EAPPR:IEC - Electrical approval:IEC

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)


MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:400V-3PH - Supply voltage:400V

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

60.3 - Basis Module - IEC 380V/400V/440V/500V/525V/550V

(MOVOL:380V-3PH, MOVOL:400V-3PH, MOVOL:440V-3PH, MOVOL:500V-3PH, MOVOL:525V-3PH, MOVOL:550V-3PH) + EAPPR:IEC



2000 1050 01_03

60.3 - Basis Module - IEC 380V/400V/440V/500V/525V/550V

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + EAPPR:IEC

Ref	Part Number	Qty	Name	Validity
2030	•• 1623 6284 00	1	DOOR	
2040	•• 1635 1412 00	1	DOOR	
2050	•• 1635 1411 00	1	DOOR	
2060	•• 1619 7704 00	3	LOCK	
2070	•• 1619 7705 00	3	LOCK	
	↻ Substituted by: 1619 7704 00 - LOCK (quantity: 1)			
2080	•• 1621 0607 00	6	HINGE	(12/11/2015 - 31/12/2020)
2090	•• 1623 6283 00	1	CUBICLE	
2100	•• 1623 6283 15	1	PANEL	(12/11/2015 - 31/12/2020)
2110	•• 1623 6283 16	1	COVER PROTECT.	(12/11/2015 - 31/12/2020)
2120	•• 1623 6283 17	1	COVER PROTECT.	(12/11/2015 - 31/12/2020)
3020	1619 5337 01	6	BOLT	(04/03/2015 - 31/12/2020)
3030	1635 3433 00	1	PLATE COVER	(07/05/2015 - 31/12/2020)
3040	1635 3432 00	1	PLATE COVER	(07/05/2015 - 31/12/2020)
3050	0147 1205 03	7	BOLT	(30/07/2015 - 31/12/2020)

Legend:

EAPPR:IEC - Electrical approval:IEC

MOVOL:440V-3PH - Supply voltage:440V (3ph)


MOVOL:550V-3PH - Supply voltage:550 V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:400V-3PH - Supply voltage:400V


MOVOL:525V-3PH - Supply voltage:525 V (3ph)



Ref	Part Number	Qty	Name	Validity
	1900 3700 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9621 49	3	CIRCUIT BREAKER	
1015	• 1089 0571 24	3	FAN ASSEMBLY	(30/07/2015 - 31/12/2020)
1020	• 1079 9932 50	1	DECAL INSTRUCT.	
1025	• 1088 0031 34	1	CONNECTOR	
1030	• 1089 0612 02	2	FUSE HOLDER	
1035	• 1089 0571 16	1	GUARD	(30/07/2015 - 31/12/2020)
1040	• 1089 9437 63	1	TRANSFORMER	
1045	• 1089 0362 80	1	BUTTON	
1050	• 1088 0039 27	2	TERMINAL	
1055	• 1088 0039 93	23	TERMINAL	
1060	• 1088 0061 28	1	TERMINAL	
1065	• 1089 9337 15	3	CONTACT BLOCK	
1070	• 1088 0061 05	4	TERMINAL	(07/05/2015 - 31/12/2020)
1075	• 1635 3347 00	1	WIRE HARNESS	(07/05/2015 - 31/12/2020)
1080	• 1089 9168 34	2	FUSE	
1085	• 1088 0039 25	1	TERMINAL	
1090	• 1089 0649 03	1	BUTTON EM.STOP	
1095	• 1088 0038 18	2	TERMINAL	
1105	• 1079 9925 28	1	LABEL FUSE VALUES	
1110	• 1089 9125 12	1	DATA PLATE	
1115	• 1088 0037 81	1	CONNECTOR	
1125	• 0698 5140 72	1	CABLE GLAND	
1135	• 1089 0691 02	1	RECEPTACLE	
1140	• 1613 3431 00	1	LABEL	
1150	• 1088 0037 16	14	TERMINAL	
1155	• 1614 8949 29	1	PLATE DATA	
1165	• 1088 0037 17	6	PLATE	
1170	• 1089 9427 07	1	TERMINAL	
1175	• 1089 0691 01	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1180	• 1088 0031 46	1	CONNECTOR	
1185	• 1089 0506 52	1	TERMINAL	
1190	• 1089 9427 06	2	TERMINAL	
1195	• 1088 0031 32	1	CONTACT	
1200	• 0697 9809 21	1	LOCK NUT	
1205	• 1088 0037 83	1	CONNECTOR	
1210	• 1089 9436 08	1	TRANSFORMER	
1215	• 1088 0061 29	3	TERMINAL	
1220	• 1088 1001 02	2	WARNING MARK	
1225	• 1079 9925 69	1	DECAL	
1230	• 1088 0061 30	1	PLATE END	
1235	• 1088 0037 15	3	TERMINAL	
1240	• 1088 0039 95	1	PLATE END	
1250	• 1089 0506 62	2	THERMINAL	(07/05/2015 - 31/12/2020)
1255	• 1089 0612 02	3	FUSE HOLDER	
1260	• 1089 9168 26	3	FUSE LINK	
	• 1623 6283 80	1	CUBICLE	
2010	•• 1621 2538 00	6	HINGE	(12/11/2015 - 31/12/2020)
2020	•• 1635 1436 00	4	LOCK	
2030	•• 1623 6284 00	1	DOOR	
2040	•• 1635 1412 00	1	DOOR	

Legend:

EAPPR:CSA-UL - Electrical approval:CSA-UL



60.4 - Basis Module - CSA-UL


EAPPR:CSA-UL

Atlas Copco

Ref	Part Number	Qty	Name	Validity
2050	•• 1635 1411 00	1	DOOR	
2060	•• 1619 7704 00	3	LOCK	
2070	•• 1619 7705 00	3	LOCK	
	↻ Substituted by: 1619 7704 00 - LOCK (quantity: 1)			
2080	•• 1621 0607 00	6	HINGE	(12/11/2015 - 31/12/2020)
2090	•• 1623 6283 00	1	CUBICLE	
2100	•• 1623 6283 15	1	PANEL	(12/11/2015 - 31/12/2020)
2110	•• 1623 6283 16	1	COVER PROTECT.	(12/11/2015 - 31/12/2020)
2120	•• 1623 6283 17	1	COVER PROTECT.	(12/11/2015 - 31/12/2020)
3020	1619 5337 01	6	BOLT	(04/03/2015 - 31/12/2020)
3030	1635 3433 00	1	PLATE COVER	(07/05/2015 - 31/12/2020)
3040	1635 3432 00	1	PLATE COVER	(07/05/2015 - 31/12/2020)

Legend:

EAPPR:CSA-UL - Electrical approval:CSA-UL



60.5 - Basis Module - IEC 690V

EAPPR:IEC + MOVOL:690V-3PH


Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3700 03	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9621 03	3	CIRCUIT BREAK.	
1015	• 1089 0571 23	3	FAN ASSEMBLY	(07/05/2015 - 31/12/2020)
1020	• 1088 0031 32	1	CONTACT	
1025	• 1088 0031 34	1	CONNECTOR	
1030	• 1089 0612 01	1	FUSE HOLDER	
1035	• 1089 0571 16	1	GUARD	(30/07/2015 - 31/12/2020)
1040	• 1089 9437 19	1	TRANSFORMER VOLTAGE	
1045	• 1089 0362 80	1	BUTTON	
1050	• 1088 0039 27	2	TERMINAL	
1055	• 1088 0039 93	23	TERMINAL	
1060	• 1088 0061 28	1	TERMINAL	
1065	• 1089 9337 15	3	CONTACT BLOCK	
1070	• 1088 0039 95	1	PLATE END	
1075	• 1635 3347 00	1	WIRE HARNESS	(07/05/2015 - 31/12/2020)
1080	• 1089 0612 33	2	FUSE	
1085	• 1088 0039 25	1	TERMINAL	
1090	• 1089 0612 05	2	FUSE HOLDER	
1095	• 1088 0038 18	2	TERMINAL	
1110	• 1089 0612 24	1	FUSE	
1115	• 1088 0037 81	1	CONNECTOR	
1125	• 0698 5140 72	1	CABLE GLAND	
1150	• 1088 0037 16	14	TERMINAL	
1165	• 1088 0037 17	6	PLATE	
1170	• 1089 9427 07	1	TERMINAL	
1175	• 1089 0612 01	2	FUSE HOLDER	(30/07/2015 - 31/12/2020)
1180	• 1088 0031 46	1	CONNECTOR	
1185	• 1089 0506 52	1	TERMINAL	
1190	• 1089 9427 06	2	TERMINAL	
1200	• 0697 9809 21	1	LOCK NUT	
1205	• 1088 0037 83	1	CONNECTOR	
1210	• 1089 9436 92	1	TRANSFORMER VOLTAGE	
1215	• 1088 0061 29	3	TERMINAL	
1220	• 1088 1001 02	2	WARNING MARK	
1225	• 1079 9925 69	1	DECAL	
1230	• 1088 0061 30	1	PLATE END	
1235	• 1088 0037 15	3	TERMINAL	
1240	• 1089 0506 62	2	THERMINAL	(07/05/2015 - 31/12/2020)
1250	• 1088 0061 05	4	TERMINAL	(07/05/2015 - 31/12/2020)
1255	• 1089 9168 88	2	FUSE	(30/07/2015 - 31/12/2020)
1260	• 1089 0649 03	1	BUTTON EM.STOP	
1265	• 1089 0691 01	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1270	• 1089 0691 02	1	RECEPTACLE	
1275	• 1089 9125 12	1	DATA PLATE	
1295	• 1613 3431 00	1	LABEL	(07/05/2015 - 31/12/2020)
	• 1623 6283 80	1	CUBICLE	
2010	•• 1621 2538 00	6	HINGE	(12/11/2015 - 31/12/2020)
2020	•• 1635 1436 00	4	LOCK	
2030	•• 1623 6284 00	1	DOOR	
2040	•• 1635 1412 00	1	DOOR	
2050	•• 1635 1411 00	1	DOOR	

Legend:

EAPPR:IEC - Electrical approval:IEC

MOVOL:690V-3PH - Supply voltage:690V (3ph)



2000 1050 03_03

60.5 - Basis Module - IEC 690V

EAPPR:IEC + MOVOL:690V-3PH

Atlas Copco

Ref	Part Number	Qty	Name	Validity
2060	•• 1619 7704 00	3	LOCK	
2070	•• 1619 7705 00	3	LOCK	
	↻ Substituted by: 1619 7704 00 - LOCK (quantity: 1)			
2080	•• 1621 0607 00	6	HINGE	(12/11/2015 - 31/12/2020)
2090	•• 1623 6283 00	1	CUBICLE	
2100	•• 1623 6283 15	1	PANEL	(12/11/2015 - 31/12/2020)
2110	•• 1623 6283 16	1	COVER PROTECT.	(12/11/2015 - 31/12/2020)
2120	•• 1623 6283 17	1	COVER PROTECT.	(12/11/2015 - 31/12/2020)
3020	1619 5337 01	6	BOLT	(04/03/2015 - 31/12/2020)
3030	1635 3433 00	1	PLATE COVER	(07/05/2015 - 31/12/2020)
3040	1635 3432 00	1	PLATE COVER	(07/05/2015 - 31/12/2020)




Legend:

EAPPR:IEC - Electrical approval:IEC

MOVOL:690V-3PH - Supply voltage:690V (3ph)

60.6 - Power Module - CSA-UL 460V-3PH GA200VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA200VSDA2 + MOVOL:460V-3PH



2000 1051 11_02

60.6 - Power Module - CSA-UL 460V-3PH GA200VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA200VSDA2 + MOVOL:460V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 11	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9611 13	1	MODULE COM1	
1015	• 1088 1001 04	1	STICKER	
1020	• 1089 9611 03	1	CHOKE	
1025	• 1089 9611 64	1	MODULE	
1030	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1035	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1040	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1045	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1055	• 1089 9345 02	5	HF-SCREEN	
1060	• 1089 9611 57	1	MODULE	
1070	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1075	• 1088 0039 26	1	TERMINAL	
1085	• 1623 4005 00	1	STRAP EARTHING	



Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:460V-3PH - Supply voltage:460V (3ph)

HSCCR:N - High Short Circuit Current Rating:N

MODEL:GA200VSDA2 - Model:GA 200 VSD

60.7 - Power Module - CSA-UL 460V-3PH GA250VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA250VSDA2 + MOVOL:460V-3PH



2000 1051 12_02

60.7 - Power Module - CSA-UL 460V-3PH GA250VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA250VSDA2 + MOVOL:460V-3PH

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3701 12	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1015	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1020	• 1088 1001 04	1	STICKER	
1025	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1030	• 1623 4005 00	1	STRAP EARTHING	
1035	• 1089 9339 60	1	CONVERTER	
1040	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1045	• 1089 9611 13	1	MODULE COM1	
1055	• 1089 9345 02	5	HF-SCREEN	
1065	• 1089 9623 15	1	POWER SUPPLY	
1075	• 1088 0039 26	1	TERMINAL	
1080	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1085	• 1089 9611 64	1	MODULE	

Legend:


EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:460V-3PH - Supply voltage:460V (3ph)

HSCCR:N - High Short Circuit Current Rating:N

MODEL:GA250VSDA2 - Model:GA 250 VSD

60.8 - Power Module - CSA-UL 460V-3PH GA315VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA315VSDA2 + MOVOL:460V-3PH



2000 1051 13_02

60.8 - Power Module - CSA-UL 460V-3PH GA315VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA315VSDA2 + MOVOL:460V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 13	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9611 10	1	CHOKE	
1015	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1020	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1025	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1035	• 1089 9611 58	1	MODULE	
1040	• 1623 4005 00	1	STRAP EARTHING	
1045	• 1089 9611 13	1	MODULE COM1	
1050	• 1089 9345 02	5	HF-SCREEN	
1055	• 1088 1001 04	1	STICKER	
1070	• 1089 9611 64	1	MODULE	
1075	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1080	• 1088 0039 26	1	TERMINAL	
1085	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)




Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:460V-3PH - Supply voltage:460V (3ph)

HSCCR:N - High Short Circuit Current Rating:N

MODEL:GA315VSDA2 - Model:GA 315 VSD

60.9 - Power Module - CSA-UL 575V-3PH GA200VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA200VSDA2 + MOVOL:575V-3PH



2000 1051 14_02

60.9 - Power Module - CSA-UL 575V-3PH GA200VSD

EAPPR:CSA-UL + HSCCR:N + MODEL:GA200VSDA2 + MOVOL:575V-3PH

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3701 14	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1015	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1020	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1025	• 1089 9623 16	1	POWER SUPPLY	
1045	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1050	• 1623 4005 00	1	STRAP EARTHING	
1055	• 1089 9611 64	1	MODULE	
1060	• 1089 9611 13	1	MODULE COM1	
1065	• 1088 1001 04	1	STICKER	
1070	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1075	• 1088 0039 26	1	TERMINAL	
1080	• 1089 9611 14	1	CHOKE	
1085	• 1089 9345 02	5	HF-SCREEN	

Legend:




EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:575V-3PH - Supply voltage:575V (3ph)

HSCCR:N - High Short Circuit Current Rating:N

MODEL:GA200VSDA2 - Model:GA 200 VSD

60.10 - Power Module - CSA-UL 575V-3PH GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + EAPPR:CSA-UL + HSCCR:N + MOVOL:575V-3PH



2000 1051 16_02

60.10 - Power Module - CSA-UL 575V-3PH GA250/315VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + EAPPR:CSA-UL + HSCCR:N + MOVOL:575V-3PH


Ref	Part Number	Qty	Name	Validity
	1900 3701 16	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1089 9611 13	1	MODULE COM1	
1020	• 1089 9611 64	1	MODULE	
1025	• 1089 9345 02	5	HF-SCREEN	
1030	• 1089 9339 73	1	CONVERTER	
1035	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1040	• 1089 9623 17	1	POWER SUPPLY	
1045	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1050	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1055	• 1088 1001 04	1	STICKER	
1065	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1070	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1080	• 1088 0039 26	1	TERMINAL	
1085	• 1623 4005 00	1	STRAP EARTHING	

Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MODEL:GA315VSDA2 - Model:GA 315 VSDHSCCR:N - High Short Circuit Current Rating:N
MOVOL:575V-3PH - Supply voltage:575V (3ph)

MODEL:GA250VSDA2 - Model:GA 250 VSD

60.11 - Power Module - IEC 380V/400V/440V-3PH GA200VSD

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + EAPPR:IEC + MODEL:GA200VSDA2



2000 1051 01_02

60.11 - Power Module - IEC 380V/400V/440V-3PH GA200VSD

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + EAPPR:IEC + MODEL:GA200VSDA2




Ref	Part Number	Qty	Name	Validity
	1900 3701 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 1001 04	1	STICKER	
1020	• 1089 9611 13	1	MODULE COM1	
1025	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1035	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1040	• 1623 4005 00	1	STRAP EARTHING	
1045	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1050	• 1088 0039 26	1	TERMINAL	
1055	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1065	• 1089 9345 02	5	HF-SCREEN	
1070	• 1089 9611 64	1	MODULE	
1075	• 1089 9611 57	1	MODULE	
1080	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1085	• 1089 9611 03	1	CHOKE	

Legend:EAPPR:IEC - Electrical approval:IEC
MOVOL:400V-3PH - Supply voltage:400VMODEL:GA200VSDA2 - Model:GA 200 VSD
MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)

60.12 - Power Module - IEC 380V/400V/440V-3PH GA250VSD

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + EAPPR:IEC + MODEL:GA250VSDA2



2000 1051 02_02

60.12 - Power Module - IEC 380V/400V/440V-3PH GA250VSD

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + EAPPR:IEC + MODEL:GA250VSDA2




Ref	Part Number	Qty	Name	Validity
	1900 3701 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1089 9623 15	1	POWER SUPPLY	
1020	• 1623 4005 00	1	STRAP EARTHING	
1025	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1030	• 1089 9611 64	1	MODULE	
1035	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1040	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1050	• 1088 0039 26	1	TERMINAL	
1055	• 1089 9345 02	5	HF-SCREEN	
1060	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1065	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1070	• 1088 1001 04	1	STICKER	
1080	• 1089 9339 60	1	CONVERTER	
1085	• 1089 9611 13	1	MODULE COM1	

Legend:EAPPR:IEC - Electrical approval:IEC
MOVOL:400V-3PH - Supply voltage:400VMODEL:GA250VSDA2 - Model:GA 250 VSD
MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)

60.13 - Power Module - IEC 380V/400V/440V-3PH GA315VSD

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + EAPPR:IEC + MODEL:GA315VSDA2



2000 1051 03_02

60.13 - Power Module - IEC 380V/400V/440V-3PH GA315VSD

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + EAPPR:IEC + MODEL:GA315VSDA2


Ref	Part Number	Qty	Name	Validity
	1900 3701 03	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1015	• 1089 9611 10	1	CHOKE	
1020	• 1089 9611 13	1	MODULE COM1	
1025	• 1089 9611 64	1	MODULE	
1030	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1035	• 1089 9611 58	1	MODULE	
1040	• 1089 9345 02	5	HF-SCREEN	
1045	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1050	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1055	• 1623 4005 00	1	STRAP EARTHING	
1060	• 1088 1001 04	1	STICKER	
1075	• 1088 0039 26	1	TERMINAL	
1080	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)

Legend:EAPPR:IEC - Electrical approval:IEC
MOVOL:400V-3PH - Supply voltage:400VMODEL:GA315VSDA2 - Model:GA 315 VSD
MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)

60.14 - Power Module - IEC 525V/550V-3PH GA200VSD

(MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:8.5BAR , PRESS:8.6BAR) + EAPPR:IEC + MODEL:GA200VSDA2



2000 1051 04_02

60.14 - Power Module - IEC 525V/550V-3PH GA200VSD

(MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:8.5BAR , PRESS:8.6BAR) + EAPPR:IEC + MODEL:GA200VSDA2



Ref	Part Number	Qty	Name	Validity
	1900 3701 04	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1020	• 1088 0039 26	1	TERMINAL	
1025	• 1089 9611 13	1	MODULE COM1	
1030	• 1623 4005 00	1	STRAP EARTHING	
1035	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1040	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1045	• 1089 9611 14	1	CHOKE	
1050	• 1088 1001 04	1	STICKER	
1055	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1070	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1075	• 1089 9345 02	5	HF-SCREEN	
1080	• 1089 9623 16	1	POWER SUPPLY	
1085	• 1089 9611 64	1	MODULE	

Legend:

EAPPR:IEC - Electrical approval:IEC

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

MODEL:GA200VSDA2 - Model:GA 200 VSD




PRESS:8.5BAR - Working pressure:8.5 bar

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

PRESS:8.6BAR - Working pressure:8.6 bar

60.15 - Power Module - IEC 525V/550V-3PH GA200VSD

((MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) , MOVOL:500V-3PH) + EAPPR:IEC + MODEL:GA200VSDA2



2000 1051 05_02

60.15 - Power Module - IEC 525V/550V-3PH GA200VSD

((MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10.4BAR , PRESS:10BAR , PRESS:13.8BAR , PRESS:14BAR) , MOVOL:500V-3PH) + EAPPR:IEC + MODEL:GA200VSDA2



Ref	Part Number	Qty	Name	Validity
	1900 3701 05	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 1001 04	1	STICKER	
1015	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1025	• 1089 9611 64	1	MODULE	
1030	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1040	• 1088 0039 26	1	TERMINAL	
1045	• 1089 9611 14	1	CHOKE	
1050	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1055	• 1089 9623 22	1	POWER SUPPLY	
1065	• 1623 4005 00	1	STRAP EARTHING	
1070	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1075	• 1089 9345 02	5	HF-SCREEN	
1080	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1085	• 1089 9611 13	1	MODULE COM1	

Legend:

EAPPR:IEC - Electrical approval:IEC

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

PRESS:10BAR - Working pressure:10 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:550V-3PH - Supply voltage:550 V (3ph)




PRESS:13.8BAR - Working pressure:13.8 bar

MOVOL:500V-3PH - Supply voltage:500V (3ph)

PRESS:10.4BAR - Working pressure:10.4 bar

PRESS:14BAR - Working pressure:14 bar

60.16 - Power Module - IEC 500V/525V/550V-3PH GA250/315VSD (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + EAPPR:IEC



2000 1051 06_02

60.16 - Power Module - IEC 500V/525V/550V-3PH GA250/315VSD
(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + EAPPR:IEC

Ref	Part Number	Qty	Name	Validity
	1900 3701 06	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 1001 04	1	STICKER	
1015	• 1089 9345 02	5	HF-SCREEN	
1020	• 1089 9611 13	1	MODULE COM1	
1025	• 1089 9339 73	1	CONVERTER	
1030	• 1088 0039 26	1	TERMINAL	
1040	• 1089 9611 64	1	MODULE	
1045	• 1623 4005 00	1	STRAP EARTHING	
1050	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1055	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1060	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1065	• 1089 9623 17	1	POWER SUPPLY	
1075	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1085	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)

Legend:




EAPPR:IEC - Electrical approval:IEC
MOVOL:500V-3PH - Supply voltage:500V (3ph)

MODEL:GA250VSDA2 - Model:GA 250 VSD
MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MODEL:GA315VSDA2 - Model:GA 315 VSD
MOVOL:550V-3PH - Supply voltage:550 V (3ph)

60.17 - Power Module - IEC 690V-3PH GA200VSD

EAPPR:IEC + MODEL:GA200VSDA2 + MOVOL:690V-3PH



2000 1051 07_02

60.17 - Power Module - IEC 690V-3PH GA200VSD

EAPPR:IEC + MODEL:GA200VSDA2 + MOVOL:690V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 07	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1089 9611 64	1	MODULE	
1025	• 1623 4005 00	1	STRAP EARTHING	
1030	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1035	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1040	• 1089 9623 18	1	POWER SUPPLY	
1045	• 1088 1001 04	1	STICKER	
1050	• 1089 9339 59	1	CONVERTER	
1055	• 1089 9611 13	1	MODULE COM1	
1060	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1065	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1070	• 1089 9345 02	5	HF-SCREEN	
1075	• 1088 0039 26	1	TERMINAL	
1085	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)

Legend:




EAPPR:IEC - Electrical approval:IEC

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:690V-3PH - Supply voltage:690V (3ph)

60.18 - Power Module - IEC 690V-3PH GA250VSD

EAPPR:IEC + MODEL:GA250VSDA2 + MOVOL:690V-3PH



2000 1051 08_02

60.18 - Power Module - IEC 690V-3PH GA250VSD

EAPPR:IEC + MODEL:GA250VSDA2 + MOVOL:690V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 08	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1088 0039 26	1	TERMINAL	
1020	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1025	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1030	• 1089 9611 13	1	MODULE COM1	
1035	• 1088 1001 04	1	STICKER	
1040	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1045	• 1089 9611 64	1	MODULE	
1050	• 1089 9345 02	5	HF-SCREEN	
1065	• 1623 4005 00	1	STRAP EARTHING	
1070	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1075	• 1089 9611 14	1	CHOKE	
1080	• 1089 9623 19	1	POWER SUPPLY	
1085	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)

Legend:


EAPPR:IEC - Electrical approval:IEC

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:690V-3PH - Supply voltage:690V (3ph)

60.19 - Power Module - IEC 690V-3PH GA315VSD

EAPPR:IEC + MODEL:GA315VSDA2 + MOVOL:690V-3PH



2000 1051 09_01

60.19 - Power Module - IEC 690V-3PH GA315VSD

EAPPR:IEC + MODEL:GA315VSDA2 + MOVOL:690V-3PH






Ref	Part Number	Qty	Name	Validity
	1900 3701 09	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1088 0039 26	1	TERMINAL	
1020	• 1089 9611 14	1	CHOKE	
1030	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1035	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1040	• 1088 1001 04	1	STICKER	
1045	• 1089 9345 02	5	HF-SCREEN	
1050	• 1089 9623 21	1	POWER SUPPLY	
1055	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1060	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1065	• 1089 9611 13	1	MODULE COM1	
1070	• 1623 4005 00	1	STRAP EARTHING	
1075	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1080	• 1089 9611 64	1	MODULE	

Legend:

EAPPR:IEC - Electrical approval:IEC

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:690V-3PH - Supply voltage:690V (3ph)



2000 1051 21_02

60.20 - Power Module HSCCR - GA200VSD 460V-3PH

EAPPR:CSA-UL + HSCCR:Y + MODEL:GA200VSDA2 + MOVOL:460V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 21	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 1001 04	1	STICKER	
1020	• 1089 9611 03	1	CHOKE	
1025	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1030	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1035	• 1623 4005 00	1	STRAP EARTHING	
1045	• 1089 9611 64	1	MODULE	
1050	• 1089 9611 57	1	MODULE	
1070	• 1088 0039 26	1	TERMINAL	
1080	• 1089 9345 02	5	HF-SCREEN	
1085	• 1089 9611 13	1	MODULE COM1	




Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:460V-3PH - Supply voltage:460V (3ph)

HSCCR:Y - High Short Circuit Current Rating:Yes

MODEL:GA200VSDA2 - Model:GA 200 VSD

60.21 - Power Module HSCCR - GA250VSD 460V-3PH

EAPPR:CSA-UL + HSCCR:Y + MODEL:GA250VSDA2 + MOVOL:460V-3PH



2000 1051 22_02

60.21 - Power Module HSCCR - GA250VSD 460V-3PH

EAPPR:CSA-UL + HSCCR:Y + MODEL:GA250VSDA2 + MOVOL:460V-3PH






Ref	Part Number	Qty	Name	Validity
	1900 3701 22	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1623 4005 00	1	STRAP EARTHING	
1015	• 1088 0039 26	1	TERMINAL	
1025	• 1089 9611 13	1	MODULE COM1	
1030	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1040	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1045	• 1088 1001 04	1	STICKER	
1050	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1055	• 1089 9623 15	1	POWER SUPPLY	
1060	• 1089 9345 02	5	HF-SCREEN	
1065	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1070	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1075	• 1089 9611 64	1	MODULE	
1080	• 1089 9339 60	1	CONVERTER	

Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:460V-3PH - Supply voltage:460V (3ph)

HSCCR:Y - High Short Circuit Current Rating:Yes

MODEL:GA250VSDA2 - Model:GA 250 VSD



60.22 - Power Module HSCCR - GA315VSD 460V-3PH

EAPPR:CSA-UL + HSCCR:Y + MODEL:GA315VSDA2 + MOVOL:460V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 23	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1623 4005 00	1	STRAP EARTHING	
1025	• 1089 9345 02	5	HF-SCREEN	
1030	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1040	• 1089 9611 13	1	MODULE COM1	
1045	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1050	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1055	• 1088 0039 26	1	TERMINAL	
1060	• 1089 9611 64	1	MODULE	
1065	• 1089 9611 58	1	MODULE	
1070	• 1088 1001 04	1	STICKER	
1075	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1080	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1085	• 1089 9611 10	1	CHOKE	




Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:460V-3PH - Supply voltage:460V (3ph)

HSCCR:Y - High Short Circuit Current Rating:Yes

MODEL:GA315VSDA2 - Model:GA 315 VSD

60.23 - Power Module HSCCR - GA200VSD 575V-3PH

EAPPR:CSA-UL + HSCCR:Y + MODEL:GA200VSDA2 + MOVOL:575V-3PH



2000 1051 24_02

60.23 - Power Module HSCCR - GA200VSD 575V-3PH

EAPPR:CSA-UL + HSCCR:Y + MODEL:GA200VSDA2 + MOVOL:575V-3PH



Ref	Part Number	Qty	Name	Validity
	1900 3701 24	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1020	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1030	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1035	• 1089 9611 13	1	MODULE COM1	(07/05/2015 - 31/12/2020)
1040	• 1089 9345 02	5	HF-SCREEN	
1045	• 1089 9611 14	1	CHOKE	
1050	• 1623 4005 00	1	STRAP EARTHING	
1055	• 1088 0039 26	1	TERMINAL	
1060	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1065	• 1088 1001 04	1	STICKER	
1070	• 1089 9623 16	1	POWER SUPPLY	
1075	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)
1080	• 1089 9611 13	1	MODULE COM1	(19/02/2014 - 29/07/2015)
1080	• 1089 9611 64	1	MODULE	(30/07/2015 - 31/12/2020)
1085	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)




Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MOVOL:575V-3PH - Supply voltage:575V (3ph)

HSCCR:Y - High Short Circuit Current Rating:Yes

MODEL:GA200VSDA2 - Model:GA 200 VSD

60.24 - Power Module HSCCR - GA250/315VSD 575V-3PH

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + EAPPR:CSA-UL + HSCCR:Y + MOVOL:575V-3PH



2000 1051 26_02

60.24 - Power Module HSCCR - GA250/315VSD 575V-3PH

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + EAPPR:CSA-UL + HSCCR:Y + MOVOL:575V-3PH


Ref	Part Number	Qty	Name	Validity
	1900 3701 26	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1623 4005 00	1	STRAP EARTHING	
1015	• 1089 9623 26	1	CARD	(07/05/2015 - 31/12/2020)
1020	• 1089 9339 73	1	CONVERTER	
1025	• 1089 9611 13	1	MODULE COM1	
1035	• 1089 9611 64	1	MODULE	
1040	• 1089 9611 09	1	SIGNAL CABLE	(19/02/2014 - 30/07/2015)
1045	• 1089 9623 17	1	POWER SUPPLY	
1050	• 1088 0039 26	1	TERMINAL	
1060	• 1089 9543 12	1	CONVERTER	(07/05/2015 - 31/12/2020)
1065	• 1088 1001 04	1	STICKER	
1075	• 1089 9567 32	16	FILTER	(07/05/2015 - 31/12/2020)
1080	• 1089 9345 02	5	HF-SCREEN	
1085	• 1089 9567 30	16	FILTER	(07/05/2015 - 31/12/2020)

Legend:EAPPR:CSA-UL - Electrical approval:CSA-UL
MODEL:GA315VSDA2 - Model:GA 315 VSDHSCCR:Y - High Short Circuit Current Rating:Yes
MOVOL:575V-3PH - Supply voltage:575V (3ph)

MODEL:GA250VSDA2 - Model:GA 250 VSD

60.25 - Filter Module - With IT network

((MOVOL:460V-3PH , MOVOL:575V-3PH) + HSCCR:N , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:500V-3PH ,
MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + ITNET:Y



2000 1051 56-57_02

60.25 - Filter Module - With IT network


((MOVOL:460V-3PH , MOVOL:575V-3PH) + HSCCR:N , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + ITNET:Y

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3701 56	1	CONTROL PANEL	(19/02/2014 - 31/12/2020) (HSCCR:N + MOVOL:460V-3PH , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:500V-3PH)
	1900 3701 57			(19/02/2014 - 29/07/2015) (HSCCR:N + MOVOL:575V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) (30/07/2015 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + MOVOL:690V-3PH , HSCCR:N + MOVOL:575V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH
	1900 3701 59			(30/07/2015 - 31/12/2020) MODEL:GA200VSDA2 + MOVOL:690V-3PH
1010 •	1089 9339 45	1	RFI-FILTER	(19/02/2014 - 07/05/2015) (08/05/2015 - 31/12/2020) (HSCCR:N + MOVOL:575V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH)
1010 •	1089 9339 19	1	FILTER	(07/05/2015 - 31/12/2020) (HSCCR:N + MOVOL:460V-3PH , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:500V-3PH)
1015 •	1089 0698 18	1	RING FERRIT	(07/05/2015 - 31/12/2020)
Legend:				
HSCCR:N - High Short Circuit Current Rating:N		ITNET:Y - IT Network:IT network		MODEL:GA200VSDA2 - Model:GA 200 VSD
MODEL:GA250VSDA2 - Model:GA 250 VSD		MODEL:GA315VSDA2 - Model:GA 315 VSD		MOVOL:380V-3PH - Supply voltage:380V (3ph)
MOVOL:400V-3PH - Supply voltage:400V		MOVOL:440V-3PH - Supply voltage:440V (3ph)		MOVOL:460V-3PH - Supply voltage:460V (3ph)
MOVOL:500V-3PH - Supply voltage:500V (3ph)		MOVOL:525V-3PH - Supply voltage:525 V (3ph)		MOVOL:550V-3PH - Supply voltage:550 V (3ph)
MOVOL:575V-3PH - Supply voltage:575V (3ph)		MOVOL:690V-3PH - Supply voltage:690V (3ph)		

60.26 - Filter Module - Without IT network

((((PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:525V-3PH , MOVOL:550V-3PH) , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:500V-3PH , MOVOL:575V-3PH , MOVOL:690V-3PH) + ITNET:N



2000 1051 51-54_02

60.26 - Filter Module - Without IT network

((PRESS:10BAR , PRESS:14BAR , PRESS:8.5BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:525V-3PH , MOVOL:550V-3PH) , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:500V-3PH , MOVOL:575V-3PH , MOVOL:690V-3PH) + ITNET:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3701 51	1	CONTROL PANEL	(19/02/2014 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH)
	1900 3701 52			(19/02/2014 - 29/07/2015) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + PRESS:8.5BAR , MOVOL:575V-3PH , MOVOL:690V-3PH) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 + MOVOL:690V-3PH (30/07/2015 - 31/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + PRESS:8.5BAR , MOVOL:575V-3PH) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 + MOVOL:690V-3PH
	1900 3701 53			(19/02/2014 - 31/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:14BAR) , MOVOL:500V-3PH) + MODEL:GA200VSDA2 , MODEL:GA315VSDA2 + MOVOL:690V-3PH
	1900 3701 54			(19/02/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH)
	1900 3701 58			(30/07/2015 - 31/12/2020) MODEL:GA200VSDA2 + MOVOL:690V-3PH
1010 •	1089 9339 55	1	FILTER	(19/02/2014 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH)
1010 •	1089 9339 56	1	FILTER	(19/02/2014 - 31/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + PRESS:8.5BAR , MOVOL:575V-3PH , MOVOL:690V-3PH) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 + MOVOL:690V-3PH
1010 •	1089 9339 57	1	FILTER	(19/02/2014 - 31/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + (PRESS:10BAR , PRESS:14BAR) , MOVOL:500V-3PH) + MODEL:GA200VSDA2 , MODEL:GA315VSDA2 + MOVOL:690V-3PH
1010 •	1089 9339 58	1	FILTER	(19/02/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH)
1015 •	1089 0698 18	1	RING FERRIT	(07/05/2015 - 31/12/2020)

Legend:

ITNET:N - IT Network:TT or TN network

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:460V-3PH - Supply voltage:460V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

PRESS:10BAR - Working pressure:10 bar


MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:400V-3PH - Supply voltage:400V

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

PRESS:14BAR - Working pressure:14 bar



60.27 - Fan Drive - IEC 380V/400V Std

(MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:AIR + ITNET:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1900 3702 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010 •	1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1015 •	1089 9416 85	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1020 •	1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1025 •	1089 9267 53	2	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1030 •	1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1035 •	1089 9339 09	1	CONVERTER -	(07/05/2015 - 31/12/2020)
1045 •	1089 9623 20	1	INVERTOR	
1050 •	1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled


ITNET:N - IT Network:TT or TN network

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:400V-3PH - Supply voltage:400V

60.28 - Fan Drive - IEC with IT Network 380V/400V

(MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:AIR + EAPPR:IEC + ITNET:Y



2000 1052 05_03

60.28 - Fan Drive - IEC with IT Network 380V/400V

(MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:AIR + EAPPR:IEC + ITNET:Y

Ref	Part Number	Qty	Name	Validity
	1900 3702 05	1	CONTROL PANEL	(07/05/2015 - 31/12/2020)
1010	• 1089 9623 20	1	INVERTOR	
1020	• 1089 9339 09	1	CONVERTER -	
1025	• 1089 0506 31	2	EARTH TERMINAL	
1030	• 1089 9267 53	2	CIRCUIT BREAKER	
1035	• 1089 9267 56	2	SWITCH POWER	
1040	• 1089 9416 85	1	CIRCUIT BREAKER	
1045	• 1089 0612 05	3	FUSE HOLDER	
1050	• 1089 9037 54	3	FUSE	
1055	• 1089 0506 52	1	TERMINAL	
1060	• 1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled

MOVOL:380V-3PH - Supply voltage:380V (3ph)

EAPPR:IEC - Electrical approval:IEC

MOVOL:400V-3PH - Supply voltage:400V

ITNET:Y - IT Network:IT network



60.29 - Fan Drive - IEC 500V/525V/550V/690V Std

((EAPPR:IEC + ITNET:Y , ITNET:N) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) , EAPPR:IEC + ITNET:Y + MOVOL:440V-3PH , ITNET:N + MOVOL:690V-3PH) + COOL:AIR

Ref	Part Number	Qty	Name	Validity
	1900 3702 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9416 85	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1015	• 1089 9037 54	3	FUSE	
1020	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1025	• 1089 0612 05	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1030	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1040	• 1089 9267 53	2	CIRCUIT BREAKER	
1050	• 1089 9623 20	1	INVERTOR	(07/05/2015 - 31/12/2020)
1055	• 1089 9339 09	1	CONVERTER	
1060	• 1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

ITNET:Y - IT Network:IT network

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

EAPPR:IEC - Electrical approval:IEC

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)


ITNET:N - IT Network:TT or TN network

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

60.30 - Fan Drive - CSA-UL 460V/575V Std or 440V

((MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + HSCCR:N , MOVOL:440V-3PH) + COOL:AIR + ITNET:N



2000 1052 04_03

60.30 - Fan Drive - CSA-UL 460V/575V Std or 440V

(MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + HSCCR:N , MOVOL:440V-3PH) + COOL:AIR + ITNET:N

Ref	Part Number	Qty	Name	Validity
	1900 3702 04	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 53	2	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1015	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1020	• 1089 9416 85	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1025	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1030	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9339 09	1	CONVERTER	
1040	• 1089 9267 62	2	TERMINAL	(07/05/2015 - 31/12/2020)
1050	• 1089 9623 20	1	INVERTOR	(07/05/2015 - 31/12/2020)
1055	• 1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

ITNET:N - IT Network:TT or TN network

MOVOL:575V-3PH - Supply voltage:575V (3ph)

EAPPR:CSA-UL - Electrical approval:CSA-UL


MOVOL:440V-3PH - Supply voltage:440V (3ph)

HSCCR:N - High Short Circuit Current Rating:N

MOVOL:460V-3PH - Supply voltage:460V (3ph)

60.31 - Fan Drive - CSA-UL 460V/575V with IT network

((MOVOL:460V-3PH , MOVOL:575V-3PH) + HSCCR:Y + ITNET:N , EAPPR:CSA-UL + ITNET:Y) + COOL:AIR



2000 1052 03_02

60.31 - Fan Drive - CSA-UL 460V/575V with IT network

(MOVOL:460V-3PH , MOVOL:575V-3PH) + HSCCR:Y + ITNET:N , EAPPR:CSA-UL + ITNET:Y) + COOL:AIR

Ref	Part Number	Qty	Name	Validity
	1900 3702 03	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1015	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1020	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1025	• 1089 9536 33	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1030	• 1089 9528 27	3	FUSE	(07/05/2015 - 31/12/2020)
1035	• 1089 9267 53	2	CIRCUIT BREAKER	
1040	• 1089 9267 62	2	TERMINAL	(07/05/2015 - 31/12/2020)
1045	• 1089 9339 09	1	CONVERTER	(07/05/2015 - 31/12/2020)
1050	• 1079 9932 49	1	DECAL INSTRUCT.	
1060	• 1089 9623 20	1	INVERTOR	

Legend:

COOL:AIR - Cooling:Air cooled

ITNET:N - IT Network:TT or TN network

MOVOL:575V-3PH - Supply voltage:575V (3ph)


EAPPR:CSA-UL - Electrical approval:CSA-UL

ITNET:Y - IT Network:IT network

HSCCR:Y - High Short Circuit Current Rating:Yes

MOVOL:460V-3PH - Supply voltage:460V (3ph)

60.32 - Fan Module - Water Cooled 380V/400V-3PH with TT/TN network (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + COOL:WATER + ITNET:N



2000 1052 11_03

60.32 - Fan Module - Water Cooled 380V/400V-3PH with TT/TN network


(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + COOL:WATER + ITNET:N

Ref	Part Number	Qty	Name	Validity
	1900 3702 11	1	CONTROL PANEL	(19/02/2014 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1010	• 1089 9438 43	1	CONTACTOR	
1015	• 1089 9267 25	1	CIRCUIT BREAKER	(07/05/2015 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1020	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1025	• 1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)
1030	• 1089 9416 06	1	CONNECTION	(30/07/2015 - 31/12/2020)

Legend:COOL:WATER - Cooling:Water cooled
MOVOL:400V-3PH - Supply voltage:400VITNET:N - IT Network:TT or TN network
MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)

60.33 - Fan Module - Water Cooled 440V/500V/525V/550V-3PH with TT/TN network (ITNET:N , ITNET:Y) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + COOL:WATER



2000 1052 12_03

60.33 - Fan Module - Water Cooled 440V/500V/525V/550V-3PH with TT/TN network

(ITNET:N , ITNET:Y) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
	1900 3702 12	1	CONTROL PANEL	(19/02/2014 - 29/07/2015) ITNET:N (30/07/2015 - 31/12/2020)
1010	• 1089 9267 24	1	CIRCUIT BREAKER	(07/05/2015 - 29/07/2015) ITNET:N (30/07/2015 - 31/12/2020)
1015	• 1089 9438 43	1	CONTACTOR	
1020	• 1089 0612 01	3	FUSE HOLDER	(07/05/2015 - 29/07/2015) ITNET:N (30/07/2015 - 31/12/2020)
1030	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 29/07/2015) ITNET:N (30/07/2015 - 31/12/2020)
1035	• 1089 0612 25	3	FUSE	(07/05/2015 - 29/07/2015) ITNET:N (30/07/2015 - 31/12/2020)
1040	• 1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)
1045	• 1089 9416 06	1	CONNECTION	(30/07/2015 - 31/12/2020)

Legend:


COOL:WATER - Cooling:Water cooled
MOVOL:500V-3PH - Supply voltage:500V (3ph)

ITNET:N - IT Network:TT or TN network
MOVOL:525V-3PH - Supply voltage:525 V (3ph)

ITNET:Y - IT Network:IT network
MOVOL:550V-3PH - Supply voltage:550 V (3ph)

60.34 - Fan Module - Water Cooled 460V/575V-3PH without HSCCR with TT/TN network

(HSCCR:N + ITNET:N , ITNET:Y) + (MOVOL:460V-3PH , MOVOL:575V-3PH) + COOL:WATER



2000 1052 15_03

60.34 - Fan Module - Water Cooled 460V/575V-3PH without HSCCR with TT/TN network

(HSCCR:N + ITNET:N , ITNET:Y) + (MOVOL:460V-3PH , MOVOL:575V-3PH) + COOL:WATER

Ref	Part Number	Qty	Name	Validity
	1900 3702 15	1	CONTROL PANEL	(19/02/2014 - 29/07/2015) HSCCR:N + ITNET:N (30/07/2015 - 31/12/2020)
1010 •	1089 0612 02	3	FUSE HOLDER	
1015 •	1089 9438 42	1	CONTACTOR	
1020 •	1089 9168 34	3	FUSE	(07/05/2015 - 29/07/2015) HSCCR:N + ITNET:N (30/07/2015 - 31/12/2020)
1025 •	1089 9267 65	1	RELAY OVERLOAD	(07/05/2015 - 29/07/2015) HSCCR:N + ITNET:N (30/07/2015 - 31/12/2020)
1030 •	1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)
1035 •	1635 3583 00	1	DECAL INSTRUCT.	(30/07/2015 - 31/12/2020)

Legend:


COOL:WATER - Cooling:Water cooled
ITNET:Y - IT Network:IT network

HSCCR:N - High Short Circuit Current Rating:N
MOVOL:460V-3PH - Supply voltage:460V (3ph)

ITNET:N - IT Network:TT or TN network
MOVOL:575V-3PH - Supply voltage:575V (3ph)

60.35 - Fan Module - Water Cooled 380V/400V-3PH with IT network

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + COOL:WATER + ITNET:Y



2000 1052 13_03


60.35 - Fan Module - Water Cooled 380V/400V-3PH with IT network

(MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH) + COOL:WATER + ITNET:Y

Ref	Part Number	Qty	Name	Validity
	1900 3702 13	1	CONTROL PANEL	(19/02/2014 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1010	• 1089 9267 25	1	CIRCUIT BREAKER	(07/05/2015 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1015	• 1089 0612 01	3	FUSE HOLDER	
1020	• 1089 0612 25	3	FUSE	(07/05/2015 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1025	• 1089 9438 43	1	CONTACTOR	
1040	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 29/07/2015) (MOVOL:380V-3PH , MOVOL:400V-3PH) (30/07/2015 - 31/12/2020)
1045	• 1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)
1050	• 1089 9416 06	1	CONNECTION	(30/07/2015 - 31/12/2020)

Legend:COOL:WATER - Cooling:Water cooled
MOVOL:400V-3PH - Supply voltage:400VITNET:Y - IT Network:IT network
MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:380V-3PH - Supply voltage:380V (3ph)



2000 1052 14_03

Ref	Part Number	Qty	Name	Validity
	1900 3702 14	1	CONTROL PANEL	(19/02/2014 - 29/07/2015) ((MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + ITNET:Y , MOVOL:690V-3PH) (30/07/2015 - 31/12/2020)
1010 •	1089 9267 23	1	CIRCUIT BREAKER	(07/05/2015 - 29/07/2015) ((MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + ITNET:Y , MOVOL:690V-3PH) (30/07/2015 - 31/12/2020)
1015 •	1089 0612 25	3	FUSE	(07/05/2015 - 29/07/2015) ((MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + ITNET:Y , MOVOL:690V-3PH) (30/07/2015 - 31/12/2020)
1020 •	1089 0612 01	3	FUSE HOLDER	
1025 •	1089 9438 43	1	CONTACTOR	
1040 •	1089 9267 56	1	SWITCH POWER	(07/05/2015 - 29/07/2015) ((MOVOL:440V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + ITNET:Y , MOVOL:690V-3PH) (30/07/2015 - 31/12/2020)
1045 •	1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)
1050 •	1089 9416 06	1	CONNECTION	(30/07/2015 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)


ITNET:Y - IT Network:IT network

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

60.37 - Fan Module - Water Cooled 460V/575V-3PH with HSCCR & IT network (MOVOL:460V-3PH , MOVOL:575V-3PH) + COOL:WATER + HSCCR:Y + ITNET:N



2000 1052 16_03

60.37 - Fan Module - Water Cooled 460V/575V-3PH with HSCCR & IT network

(MOVOL:460V-3PH , MOVOL:575V-3PH) + COOL:WATER + HSCCR:Y + ITNET:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3702 16	1	CONTROL PANEL	(19/02/2014 - 29/07/2015) (HSCCR:Y + ITNET:N , ITNET:Y) (30/07/2015 - 31/12/2020)
1010 •	1089 9536 40	3	HOLDER FUSE	
1015 •	1089 9438 42	1	CONTACTOR	
1020 •	1089 9528 20	3	FUSE	(07/05/2015 - 29/07/2015) (HSCCR:Y + ITNET:N , ITNET:Y) (30/07/2015 - 31/12/2020)
1025 •	1089 9267 65	1	RELAY OVERLOAD	(07/05/2015 - 29/07/2015) (HSCCR:Y + ITNET:N , ITNET:Y) (30/07/2015 - 31/12/2020)
1030 •	1635 3584 00	1	DECAL INSTRUCT.	(30/07/2015 - 31/12/2020)
1035 •	1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)


Legend:

COOL:WATER - Cooling:Water cooled
ITNET:Y - IT Network:IT network

HSCCR:Y - High Short Circuit Current Rating:Yes
MOVOL:460V-3PH - Supply voltage:460V (3ph)

ITNET:N - IT Network:TT or TN network
MOVOL:575V-3PH - Supply voltage:575V (3ph)

60.38 - Fan Module - Air Cooled 380V/400V-3PH without IT network (MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:AIR + ITNET:N



2000 1052 01_03

60.38 - Fan Module - Air Cooled 380V/400V-3PH without IT network

(MOVOL:380V-3PH , MOVOL:400V-3PH) + COOL:AIR + ITNET:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3702 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1015	• 1089 9416 85	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1020	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1025	• 1089 9267 53	2	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1030	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9339 09	1	CONVERTER -	(07/05/2015 - 31/12/2020)
1045	• 1089 9623 20	1	INVERTOR	
1050	• 1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
MOVOL:400V-3PH - Supply voltage:400V

ITNET:N - IT Network:TT or TN network

MOVOL:380V-3PH - Supply voltage:380V (3ph)

60.39 - Fan Module - Air Cooled IEC 500V/525V/550V/690V-3PH with TT & IT network.

((EAPPR:IEC + ITNET:Y , ITNET:N) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) , EAPPR:IEC + ITNET:Y + MOVOL:440V-3PH , ITNET:N + MOVOL:690V-3PH) + COOL:AIR



2000 1052 02_03

60.39 - Fan Module - Air Cooled IEC 500V/525V/550V/690V-3PH with TT & IT network.

((EAPPR:IEC + ITNET:Y , ITNET:N) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) , EAPPR:IEC + ITNET:Y + MOVOL:440V-3PH , ITNET:N + MOVOL:690V-3PH) + COOL:AIR

Ref	Part Number	Qty	Name	Validity
	1900 3702 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9416 85	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1015	• 1089 9037 54	3	FUSE	
1020	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1025	• 1089 0612 05	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1030	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1040	• 1089 9267 53	2	CIRCUIT BREAKER	
1050	• 1089 9623 20	1	INVERTOR	(07/05/2015 - 31/12/2020)
1055	• 1089 9339 09	1	CONVERTER -	
1060	• 1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

ITNET:Y - IT Network:IT network

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

EAPPR:IEC - Electrical approval:IEC

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)


ITNET:N - IT Network:TT or TN network

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

60.40 - Fan Module - Air Cooled CSA-UL 460V/575V-3PH with HSCCR, IT & TT network.

((MOVOL:460V-3PH , MOVOL:575V-3PH) + HSCCR:Y + ITNET:N , EAPPR:CSA-UL + ITNET:Y) + COOL:AIR



2000 1052 03_02

60.40 - Fan Module - Air Cooled CSA-UL 460V/575V-3PH with HSCCR, IT & TT network.

((MOVOL:460V-3PH , MOVOL:575V-3PH) + HSCCR:Y + ITNET:N , EAPPR:CSA-UL + ITNET:Y) + COOL:AIR

Ref	Part Number	Qty	Name	Validity
	1900 3702 03	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1015	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1020	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1025	• 1089 9536 33	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1030	• 1089 9528 27	3	FUSE	(07/05/2015 - 31/12/2020)
1035	• 1089 9267 53	2	CIRCUIT BREAKER	
1040	• 1089 9267 62	2	TERMINAL	(07/05/2015 - 31/12/2020)
1045	• 1089 9339 09	1	CONVERTER -	(07/05/2015 - 31/12/2020)
1050	• 1079 9932 49	1	DECAL INSTRUCT.	
1060	• 1089 9623 20	1	INVERTOR	

Legend:

COOL:AIR - Cooling:Air cooled

ITNET:N - IT Network:TT or TN network


MOVOL:575V-3PH - Supply voltage:575V (3ph)

EAPPR:CSA-UL - Electrical approval:CSA-UL

ITNET:Y - IT Network:IT network

HSCCR:Y - High Short Circuit Current Rating:Yes

MOVOL:460V-3PH - Supply voltage:460V (3ph)



60.41 - Fan Module - Air Cooled CSA-UL 460V/575V-3PH without HSCCR, 440V-3PH without IT network.

((MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + HSCCR:N , MOVOL:440V-3PH) + COOL:AIR + ITNET:N

Ref	Part Number	Qty	Name	Validity
	1900 3702 04	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 53	2	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1015	• 1089 9267 56	2	SWITCH POWER	(07/05/2015 - 31/12/2020)
1020	• 1089 9416 85	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1025	• 1089 0506 31	2	EARTH TERMINAL	(07/05/2015 - 31/12/2020)
1030	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9339 09	1	CONVERTER -	
1040	• 1089 9267 62	2	TERMINAL	(07/05/2015 - 31/12/2020)
1050	• 1089 9623 20	1	INVERTOR	(07/05/2015 - 31/12/2020)
1055	• 1089 9416 42	1	CONTACT BLOCK	(30/07/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

ITNET:N - IT Network:TT or TN network

MOVOL:575V-3PH - Supply voltage:575V (3ph)

EAPPR:CSA-UL - Electrical approval:CSA-UL


MOVOL:440V-3PH - Supply voltage:440V (3ph)

HSCCR:N - High Short Circuit Current Rating:N

MOVOL:460V-3PH - Supply voltage:460V (3ph)

60.42 - Dryer Module - GA200VSD IEC

(COOL:AIR + MODEL:GA200VSDA2 , COOL:WATER) + EAPPR:IEC + IDRY:FF



2000 1053 01_02

60.42 - Dryer Module - GA200VSD IEC

(COOL:AIR + MODEL:GA200VSDA2 , COOL:WATER) + EAPPR:IEC + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3703 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 79	1	RELAY OVERLOAD	(07/05/2015 - 31/12/2020)
1015	• 1089 9438 77	1	CONTACTOR -	(07/05/2015 - 31/12/2020)
1020	• 1089 9421 96	1	CONTACTOR	(07/05/2015 - 31/12/2020)
1025	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	
1030	• 1088 0032 05	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1035	• 1088 0037 17	2	PLATE	(07/05/2015 - 31/12/2020)
1040	• 1088 0037 15	2	TERMINAL	(07/05/2015 - 31/12/2020)
1045	• 1088 0038 18	1	TERMINAL	(07/05/2015 - 31/12/2020)
1050	• 1089 9621 02	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1055	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1060	• 1089 0612 01	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1065	• 1089 0612 30	3	FUSE 25 A	(07/05/2015 - 31/12/2020)
	↻ Substituted by:	1089 0612 04 - FUSE (quantity: 1)		
1070	• 1088 0037 16	3	TERMINAL	(07/05/2015 - 31/12/2020)
1075	• 1088 0037 84	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1080	• 1088 0031 85	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1085	• 1088 0039 25	1	TERMINAL	(07/05/2015 - 31/12/2020)
1090	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	(07/05/2015 - 30/07/2015)
1095	• 1088 0037 05	1	CONNECTOR	(19/02/2014 - 29/07/2015)
1095	• 1088 0032 04	1	CONNECTOR	(30/07/2015 - 31/12/2020)

Legend:COOL:AIR - Cooling:Air cooled
IDRY:FF - Integrated dryer:Full featureCOOL:WATER - Cooling:Water cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD

EAPPR:IEC - Electrical approval:IEC



2930 1843 02

Ref	Part Number	Qty	Name	Validity
	1900 3703 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 79	1	RELAY OVERLOAD	(07/05/2015 - 31/12/2020)
1015	• 1089 9621 55	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1020	• 1088 0032 05	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1025	• 1088 0037 17	2	PLATE	(07/05/2015 - 31/12/2020)
1030	• 1088 0037 15	2	TERMINAL	
1035	• 1089 9510 07	1	FUSE	(07/05/2015 - 31/12/2020)
1040	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	(07/05/2015 - 31/12/2020)
1045	• 1079 9932 52	1	DECAL INSTRUCT.	(07/05/2015 - 31/12/2020)
1050	• 1088 0038 18	1	TERMINAL	(07/05/2015 - 31/12/2020)
1055	• 1089 9438 76	1	CONTACTOR -	(07/05/2015 - 31/12/2020)
1060	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1065	• 1089 9497 12	3	FUSE	(07/05/2015 - 31/12/2020)
1070	• 1088 0037 16	3	TERMINAL	(07/05/2015 - 31/12/2020)
1075	• 1089 9421 96	1	CONTACTOR	(07/05/2015 - 31/12/2020)
1080	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	
1085	• 1088 0031 85	1	CONNECTOR	(07/05/2015 - 30/07/2015)
1090	• 1088 0039 25	1	TERMINAL	(07/05/2015 - 31/12/2020)
1095	• 1088 0037 84	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1100	• 1088 0037 05	1	CONNECTOR	(07/05/2015 - 29/07/2015)
1100	• 1088 0032 04	1	CONNECTOR	(30/07/2015 - 31/12/2020)


Legend:

COOL:AIR - Cooling:Air cooled
IDRY:FF - Integrated dryer:Full feature

COOL:WATER - Cooling:Water cooled
MODEL:GA200VSDA2 - Model:GA 200 VSD

EAPPR:CSA-UL - Electrical approval:CSA-UL

60.44 - Dryer Module - GA250/315VSD IEC (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:IEC + IDRY:FF



2000 1053 03_02

60.44 - Dryer Module - GA250/315VSD IEC

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:IEC + IDRY:FF


Ref	Part Number	Qty	Name	Validity
	1900 3703 03	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9415 31	1	CONTACTOR	(07/05/2015 - 31/12/2020)
1015	• 1089 9415 07	1	CONTACT BLOCK	(07/05/2015 - 31/12/2020)
1020	• 1089 9446 61	1	OVERLOAD RELAY	
1025	• 1089 9621 02	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1030	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	(07/05/2015 - 31/12/2020)
1035	• 1089 0506 52	1	TERMINAL	(07/05/2015 - 31/12/2020)
1040	• 1088 0032 05	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1045	• 1089 9050 14	3	FUSE	(07/05/2015 - 31/12/2020)
1050	• 1089 0612 06	1	HOLDER	(07/05/2015 - 31/12/2020)
1055	• 1088 0037 16	3	TERMINAL	(07/05/2015 - 31/12/2020)
1060	• 1088 0038 18	1	TERMINAL	(07/05/2015 - 31/12/2020)
1065	• 1088 0037 15	2	TERMINAL	(07/05/2015 - 31/12/2020)
1070	• 1088 0037 17	2	PLATE	(07/05/2015 - 31/12/2020)
1075	• 1088 0037 05	1	CONNECTOR	(07/05/2015 - 29/07/2015)
1075	• 1088 0032 04	1	CONNECTOR	(30/07/2015 - 31/12/2020)
1080	• 1088 0039 25	1	TERMINAL	
1085	• 1088 0037 84	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1090	• 1088 0031 85	1	CONNECTOR	(19/02/2014 - 30/07/2015)
1095	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	(07/05/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
 MODEL:GA250VSDA2 - Model:GA 250 VSD

EAPPR:IEC - Electrical approval:IEC
 MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature



2000 1053 04_03

60.45 - Dryer Module - GA250/315VSD CSA-UL

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:CSA-UL + IDRY:FF


Ref	Part Number	Qty	Name	Validity
	1900 3703 04	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 0032 05	1	CONNECTOR	
1015	• 1089 9621 55	1	CIRCUIT BREAKER	
1020	• 1089 9415 34	1	CONTACTOR	
1025	• 1089 9536 33	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1030	• 1089 9415 07	1	CONTACT BLOCK	
1035	• 1089 0506 52	1	TERMINAL	
1040	• 1079 9932 73	1	DECAL INSTRUCT.	(07/05/2015 - 31/12/2020)
1045	• 1088 0038 18	1	TERMINAL	
1050	• 1089 9497 14	3	FUSE	
1055	• 1089 9446 61	1	OVERLOAD RELAY	
1060	• 1088 0037 17	2	PLATE	
1065	• 1088 0037 16	3	TERMINAL	
1070	• 1088 0037 15	2	TERMINAL	
1075	• 1088 0037 05	1	CONNECTOR	(19/02/2014 - 29/07/2015)
1075	• 1088 0032 04	1	CONNECTOR	(30/07/2015 - 31/12/2020)
1080	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	
1085	• 1088 0031 85	1	CONNECTOR	(19/02/2014 - 30/07/2015)
1090	• 1088 0037 84	1	CONNECTOR	
1095	• 1088 0039 25	1	TERMINAL	
1105	• 1088 0031 67	1	CONNECTOR	(07/05/2015 - 31/12/2020)
1110	• 1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	(30/07/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled
MODEL:GA250VSDA2 - Model:GA 250 VSD

EAPPR:CSA-UL - Electrical approval:CSA-UL
MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature



2000 1053 11_01

60.46 - Dryer Fan - IEC Air Cooled GA200VSD without IT Network

COOL:AIR + EAPPR:IEC + IDRY:FF + ITNET:N + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3703 11	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 29	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1015	• 1089 9267 66	2	RELAY OVERLOAD	(07/05/2015 - 31/12/2020)
1020	• 1088 0037 16	2	TERMINAL	(07/05/2015 - 31/12/2020)
1025	• 1089 9438 43	2	CONTACTOR	(07/05/2015 - 31/12/2020)
1030	• 1088 0037 17	1	PLATE	(07/05/2015 - 31/12/2020)
1035	• 1089 9438 89	2	MODULE	(07/05/2015 - 31/12/2020)
1040	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 31/12/2020)
1045	• 1089 9267 62	1	TERMINAL	(07/05/2015 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
ITNET:N - IT Network:TT or TN network

EAPPR:IEC - Electrical approval:IEC
MODEL:GA200VSDA2 - Model:GA 200 VSD

IDRY:FF - Integrated dryer:Full feature

60.47 - Dryer Fan - IEC Air Cooled GA200VSD with IT Network

COOL: AIR + EAPPR: IEC + IDRY: FF + ITNET: Y + MODEL: GA200VSDA2



2000 1053 12_02

60.47 - Dryer Fan - IEC Air Cooled GA200VSD with IT Network

COOL:AIR + EAPPR:IEC + IDRY:FF + ITNET:Y + MODEL:GA200VSDA2

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3703 12	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 29	1	CIRCUIT BREAKER	(07/05/2015 - 31/12/2020)
1015	• 1089 9438 43	2	CONTACTOR	(07/05/2015 - 31/12/2020)
1020	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 31/12/2020)
1025	• 1088 0037 16	2	TERMINAL	(07/05/2015 - 31/12/2020)
1030	• 1089 9267 62	1	TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9438 89	2	MODULE	(07/05/2015 - 31/12/2020)
1040	• 1089 9267 66	2	RELAY OVERLOAD	(07/05/2015 - 31/12/2020)
1045	• 1088 0037 17	1	PLATE	(07/05/2015 - 31/12/2020)
1050	• 1089 0612 01	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1055	• 1089 0612 28	3	FUSE 16 A	(07/05/2015 - 31/12/2020)

Legend:


COOL:AIR - Cooling:Air cooled
ITNET:Y - IT Network:IT network

EAPPR:IEC - Electrical approval:IEC
MODEL:GA200VSDA2 - Model:GA 200 VSD

IDRY:FF - Integrated dryer:Full feature

60.48 - Dryer Fan - CSA-UL Air Cooled GA200VSD Without IT Network & without HSCCR

COOL:AIR + EAPPR:CSA-UL + HSCCR:N + IDRY:FF + ITNET:N + MODEL:GA200VSDA2



2000 1053 13_02

60.48 - Dryer Fan - CSA-UL Air Cooled GA200VSD Without IT Network & without HSCCR

COOL:AIR + EAPPR:CSA-UL + HSCCR:N + IDRY:FF + ITNET:N + MODEL:GA200VSDA2

Ref	Part Number	Qty	Name	Validity
	1900 3703 13	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015	• 1088 0037 17	1	PLATE	
1020	• 1088 0037 16	2	TERMINAL	
1025	• 1089 9267 62	1	TERMINAL	
1030	• 1089 9267 29	1	CIRCUIT BREAKER	
1035	• 1089 9267 66	2	RELAY OVERLOAD	
1040	• 1089 0506 31	2	EARTH TERMINAL	
1045	• 1089 9438 89	2	MODULE	(07/05/2015 - 31/12/2020)
1050	• 1089 9267 56	1	SWITCH POWER	
1055	• 1089 9438 42	2	CONTACTOR	


Legend:

COOL:AIR - Cooling:Air cooled
IDRY:FF - Integrated dryer:Full feature

EAPPR:CSA-UL - Electrical approval:CSA-UL
ITNET:N - IT Network:TT or TN network

HSCCR:N - High Short Circuit Current Rating:N
MODEL:GA200VSDA2 - Model:GA 200 VSD

60.49 - Dryer Fan - CSA-UL Air Cooled GA200VSD with IT Network/Without IT Network with HSCCR or GA250/315VSD with HSCCR/IT Network without HSCCR
 ((HSCCR:N + ITNET:Y , HSCCR:Y) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) , (HSCCR:Y + ITNET:N , ITNET:Y) + MODEL:GA200VSDA2) +
 COOL:AIR + EAPPR:CSA-UL + IDRY:FF



60.49 - Dryer Fan - CSA-UL Air Cooled GA200VSD with IT Network/Without IT Network with HSCCR or GA250/315VSD with HSCCR/IT Network without HSCCR
 ((HSCCR:N + ITNET:Y , HSCCR:Y) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) , (HSCCR:Y + ITNET:N , ITNET:Y) + MODEL:GA200VSDA2) + COOL:AIR + EAPPR:CSA-UL + IDRY:FF

Ref	Part Number	Qty	Name	Validity
	1900 3703 14	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9438 89	2	MODULE	(07/05/2015 - 31/12/2020)
1015	• 1088 0037 16	2	TERMINAL	
1020	• 1089 0506 31	2	EARTH TERMINAL	
1025	• 1089 9528 45	3	FUSE	
1030	• 1079 9932 51	1	DECAL INSTRUCT.	
1035	• 1089 9267 66	2	RELAY OVERLOAD	
1040	• 1089 9536 40	3	HOLDER FUSE	
1045	• 1088 0037 17	1	PLATE	
1050	• 1089 9438 42	2	CONTACTOR	


Legend:

COOL:AIR - Cooling:Air cooled
 HSCCR:Y - High Short Circuit Current Rating:Yes
 ITNET:Y - IT Network:IT network
 MODEL:GA315VSDA2 - Model:GA 315 VSD

EAPPR:CSA-UL - Electrical approval:CSA-UL
 IDRY:FF - Integrated dryer:Full feature
 MODEL:GA200VSDA2 - Model:GA 200 VSD

HSCCR:N - High Short Circuit Current Rating:N
 ITNET:N - IT Network:TT or TN network
 MODEL:GA250VSDA2 - Model:GA 250 VSD

60.50 - Dryer Fan - IEC Air Cooled GA250/315VSD Without IT Network (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:IEC + IDRY:FF + ITNET:N



2000 1053 15_03

60.50 - Dryer Fan - IEC Air Cooled GA250/315VSD Without IT Network

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:IEC + IDRY:FF + ITNET:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3703 15	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 32	1	CIRCUIT BREAKER	(07/05/2015 - 29/07/2015)
1010	• 1089 9267 33	1	CIRCUIT BREAKER	(30/07/2015 - 31/12/2020)
1015	• 1089 9267 66	2	RELAY OVERLOAD	(07/05/2015 - 31/12/2020)
1020	• 1089 9438 43	2	CONTACTOR	(07/05/2015 - 29/07/2015)
1020	• 1089 9438 49	2	CONTACTOR	(30/07/2015 - 31/12/2020)
1025	• 1088 0037 16	2	TERMINAL	(07/05/2015 - 31/12/2020)
1030	• 1089 9438 89	2	MODULE	(07/05/2015 - 31/12/2020)
1035	• 1088 0037 17	1	PLATE	(07/05/2015 - 31/12/2020)
1040	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 31/12/2020)
1045	• 1089 9267 62	1	TERMINAL	(07/05/2015 - 31/12/2020)
1050	• 1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)


Legend:

COOL:AIR - Cooling:Air cooled
ITNET:N - IT Network:TT or TN network

EAPPR:IEC - Electrical approval:IEC
MODEL:GA250VSDA2 - Model:GA 250 VSD

IDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

60.51 - Dryer Fan - IEC Air Cooled GA250/315VSD With IT Network (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:IEC + IDRY:FF + ITNET:Y



2000 1053 16_03

60.51 - Dryer Fan - IEC Air Cooled GA250/315VSD With IT Network


(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:IEC + IDRY:FF + ITNET:Y

Ref	Part Number	Qty	Name	Validity
	1900 3703 16	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9438 43	2	CONTACTOR	
1015	• 1089 0612 01	3	FUSE HOLDER	(07/05/2015 - 31/12/2020)
1020	• 1089 9267 32	1	CIRCUIT BREAKER	(07/05/2015 - 29/07/2015)
1020	• 1089 9267 33	1	CIRCUIT BREAKER	(30/07/2015 - 31/12/2020)
1025	• 1089 9267 56	1	SWITCH POWER	(07/05/2015 - 31/12/2020)
1030	• 1089 9267 62	1	TERMINAL	(07/05/2015 - 31/12/2020)
1035	• 1089 9438 89	2	MODULE	(07/05/2015 - 29/07/2015)
1035	• 1089 9438 49	2	CONTACTOR	(30/07/2015 - 31/12/2020)
1040	• 1089 9267 66	2	RELAY OVERLOAD	(07/05/2015 - 31/12/2020)
1045	• 1088 0037 16	2	TERMINAL	
1050	• 1088 0037 17	1	PLATE	(07/05/2015 - 31/12/2020)
1055	• 1089 0612 28	3	FUSE 16 A	(07/05/2015 - 31/12/2020)
1060	• 1089 0506 28	1	TERMINAL	(30/07/2015 - 31/12/2020)

Legend:COOL:AIR - Cooling:Air cooled
ITNET:Y - IT Network:IT networkEAPPR:IEC - Electrical approval:IEC
MODEL:GA250VSDA2 - Model:GA 250 VSDIDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

60.52 - Dryer Fan - CSA-UL Air Cooled GA250/315VSD without IT Network Without HSCCR

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:CSA-UL + HSCCR:N + IDRY:FF + ITNET:N



2000 1053 17_02

60.52 - Dryer Fan - CSA-UL Air Cooled GA250/315VSD without IT Network Without HSCCR



(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + EAPPR:CSA-UL + HSCCR:N + IDRY:FF + ITNET:N

Ref	Part Number	Qty	Name	Validity
	1900 3703 17	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 9267 62	1	TERMINAL	
1015	• 1089 9267 66	2	RELAY OVERLOAD	
1020	• 1089 9267 32	1	CIRCUIT BREAKER	(19/02/2014 - 29/07/2015)
1020	• 1089 9267 33	1	CIRCUIT BREAKER	(30/07/2015 - 31/12/2020)
1025	• 1088 0037 17	1	PLATE	
1030	• 1089 0506 31	2	EARTH TERMINAL	
1040	• 1088 0037 16	2	TERMINAL	
1045	• 1089 9267 56	1	SWITCH POWER	
1050	• 1089 9438 42	2	CONTACTOR	
1055	• 1089 9438 89	2	MODULE	(07/05/2015 - 31/12/2020)


Legend:

COOL:AIR - Cooling:Air cooled
IDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

EAPPR:CSA-UL - Electrical approval:CSA-UL
ITNET:N - IT Network:TT or TN network

HSCCR:N - High Short Circuit Current Rating:N
MODEL:GA250VSDA2 - Model:GA 250 VSD

60.53 - Option - Dryer Trafo Module - IEC Aircooled GA250/315VSD 500V or GA200VSD 500V/525V/550V / Watercooled
 ((COOL:AIR + MODEL:GA200VSDA2 , COOL:WATER) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) , (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + MOVOL:500V-3PH) + EAPPR:IEC + IDRY:FF



2000 1054 01_02

60.53 - Option - Dryer Trafo Module - IEC Aircooled GA250/315VSD 500V or GA200VSD 500V/525V/550V / Watercooled

((COOL:AIR + MODEL:GA200VSDA2 , COOL:WATER) + (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) , (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + MOVOL:500V-3PH) + EAPPR:IEC + IDRY:FF

Ref	Part Number	Qty	Name	Validity
	1900 3704 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 0027 15	3	TERMINAL	
1015	• 1089 0612 06	1	HOLDER	
1020	• 1088 0027 16	1	PLATE COVER	
1025	• 1089 0612 39	3	FUSE	
1030	• 1089 0612 01	2	FUSE HOLDER	
1035	• 1089 0612 21	2	FUSE	
1040	• 1089 9427 06	2	TERMINAL	
1045	• 1089 9427 11	2	CONNECTOR	(07/05/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

IDRY:FF - Integrated dryer:Full feature

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

COOL:WATER - Cooling:Water cooled

MODEL:GA200VSDA2 - Model:GA 200 VSD


MOVOL:500V-3PH - Supply voltage:500V (3ph)

EAPPR:IEC - Electrical approval:IEC

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

60.54 - Option - Dryer Trafo Module - IEC Aircooled GA250/315VSD 525V/550V (MOVOL:525V-3PH , MOVOL:550V-3PH) + COOL:AIR + EAPPR:IEC + IDRY:FF



2000 1054 02_02

60.54 - Option - Dryer Trafo Module - IEC Aircooled GA250/315VSD 525V/550V

(MOVOL:525V-3PH , MOVOL:550V-3PH) + COOL:AIR + EAPPR:IEC + IDRY:FF



Ref	Part Number	Qty	Name	Validity
	1900 3704 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1010	• 1088 0027 16	1	PLATE COVER	
1015	• 1089 0612 06	1	HOLDER	
1020	• 1089 0612 40	3	FUSE	
1025	• 1088 0027 15	3	TERMINAL	
1030	• 1089 0612 01	2	FUSE HOLDER	
1035	• 1089 0612 21	2	FUSE	
1040	• 1089 9427 06	2	TERMINAL	
1045	• 1089 9427 11	2	CONNECTOR	(07/05/2015 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA250VSDA2 - Model:GA 250 VSD


MOVOL:550V-3PH - Supply voltage:550 V (3ph)

EAPPR:IEC - Electrical approval:IEC

MODEL:GA315VSDA2 - Model:GA 315 VSD

IDRY:FF - Integrated dryer:Full feature

MOVOL:525V-3PH - Supply voltage:525 V (3ph)



2000 1054 03_02

60.55 - Option - Dryer Trafo Module - IEC 690V

EAPPR:IEC + IDRY:FF + MOVOL:690V-3PH

Atlas Copco


Ref	Part Number	Qty	Name	Validity
	1900 3704 03	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 0612 40	3	FUSE	
1015	• 1088 0027 16	1	PLATE COVER	
1020	• 1088 0027 15	3	TERMINAL	
1025	• 1089 0612 06	1	HOLDER	
1030	• 1089 0612 01	2	FUSE HOLDER	
1035	• 1089 9427 06	2	TERMINAL	
1040	• 1089 9427 11	2	CONNECTOR	(07/05/2015 - 31/12/2020)
1045	• 1089 0612 21	2	FUSE	(07/05/2015 - 31/12/2020)

Legend:

EAPPR:IEC - Electrical approval:IEC

IDRY:FF - Integrated dryer:Full feature

MOVOL:690V-3PH - Supply voltage:690V (3ph)



60.56 - Option - Dryer Trafo Module - CSA-UL 575V

EAPPR:CSA-UL + IDRY:FF + MOVOL:575V-3PH




Ref	Part Number	Qty	Name	Validity
	1900 3704 04	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1089 0612 02	3	FUSE HOLDER	
1015	• 1088 0027 15	3	TERMINAL	
1020	• 1089 0612 02	2	FUSE HOLDER	
1025	• 1088 0027 16	1	PLATE COVER	
1030	• 1079 9932 45	1	DECAL INSTRUCT.	
1035	• 1089 9168 37	2	FUSE	
1040	• 1089 9168 61	3	FUSE LINK 25 A	
1045	• 1089 9427 06	2	TERMINAL	
1050	• 1089 9427 11	2	CONNECTOR	(07/05/2015 - 31/12/2020)

Legend:

EAPPR:CSA-UL - Electrical approval:CSA-UL

IDRY:FF - Integrated dryer:Full feature

MOVOL:575V-3PH - Supply voltage:575V (3ph)



60.57 - Option - Energy Recovery System

ENREC:Y + IDRY:PACK




Ref	Part Number	Qty	Name	Validity
	1900 3707 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010 •	1088 0031 18	2	ADAPTOR FOR CONNECTOR ON RAIL	
1015 •	1088 0032 04	1	CONNECTOR	
1020 •	1088 0039 25	1	TERMINAL	
1025 •	1088 0037 84	1	CONNECTOR	

Legend:

ENREC:Y - Energy recovery:Yes

IDRY:PACK - Integrated dryer:Pack



2000 1057 02_02

60.58 - Option - Element Oil Bypass - Full Feature / Pack with Energy Recovery

(ENREC:Y + IDRY:PACK , IDRY:FF) + COOL:WATER

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3707 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010	• 1088 0037 81	1	CONNECTOR	
1015	• 1088 0038 18	4	TERMINAL	
1020	• 1088 0037 17	1	PLATE	
1025	• 1088 0037 15	1	TERMINAL	


Legend:

COOL:WATER - Cooling:Water cooled

ENREC:Y - Energy recovery:Yes

IDRY:FF - Integrated dryer:Full feature

IDRY:PACK - Integrated dryer:Pack



2000 1057 06_01

60.59 - Option - Element Oil Bypass - Pack without Energy Recovery

COOL:WATER + ENREC:N + IDRY:PACK




Ref	Part Number	Qty	Name	Validity
	1900 3707 06	1	CONTROL PANEL	(12/11/2015 - 31/12/2020)
1010	• 1088 0038 18	4	TERMINAL	
1015	• 1088 0037 81	1	CONNECTOR	
1020	• 1088 0037 15	1	TERMINAL	
1025	• 1088 0039 25	1	TERMINAL	
1030	• 1088 0037 17	1	PLATE	
1035	• 1088 0037 84	1	CONNECTOR	

Legend:

COOL:WATER - Cooling:Water cooled

ENREC:N - Energy recovery:N

IDRY:PACK - Integrated dryer:Pack



2256 0899 94_02

60.60 - Option - Water Shut-off Valve

WASHT:Y




Ref	Part Number	Qty	Name	Validity
1010	1089 0380 19	1	VALVE-SOLENOID:1.5"	(20/08/2013 - 31/12/2020)
1020	0348 0101 07	10	STRIP	(20/08/2013 - 31/12/2020)
1030	1623 6579 00	1	WIRING	(20/08/2013 - 31/12/2020)
1050	0603 4108 03	1	HEX. NIPPLE	(20/08/2013 - 31/12/2020)

Legend:

WASHT:Y - Water shut-off valve:Yes

60.61 - Option - SPM Monitoring Equipments -

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + SPM:Y



2000 1057 04_02

60.61 - Option - SPM Monitoring Equipments -

((PRESS:8.5BAR , PRESS:8.6BAR) + MODEL:GA200VSDA2 , MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + SPM:Y

Atlas Copco


Ref	Part Number	Qty	Name	Validity
	1900 3707 04	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1015 •	1088 0031 02	1	CONTACT	
1020 •	1622 5099 04	1	ELEKTRONIKON CABLE	(07/05/2015 - 31/12/2020)

Legend:

MODEL:GA200VSDA2 - Model:GA 200 VSD
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA250VSDA2 - Model:GA 250 VSD
PRESS:8.6BAR - Working pressure:8.6 bar

MODEL:GA315VSDA2 - Model:GA 315 VSD
SPM:Y - SPM monitoring equipment:SPM monitoring equipment



2000 1057 05_03

60.62 - Option - Smartlink


SMARTLNK:Y



Ref	Part Number	Qty	Name	Validity
	1900 3707 05	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
2010 •	1630 0707 81	1	MODEM KIT MK5 ETH AND 24V PSU	(19/02/2014 - 29/07/2015)
	⚙ Substituted by: 1630 0707 82 - MODEM KIT MK5 ETH AND 24V PSU (quantity: 1)			
2010 •	1630 0707 82	1	MODEM KIT MK5 ETH AND 24V PSU	(30/07/2015 - 31/12/2020)
2015 •	1088 0031 02	1	CONTACT	
2020 •	1623 4029 04	1	COMMUNICATION CABLE	(19/02/2014 - 29/07/2015)
2020 •	1635 3347 00	1	WIRE HARNESS	(30/07/2015 - 31/12/2020)
1020	0333 3244 00	1	LOCK WASHER(A) 17 X 26 X 1.2	(30/07/2015 - 31/12/2020)
1030	1630 0928 02	1	ANTENNA	(30/07/2015 - 31/12/2020)

Legend:

SMARTLNK:Y - Smartlink:Yes



2256 0898 90-91-92-93-94-2256 0892 90_03

Ref	Part Number	Qty	Name	Validity
1010	0698 5141 63	2	CABLE GLAND	(19/02/2014 - 31/12/2020) (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH , MOVOL:690V-3PH) + COOL:AIR
2010	0697 9809 02	2	NUT	(09/08/2013 - 31/12/2020) COOL:AIR
2020	0698 5141 06	2	CABLE GLAND	(09/08/2013 - 31/12/2020) COOL:AIR
3010	0697 9810 20	1	PLUG	(13/06/2013 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH) + COOL:AIR , COOL:WATER
3020	0697 9809 03	1	NUT	(13/06/2013 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH) + COOL:AIR , COOL:WATER
4010	0697 9810 17	1	PLUG	(04/03/2015 - 31/12/2020)
4020	0697 9809 12	1	NUT	(04/03/2015 - 31/12/2020)
5010	0697 9810 22	1	PLUG	(13/06/2013 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH) + IDRY:FF , IDRY:PACK
5020	0697 9809 06	1	LOCK NUT	(13/06/2013 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH) + IDRY:FF , IDRY:PACK
6010	0697 9810 19	1	PLUG	(04/03/2015 - 31/12/2020) COOL:WATER
6020	0697 9809 02	1	NUT	(04/03/2015 - 31/12/2020) COOL:WATER
6030	0346 1000 24	2	PIPE CLAMP D=13MM	(11/06/2015 - 31/12/2020) COOL:WATER
6040	0348 0102 09	2	CABLE TIE	(11/06/2015 - 31/12/2020) COOL:WATER
6050	0147 1963 08	2	SCREW	(11/06/2015 - 31/12/2020) COOL:WATER

Legend:

COOL:AIR - Cooling:Air cooled

IDRY:PACK - Integrated dryer:Pack

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

COOL:WATER - Cooling:Water cooled

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:460V-3PH - Supply voltage:460V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

IDRY:FF - Integrated dryer:Full feature


MOVOL:400V-3PH - Supply voltage:400V

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

60.64 - Fandrive Auto Trafo Module - IEC

(MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + COOL:AIR + EAPPR:IEC



2000 1055 01_02

60.64 - Fandrive Auto Trafo Module - IEC

(MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + COOL:AIR + EAPPR:IEC

Atlas Copco

Ref	Part Number	Qty	Name	Validity
	1900 3705 01	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010 •	1089 0612 38	3	FUSE	(07/05/2015 - 31/12/2020)
1015 •	1089 0612 06	1	HOLDER	
1020 •	1089 9425 37	1	TRANSFORMER VOLTAGE	(07/05/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled


EAPPR:IEC - Electrical approval:IEC

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)



60.65 - Fandrive Auto Trafo Module - CSA-UL

COOL:AIR + EAPPR:CSA-UL + MOVOL:575V-3PH

Atlas Copco


Ref	Part Number	Qty	Name	Validity
	1900 3705 02	1	CONTROL PANEL	(19/02/2014 - 31/12/2020)
1010 •	1089 9168 62	3	FUSE LINK	
1015 •	1089 9425 36	1	TRANSFORMER VOLTAGE	
1020 •	1079 9932 48	1	DECAL INSTRUCT.	(19/02/2014 - 06/05/2015)
1025 •	1089 0612 02	3	FUSE HOLDER	(19/02/2014 - 06/05/2015)

Legend:

COOL:AIR - Cooling:Air cooled

EAPPR:CSA-UL - Electrical approval:CSA-UL

MOVOL:575V-3PH - Supply voltage:575V (3ph)



61 - Bodywork - Air Cooled Pack

COOL:AIR + IDRY:PACK


Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 0180 00	1	STAY	(19/02/2014 - 31/12/2020)	
1020	1623 0438 00	2	STAY	(19/02/2014 - 31/12/2020)	
1030	1623 8323 00	1	STAY	(19/02/2014 - 31/12/2020)	
1040	1619 5337 01	7	BOLT	(19/02/2014 - 31/12/2020)	
1050	0147 1963 08	3	SCREW	(19/02/2014 - 31/12/2020)	
1060	1623 0503 00	4	HINGE	(19/02/2014 - 31/12/2020)	
1070	0147 1320 03	8	BOLT	(19/02/2014 - 31/12/2020)	
1080	1621 0607 00	4	HINGE	(19/02/2014 - 31/12/2020)	
1090	1623 8930 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1100	1623 9943 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1110	1635 0663 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1120	1623 7298 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1130	1623 8399 80	1	PANEL	(19/02/2014 - 31/12/2020)	
1140	1623 8398 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1150	0147 1963 08	19	SCREW	(19/02/2014 - 31/12/2020)	
1160	1623 8475 00	2	GRATING	(19/02/2014 - 31/12/2020)	
1170	0147 1963 08	10	SCREW	(19/02/2014 - 31/12/2020)	
1180	1623 8397 00	1	BAFFLE	(19/02/2014 - 31/12/2020)	
1190	0147 1963 08	8	SCREW	(19/02/2014 - 31/12/2020)	
1200	1623 7301 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1210	1623 8108 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1220	1623 7302 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1230	0147 1963 08	12	SCREW	(19/02/2014 - 31/12/2020)	
1240	1623 8617 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	• 1623 4687 00	1	LOCK		
	•	1	INSULATION SILENCING		2)
1250	1623 8633 80	1	DOOR	(19/02/2014 - 31/12/2020)	
	• 1623 4687 00	2	LOCK		
1260	1623 3671 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
1265	1614 9851 01	3	PIN	(19/02/2014 - 31/12/2020)	
1270	1623 3670 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING FOAM		2)
1280	1621 6879 80	3	DOOR	(19/02/2014 - 31/12/2020)	
	• 1623 4687 00	2	LOCK		
	•	1	INSULATION FOAM		2)
1290	1623 8327 80	1	DOOR	(19/02/2014 - 31/12/2020)	
	• 1623 6924 00	2	LOCK		
	•	1	INSULATION SILENCING		1)
1300	1621 0607 00	4	HINGE	(19/02/2014 - 31/12/2020)	
1310	1614 9851 01	2	PIN	(19/02/2014 - 31/12/2020)	
1320	1616 2987 00	10	PLUG	(19/02/2014 - 31/12/2020)	
1330	0690 1140 00	2	LOGOTYPE LABEL	(19/02/2014 - 31/12/2020)	

Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:APADS:Y - Anchor pads:Yes
MODEL:GA200VSDA2 - Model:GA 200 VSD
SEPAI:N - Separate air intake:NCOOL:AIR - Cooling:Air cooled
MODEL:GA250VSDA2 - Model:GA 250 VSDIDRY:PACK - Integrated dryer:Pack
MODEL:GA315VSDA2 - Model:GA 315 VSD



2256 0813 94-2256 0814 92-2256 0899 96-2256 0845 94-95-96_03

61 - Bodywork - Air Cooled Pack

COOL:AIR + IDRY:PACK

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1340	1079 9902 55	2	LABEL	(19/02/2014 - 31/12/2020)	
1345	1079 9901 09	6	LABEL	(19/02/2014 - 31/12/2020)	
1350	0690 1140 01	2	HOUSE MARK	(19/02/2014 - 31/12/2020)	
		1	INSULATION SILENCING	(19/02/2014 - 31/12/2020)	1)
2010	1623 8727 00	1	ROOF	(13/06/2013 - ...) SEPAl:N	
2020	0147 1963 08	8	SCREW	(13/06/2013 - ...) SEPAl:N	
3010	1635 0254 04	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA200VSDA2	
3010	1635 0254 05	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA250VSDA2	
3010	1635 0254 06	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA315VSDA2	
4010	1623 1779 00	4	PROFILE	(13/06/2013 - 31/12/2020) APADS:Y	
4020	0226 9929 20	4	BOLT WEDGE	(13/06/2013 - 31/12/2020) APADS:Y	
4030	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(13/06/2013 - 31/12/2020) APADS:Y	
4040	0301 2358 00	16	PLAIN WASHER(A) 13 X 24 X 2.5	(13/06/2013 - 31/12/2020) APADS:Y	
4050	0266 2112 00	8	HEXAGON NUT M12	(13/06/2013 - 31/12/2020) APADS:Y	

Remarks:


1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

APADS:Y - Anchor pads:Yes
 MODEL:GA200VSDA2 - Model:GA 200 VSD
 SEPAl:N - Separate air intake:N

COOL:AIR - Cooling:Air cooled
 MODEL:GA250VSDA2 - Model:GA 250 VSD

IDRY:PACK - Integrated dryer:Pack
 MODEL:GA315VSDA2 - Model:GA 315 VSD



62 - Bodywork - Air Cooled Full feature

COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 0180 00	1	STAY	(19/02/2014 - 31/12/2020)	
1020	1623 0180 80	2	STAY	(19/02/2014 - 31/12/2020)	
	•	1	SILENCING FOAM		1)
1030	1623 8323 00	1	STAY	(19/02/2014 - 31/12/2020)	
1040	1619 5337 01	7	BOLT	(19/02/2014 - 31/12/2020)	
1050	1623 8930 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1060	1623 7327 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1063	1635 1387 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1064	0147 1963 08	2	SCREW	(19/02/2014 - 31/12/2020)	
1065	1635 1388 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1070	1635 0663 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1080	1623 8399 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1090	1623 8398 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1100	0147 1963 08	19	SCREW	(19/02/2014 - 31/12/2020)	
1110	1623 8475 00	2	GRATING	(19/02/2014 - 31/12/2020)	
1120	0147 1963 08	10	SCREW	(19/02/2014 - 31/12/2020)	
1130	1623 8397 00	1	BAFFLE	(19/02/2014 - 31/12/2020)	
1140	0147 1963 08	8	SCREW	(19/02/2014 - 31/12/2020)	
1150	1623 8617 80	2	PANEL	(19/02/2014 - 31/12/2020)	
	• 1623 4687 00	1	LOCK		
	•	1	INSULATION SILENCING		2)
1160	1623 8633 80	1	DOOR	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION FOAM		2)
	• 1623 4687 00	2	LOCK		
1170	1621 6879 80	3	DOOR	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION FOAM		2)
1180	1635 1192 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
	• 1623 4687 00	1	LOCK		
1190	1623 8624 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1200	1614 9851 01	5	PIN	(19/02/2014 - 31/12/2020)	
1210	1623 8623 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION		1)
1220	1623 8327 80	1	DOOR	(19/02/2014 - 31/12/2020)	
	• 1623 6924 00	2	LOCK		
	•	1	INSULATION SILENCING		1)
1230	1614 9851 01	2	PIN	(19/02/2014 - 31/12/2020)	
1240	1623 7302 00	2	ROOF	(19/02/2014 - 31/12/2020)	
1250	1621 2538 00	4	HINGE	(19/02/2014 - 31/12/2020)	
1260	0147 1320 03	8	BOLT	(19/02/2014 - 31/12/2020)	

Remarks:


1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

APADS:Y - Anchor pads:Yes
 MODEL:GA200VSDA2 - Model:GA 200 VSD
 SEPAI:N - Separate air intake:N

COOL:AIR - Cooling:Air cooled
 MODEL:GA250VSDA2 - Model:GA 250 VSD

IDRY:FF - Integrated dryer:Full feature
 MODEL:GA315VSDA2 - Model:GA 315 VSD



2256 0813 95-2256 0814 92-2256 0899 96-2256 0845 94-95-96_03

62 - Bodywork - Air Cooled Full feature

COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1270	1621 0607 00	4	HINGE	(19/02/2014 - 31/12/2020)	
1280	1623 7301 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1290	1623 8108 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1300	1623 8161 80	1	BAFFLE	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1310	1623 8164 00	1	PLATE COVER	(19/02/2014 - 31/12/2020)	
1320	1635 0955 80	1	BAFFLE	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1330	1635 0956 00	1	PLATE COVER	(19/02/2014 - 31/12/2020)	
1340	1088 0803 10	1	GROMMET	(19/02/2014 - 31/12/2020)	
1350	0147 1963 08	14	SCREW	(19/02/2014 - 31/12/2020)	
1360	1616 2987 00	14	PLUG	(19/02/2014 - 31/12/2020)	
1400	0690 1140 01	2	HOUSE MARK	(19/02/2014 - 31/12/2020)	
1410	1079 9901 09	8	LABEL	(19/02/2014 - 31/12/2020)	
1420	1619 5188 00	AR	Seal	(19/02/2014 - 31/12/2020)	
		1	INSULATION SILENCING	(19/02/2014 - 31/12/2020)	1)
1440	0690 1140 00	2	LOGOTYPE LABEL	(19/11/2014 - 31/12/2020)	
1450	1079 9902 55	4	LABEL	(19/11/2014 - 31/12/2020)	
2010	1623 8727 00	1	ROOF	(13/06/2013 - ...) SEPAI:N	
2020	0147 1963 08	8	SCREW	(13/06/2013 - ...) SEPAI:N	
3010	1635 0254 04	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA200VSDA2	
3010	1635 0254 05	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA250VSDA2	
3010	1635 0254 06	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA315VSDA2	
4010	1623 1779 00	4	PROFILE	(13/06/2013 - 31/12/2020) APADS:Y	
4020	0226 9929 20	4	BOLT WEDGE	(13/06/2013 - 31/12/2020) APADS:Y	
4030	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(13/06/2013 - 31/12/2020) APADS:Y	
4040	0301 2358 00	16	PLAIN WASHER(A) 13 X 24 X 2.5	(13/06/2013 - 31/12/2020) APADS:Y	
4050	0266 2112 00	8	HEXAGON NUT M12	(13/06/2013 - 31/12/2020) APADS:Y	

Remarks:


1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive)

Legend:

APADS:Y - Anchor pads:Yes
 MODEL:GA200VSDA2 - Model:GA 200 VSD
 SEPAI:N - Separate air intake:N

COOL:AIR - Cooling:Air cooled
 MODEL:GA250VSDA2 - Model:GA 250 VSD

IDRY:FF - Integrated dryer:Full feature
 MODEL:GA315VSDA2 - Model:GA 315 VSD



63 - Bodywork - Water Cooled

COOL:WATER

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1010	1623 0180 00	5	STAY	(19/02/2014 - 31/12/2020)	
1020	1623 8324 00	1	STAY	(19/02/2014 - 31/12/2020)	
1030	1635 0843 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		
1040	1635 0842 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1050	1619 5337 01	15	BOLT	(19/02/2014 - 31/12/2020)	
1060	1623 8930 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
1070	0301 2335 00	4	PLAIN WASHER	(19/02/2014 - 31/12/2020)	
1080	0266 2110 00	4	HEXAGON NUT M8	(19/02/2014 - 31/12/2020)	
1090	1623 7865 80	2	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
1100	1635 0663 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
1110	1623 8399 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
1120	1623 8398 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		2)
1130	0147 1963 08	27	SCREW	(19/02/2014 - 31/12/2020)	
1140	1623 8475 00	2	GRATING	(19/02/2014 - 31/12/2020)	
1150	0147 1963 08	10	SCREW	(19/02/2014 - 31/12/2020)	
1155	1623 8397 00	1	BAFFLE	(19/02/2014 - 31/12/2020)	
1160	1635 0657 00	1	SUPPORT	(19/02/2014 - 31/12/2020)	
1170	1623 8617 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	• 1623 4687 00	1	LOCK		
	•	1	INSULATION SILENCING		1)
1180	1621 6879 80	5	DOOR	(19/02/2014 - 31/12/2020)	
	• 1623 4687 00	2	LOCK		
	•	1	INSULATION FOAM		1)
1190	1623 8633 80	1	DOOR	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION FOAM		2)
1200	1623 3671 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1210	1614 9851 01	3	PIN	(19/02/2014 - 31/12/2020)	
1220	1619 5337 01	1	BOLT	(19/02/2014 - 31/12/2020)	
1230	0147 1963 08	3	SCREW	(19/02/2014 - 31/12/2020)	
1240	1623 3670 80	1	PANEL	(19/02/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING FOAM		1)
1250	1623 8327 80	1	DOOR	(19/02/2014 - 31/12/2020)	
	• 1623 6924 00	2	LOCK		
	•	1	INSULATION SILENCING		2)
1260	1621 2538 00	12	HINGE	(19/02/2014 - 31/12/2020)	
1270	1621 0607 00	12	HINGE	(19/02/2014 - 31/12/2020)	
1280	0147 1320 03	24	BOLT	(19/02/2014 - 31/12/2020)	
1290	1614 9851 01	2	PIN	(19/02/2014 - 31/12/2020)	
1300	1623 7864 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1310	0147 1963 08	6	SCREW	(19/02/2014 - 31/12/2020)	

Remarks:


1) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive)

Legend:

APADS:Y - Anchor pads:Yes
MODEL:GA250VSDA2 - Model:GA 250 VSD

COOL:WATER - Cooling:Water cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
SEPAI:N - Separate air intake:N



2256 0813 96-2256 0814 92-2256 0899 96-2256 0845 94-95-96_03

63 - Bodywork - Water Cooled

COOL:WATER

Atlas Copco

Ref	Part Number	Qty	Name	Validity	R.
1320	1623 7863 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1330	0147 1963 08	4	SCREW	(19/02/2014 - 31/12/2020)	
1340	6265 6927 00	1	GRATING	(19/02/2014 - 31/12/2020)	
	Substituted by:		6265 6903 00 - SCREEN (quantity: 1)		
1350	1635 0837 00	1	SUPPORT	(19/02/2014 - 13/09/2015)	
1350	1635 2889 00	1	SUPPORT	(14/09/2015 - 31/12/2020)	
1360	0147 1963 08	10	SCREW	(14/09/2015 - 31/12/2020)	
1370	1623 7918 00	1	ROOF	(19/02/2014 - 31/12/2020)	
1380	0147 1963 08	4	SCREW	(19/02/2014 - 31/12/2020)	
1390	0147 1963 08	16	SCREW	(19/02/2014 - 31/12/2020)	
1410	0147 1963 08	8	SCREW	(19/02/2014 - 31/12/2020)	
1420	1079 9901 09	7	LABEL	(19/02/2014 - 31/12/2020)	
1430	0690 1140 00	2	LOGOTYPE LABEL	(19/02/2014 - 31/12/2020)	
1450	0690 1140 01	2	HOUSE MARK	(19/02/2014 - 31/12/2020)	
2010	1623 8727 00	1	ROOF	(13/06/2013 - ...) SEPAL:N	
2020	0147 1963 08	8	SCREW	(13/06/2013 - ...) SEPAL:N	
3010	1635 0254 04	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA200VSDA2	
3010	1635 0254 05	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA250VSDA2	
3010	1635 0254 06	1	DECAL UNIT	(19/02/2014 - 31/12/2020) MODEL:GA315VSDA2	
4010	1623 1779 00	4	PROFILE	(13/06/2013 - 31/12/2020) APADS:Y	
4020	0226 9929 20	4	BOLT WEDGE	(13/06/2013 - 31/12/2020) APADS:Y	
4030	0147 1403 03	8	HEX. HEAD SCREW M12 X 40	(13/06/2013 - 31/12/2020) APADS:Y	
4040	0301 2358 00	16	PLAIN WASHER(A) 13 X 24 X 2.5	(13/06/2013 - 31/12/2020) APADS:Y	
4050	0266 2112 00	8	HEXAGON NUT M12	(13/06/2013 - 31/12/2020) APADS:Y	

Remarks:


1) Foam: 0395 6001 69 (AR) 50 x 2040 x 1650 (self-adhesive) 2) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive)

Legend:

APADS:Y - Anchor pads:Yes
MODEL:GA250VSDA2 - Model:GA 250 VSD

COOL:WATER - Cooling:Water cooled
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD
SEPAL:N - Separate air intake:N



2256 0800 93-2256 0831 93_02

64 - Frame Assembly - Aircooled pack / Watercooled

COOL:AIR + IDRY:PACK , COOL:WATER

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1623 9406 80	1	FRAME	(12/03/2013 - 31/12/2020)
1020	0697 9810 38	1	END PLUG	(12/03/2013 - 31/12/2020)
1030	0697 9809 06	1	LOCK NUT	(12/03/2013 - 31/12/2020)
1040	1619 2861 01	1	CLAMP	(12/12/2013 - 31/12/2020)
1050	0266 2110 00	1	HEXAGON NUT M8	(12/12/2013 - 31/12/2020)
1060	0147 1322 03	1	HEX. HEAD SCREW M8 X 16	(12/12/2013 - 31/12/2020)
2010	0653 0500 81	1	SEAL	(04/03/2015 - 31/12/2020)
2020	0686 9250 31	1	PLUG	(04/03/2015 - 31/12/2020)
2030	0263 3104 14	1	NUT	(04/03/2015 - 31/12/2020)
2040	0686 5103 01	1	PLUG	(04/03/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

COOL:WATER - Cooling:Water cooled

IDRY:PACK - Integrated dryer:Pack



2256 0800 94-2256 0831 93_02

65 - Frame Assembly - Aircooled full feature

COOL:AIR + IDRY:FF


Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1623 9949 80	1	FRAME	(06/05/2013 - 31/12/2020)
1020	0697 9810 38	1	END PLUG	(06/05/2013 - 31/12/2020)
1030	0697 9809 06	1	LOCK NUT	(06/05/2013 - 31/12/2020)
1040	1619 2861 01	1	CLAMP	(12/12/2013 - 31/12/2020)
1050	0266 2110 00	1	HEXAGON NUT M8	(12/12/2013 - 31/12/2020)
1060	0147 1322 03	1	HEX. HEAD SCREW M8 X 16	(12/12/2013 - 31/12/2020)
2010	0653 0500 81	1	SEAL	(04/03/2015 - 31/12/2020)
2020	0686 9250 31	1	PLUG	(04/03/2015 - 31/12/2020)
2030	0263 3104 14	1	NUT	(04/03/2015 - 31/12/2020)
2040	0686 5103 01	1	PLUG	(04/03/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

IDRY:FF - Integrated dryer:Full feature



66.1 - Air Dryer - Supports - Air Cooled

COOL:AIR + IDRY:FF

Atlas Copco


Ref	Part Number	Qty	Name	Validity	R.
1100	1617 8934 00	2	BEAM	(12/03/2014 - 31/12/2020)	
1102	1617 8935 00	2	BEAM	(12/03/2014 - 31/12/2020)	
1104	1619 2766 00	8	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)	
1200	1617 8936 00	4	BEAM	(12/03/2014 - 31/12/2020)	
1202	1619 2766 00	12	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)	
1204	0147 1963 08	4	SCREW	(14/09/2015 - 31/12/2020)	
1204	1079 1472 05	4	SCREW	(12/03/2014 - 13/09/2015)	
1220	1617 8699 00	2	SUPPORT	(12/03/2014 - 31/12/2020)	
1222	0129 3121 00	8	RIVET	(12/03/2014 - 31/12/2020)	
1240	1617 9499 00	1	SUPPORT	(12/03/2014 - 31/12/2020)	
1242	0129 3121 00	2	RIVET	(12/03/2014 - 31/12/2020)	
1260	1617 8687 00	1	PLATE	(12/03/2014 - 31/12/2020)	
1262	0147 1963 08	5	SCREW	(14/09/2015 - 31/12/2020)	
1262	1079 1472 05	5	SCREW	(12/03/2014 - 13/09/2015)	
1280	1617 8688 00	1	PLATE	(12/03/2014 - 31/12/2020)	
1282	0147 1963 08	4	SCREW	(14/09/2015 - 31/12/2020)	
1282	1079 1472 05	4	SCREW	(12/03/2014 - 13/09/2015)	
1300	1617 8717 80	1	PLATE	(12/03/2014 - 18/09/2014)	
	•	1	INSULATION SILENCING		1)
1300	1627 6693 80	1	PLATE COVER	(19/09/2014 - 31/12/2020)	
	•	1	INSULATION SILENCING		1)
1302	0147 1963 08	2	SCREW	(14/09/2015 - 31/12/2020)	
1302	1079 1472 05	2	SCREW	(19/09/2014 - 13/09/2015)	
1304	1088 0803 08	1	GROMMET	(12/03/2014 - 31/12/2020)	
1310	1627 6695 80	1	PLATE COVER	(19/09/2014 - 31/12/2020)	
	• 1627 6696 00	1	INSULATION SILENCING		1)
1312	1079 1472 05	11	SCREW	(19/09/2014 - 13/09/2015)	
1312	0147 1963 08	11	SCREW	(14/09/2015 - 31/12/2020)	
1320	1627 7183 00	1	PLATE	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1322	1079 1472 05	4	SCREW	(12/03/2014 - 13/09/2015) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1322	0147 1963 08	4	SCREW	(14/09/2015 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1340	1627 7183 00	1	PLATE	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2	
1340	1627 7639 00	1	PLATE	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1342	1079 1472 05	2	SCREW	(12/03/2014 - 13/09/2015) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1342	1079 1472 05	5	SCREW	(12/03/2014 - 13/09/2015) MODEL:GA200VSDA2	
1342	0147 1963 08	2	SCREW	(14/09/2015 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1342	0147 1963 08	5	SCREW	(14/09/2015 - 31/12/2020) MODEL:GA200VSDA2	
1350	1627 7180 00	1	PLATE	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2	
1352	1079 1472 05	4	SCREW	(12/03/2014 - 13/09/2015) MODEL:GA200VSDA2	
1352	0147 1963 08	4	SCREW	(14/09/2015 - 31/12/2020) MODEL:GA200VSDA2	
1400	1627 7068 00	1	CONDENSER AIR COOLED	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2	
1400	1617 8683 00	1	CONDENSER AIR COOLED	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2	
1450	1617 3572 00	1	SEPARATOR	(12/03/2014 - 31/12/2020)	
1452	1619 2766 00	3	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)	
1500	1617 8818 00	1	DATAPLATE	(12/03/2014 - 31/12/2020)	
1502	0129 3103 00	4	BLIND RIVET 2.4 X 5.1	(12/03/2014 - 31/12/2020)	

Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive)

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA250VSDA2 - Model:GA 250 VSDIDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD



66.1 - Air Dryer - Supports - Air Cooled

COOL:AIR + IDRY:FF


Ref	Part Number	Qty	Name	Validity	R.
1504	1627 1828 00	1	DECAL WARNING	(28/02/2015 - 31/12/2020)	
1600	0346 1000 58	2	CLAMP PIPE	(12/03/2014 - 31/12/2020)	
1602	0147 1330 12	2	HEX. HEAD SCREW M8 X 50	(12/03/2014 - 31/12/2020)	
1604	0301 2335 00	4	PLAIN WASHER(A) 8.4 X 16 X 1.6	(12/03/2014 - 31/12/2020)	
1606	0266 2110 00	2	HEXAGON NUT M8	(12/03/2014 - 31/12/2020)	
1650	0346 1000 42	1	PIPE CLAMP FD1000/ ID860	(12/03/2014 - 31/12/2020)	
1652	0147 1322 03	1	HEX. HEAD SCREW M8 X 16	(12/03/2014 - 31/12/2020)	
1654	0300 0274 74	1	PLAIN WASHER(A) 8.4 X 16 X 1.5	(12/03/2014 - 31/12/2020)	
1700	0147 1211 03	2	SCREW	(12/03/2014 - 31/12/2020)	MODEL:GA200VSDA2
1700	0147 1169 03	2	HEXAGON BOLT	(12/03/2014 - 31/12/2020)	MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1702	0266 2107 00	2	HEXAGON NUT M5	(12/03/2014 - 31/12/2020)	MODEL:GA200VSDA2
1702	0301 2315 00	2	PLAIN WASHER(A) 4.3 X 9 X 0.8	(12/03/2014 - 31/12/2020)	MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1704	0333 3215 00	2	LOCK WASHER	(12/03/2014 - 31/12/2020)	MODEL:GA200VSDA2
1704	0333 3214 00	2	LOCK WASHER	(12/03/2014 - 31/12/2020)	MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1750	1619 2758 00	AR	SEAL GASKET	(12/03/2014 - 31/12/2020)	
1800	0147 1169 03	1	HEXAGON BOLT	(12/03/2014 - 31/12/2020)	MODEL:GA200VSDA2
1800	0147 1169 03	2	HEXAGON BOLT	(12/03/2014 - 31/12/2020)	MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1802	0301 2315 00	2	PLAIN WASHER(A) 4.3 X 9 X 0.8	(12/03/2014 - 31/12/2020)	
1804	0333 3214 00	2	LOCK WASHER	(12/03/2014 - 31/12/2020)	

Remarks:

1) Foam: 0395 6001 67 (AR) 30 x 2040 x 1650 (self-adhesive)

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA250VSDA2 - Model:GA 250 VSDIDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD



1609 0008 39-44_02

66.2 - Air Dryer - Supports - Water Cooled Full Feature

COOL:WATER + IDRY:FF

Atlas Copco


Ref	Part Number	Qty	Name	Validity
1010	1627 7090 00	1	FRAME	(12/03/2014 - 31/12/2020)
1100	1617 1131 02	1	CONDENSOR	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
	• 2906 0880 00	1	CONDENSER KIT	
1100	1617 1131 03	1	CONDENSER WATER COOLED	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
	• 2230 0118 00	1	CONDENSER KIT	
1102	1619 2766 00	4	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1200	1617 3245 00	1	VALVE	(12/03/2014 - 31/12/2020)
1202	1617 4131 00	1	FLANGE	(12/03/2014 - 31/12/2020)
1204	1613 1330 07	1	GASKET	(12/03/2014 - 31/12/2020)
	⚙ Substituted by:	0650 1001 18	- GASKET TYPE 1 61 X 107 X 2 (quantity: 1)	
1206	1627 7108 00	1	SUPPORT	(12/03/2014 - 31/12/2020)
1208	1619 2766 00	2	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1210	0147 1481 17	4	BOLT	(12/03/2014 - 31/12/2020)
1212	0261 2114 00	4	NUT	(12/03/2014 - 31/12/2020)
1214	0300 0274 53	8	WASHER	(12/03/2014 - 31/12/2020)
1300	1617 3572 00	1	SEPARATOR	(12/03/2014 - 31/12/2020)
1302	1619 2766 00	3	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1400	1627 7568 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1400	1627 7120 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1402	1619 2766 00	2	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1500	1627 7091 00	1	SUPPORT	(12/03/2014 - 31/12/2020)
1502	1619 2766 00	2	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1504	1627 7096 00	1	SUPPORT	(12/03/2014 - 31/12/2020)
1506	1619 2766 00	2	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1508	1617 4864 00	1	PLATE	(12/03/2014 - 31/12/2020)
1510	0147 1326 03	4	HEX. HEAD SCREW M8 X 30	(12/03/2014 - 31/12/2020)
1512	0300 0274 74	8	PLAIN WASHER(A) 8.4 X 16 X 1.5	(12/03/2014 - 31/12/2020)
1514	0266 2110 00	4	HEXAGON NUT M8	(12/03/2014 - 31/12/2020)
1600	0346 1000 42	1	PIPE CLAMP FD1000/ ID860	(12/03/2014 - 31/12/2020)
1602	0147 1322 03	1	HEX. HEAD SCREW M8 X 16	(12/03/2014 - 31/12/2020)
1604	0300 0274 74	1	PLAIN WASHER(A) 8.4 X 16 X 1.5	(12/03/2014 - 31/12/2020)
1654	1627 1828 00	1	DECAL WARNING	(28/02/2015 - 31/12/2020)
1700	1088 0801 42	1	GROMMET	(12/03/2014 - 31/12/2020)
1800	0147 1169 03	2	HEXAGON BOLT	(12/03/2014 - 31/12/2020)
1802	0301 2315 00	2	PLAIN WASHER(A) 4.3 X 9 X 0.8	(12/03/2014 - 31/12/2020)
1804	0333 3214 00	2	LOCK WASHER	(12/03/2014 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled
MODEL:GA250VSDA2 - Model:GA 250 VSD

IDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD



1609 0007 69-70-1609 0010 64-65_01

66.3 - Air Dryer - Heat Exchanger - Air Cooled

COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1102	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(12/03/2014 - 31/12/2020)
1104	0300 0274 17	2	WASHER	(12/03/2014 - 31/12/2020)
1106	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(12/03/2014 - 31/12/2020)
1107	0300 0274 17	2	WASHER	(12/03/2014 - 31/12/2020)
1108	0300 0276 76	2	WASHER	(12/03/2014 - 31/12/2020)
1200	1617 5370 00	1	PLATE	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1200	1627 7148 00	1	PLATE	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1202	1619 2766 00	4	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1300	0605 8350 93	1	FITTING	(12/03/2014 - 31/12/2020)
1302	0852 0010 45	1	BALL VALVE 1/4	(12/03/2014 - 31/12/2020)
1304	0686 3204 00	1	PLUG	(12/03/2014 - 31/12/2020)
1500	1617 2008 00	2	RING FD300/1600 ID340/770	(12/03/2014 - 31/12/2020)
	1609 0006 67	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + MAPPR:CE
	1609 0006 66			(12/03/2014 - 31/12/2020) MAPPR:CE + MODEL:GA200VSDA2
	1609 0010 76			(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + MODEL:GA200VSDA2
	1609 0006 71			(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2)
2010 •	1617 4787 00	1	HEAT EXCHANGER REFRIGERANT/AIR	(12/03/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + MAPPR:CE
2010 •	1617 4350 00	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) MAPPR:CE + MODEL:GA200VSDA2
2010 •	1627 7995 00	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + MODEL:GA200VSDA2
2010 •	1617 8728 00	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2)
2020 •	1617 5689 00	1	INSULATION	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
2020 •	1617 4598 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
2030 •	1617 5700 00	1	INSULATION	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
2030 •	1617 4599 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2

Legend:

COOL:AIR - Cooling:Air cooled

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)

MAPPR:ML - Pressure Vessel Approval:ML

MODEL:GA200VSDA2 - Model:GA 200 VSD

IDRY:FF - Integrated dryer:Full feature

MAPPR:CE - Pressure Vessel Approval:CE

MAPPR:MOL - Pressure Vessel Approval:Japan


MODEL:GA250VSDA2 - Model:GA 250 VSD

MAPPR:AS1210 - Pressure Vessel Approval:AS1210

MAPPR:CRN - Pressure Vessel Approval:CRN

MAPPR:MOM - Pressure Vessel Approval:MOM

MODEL:GA315VSDA2 - Model:GA 315 VSD



1609 0007 71-1609 0010 66-67_01

66.4 - Air Dryer - Heat Exchanger - Water cooled

COOL:WATER + IDRY:FF

Ref	Part Number	Qty	Name	Validity
1102	0147 1362 03	1	HEX. HEAD SCREW M10 X 25	(12/03/2014 - 31/12/2020)
1104	0300 0274 17	1	WASHER	(12/03/2014 - 31/12/2020)
1106	0147 1362 03	2	HEX. HEAD SCREW M10 X 25	(12/03/2014 - 31/12/2020)
1107	0300 0274 17	2	WASHER	(12/03/2014 - 31/12/2020)
1108	0300 0276 76	2	WASHER	(12/03/2014 - 31/12/2020)
1200	1627 7567 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1200	1627 7119 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1202	1619 2766 00	4	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1300	0605 8350 93	1	FITTING	(12/03/2014 - 31/12/2020)
1302	0852 0010 45	1	BALL VALVE 1/4	(12/03/2014 - 31/12/2020)
1304	0686 3204 00	1	PLUG	(12/03/2014 - 31/12/2020)
1500	1617 2008 00	2	RING FD300/1600 ID340/770	(12/03/2014 - 31/12/2020)
	1609 0006 66	1	HEAT EXCH	(12/03/2014 - 31/12/2020) MAPPR:CE + MODEL:GA200VSDA2
	1609 0006 67			(12/03/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + MAPPR:CE
	1609 0010 76			(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + MODEL:GA200VSDA2
	1609 0006 71			(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2)
2010 •	1617 4350 00	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) MAPPR:CE + MODEL:GA200VSDA2
2010 •	1617 4787 00	1	HEAT EXCHANGER REFRIGERANT/AIR	(12/03/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + MAPPR:CE
2010 •	1627 7995 00	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + MODEL:GA200VSDA2
2010 •	1617 8728 00	1	HEAT EXCHANGER	(12/03/2014 - 31/12/2020) (MAPPR:AS1210 , MAPPR:ASME , MAPPR:CRN , MAPPR:ML , MAPPR:MOL , MAPPR:MOM) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2)
2020 •	1617 4598 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
2020 •	1617 5689 00	1	INSULATION	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
2030 •	1617 4599 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
2030 •	1617 5700 00	1	INSULATION	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2

Legend:

COOL:WATER - Cooling:Water cooled

MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)

MAPPR:ML - Pressure Vessel Approval:ML

MODEL:GA200VSDA2 - Model:GA 200 VSD

IDRY:FF - Integrated dryer:Full feature

MAPPR:CE - Pressure Vessel Approval:CE

MAPPR:MOL - Pressure Vessel Approval:Japan

MODEL:GA250VSDA2 - Model:GA 250 VSD

MAPPR:AS1210 - Pressure Vessel Approval:AS1210


MAPPR:CRN - Pressure Vessel Approval:CRN

MAPPR:MOM - Pressure Vessel Approval:MOM

MODEL:GA315VSDA2 - Model:GA 315 VSD

66.5 - Air Dryer - Fans - Air Cooled

((((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ ,
 (MOVOL:380V-3PH , MOVOL:440V-3PH) + FREQ:60HZ) + EAPPR:IEC , (MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + FREQ:60HZ) +
 COOL:AIR + IDRY:FF



1609 0004 35-37-38-49-53-55-56-59_02

66.5 - Air Dryer - Fans - Air Cooled

((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ ,
(MOVOL:380V-3PH , MOVOL:440V-3PH) + FREQ:60HZ) + EAPPR:IEC , (MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + FREQ:60HZ) +
COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1617 4573 80	1	FAN	(12/03/2014 - 31/12/2020) ((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:380V-3PH) + EAPPR:IEC + MODEL:GA200VSDA2
1010	1617 4233 80	1	FAN	(12/03/2014 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ
1010	1617 4574 80	1	FAN	(12/03/2014 - 31/12/2020) (MOVOL:500V-3PH , MOVOL:525V-3PH) + EAPPR:IEC + FREQ:50HZ + MODEL:GA200VSDA2
1010	1617 4576 80	1	FAN	(12/03/2014 - 31/12/2020) (EAPPR:CSA-UL + MOVOL:460V-3PH , EAPPR:IEC + MOVOL:440V-3PH) + FREQ:60HZ + MODEL:GA200VSDA2
1010	1617 4568 80	1	FAN	(12/03/2014 - 31/12/2020) ((MOVOL:380V-3PH , MOVOL:440V-3PH) + EAPPR:IEC , (MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL) + (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + FREQ:60HZ
1010	1627 6575 80	1	FAN	(12/03/2014 - 31/12/2020) EAPPR:CSA-UL + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:575V-3PH
1020	0147 1325 03	4	HEX. HEAD SCREW M8X25	(12/03/2014 - 31/12/2020)
1030	0300 0274 34	4	WASHER	(12/03/2014 - 31/12/2020)
1040	1088 1001 01	1	WARNING MARK FD280-1600 & ID'S	(12/03/2014 - 31/12/2020)
1050	0698 5141 62	1	CABLE GLAND	(05/12/2014 - 31/12/2020) (((MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:500V-3PH , MOVOL:525V-3PH) , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , (MOVOL:380V-3PH , MOVOL:440V-3PH) + FREQ:60HZ) + EAPPR:IEC , (MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + FREQ:60HZ

Legend:

COOL:AIR - Cooling:Air cooled

FREQ:50HZ - Frequency:50 Hz

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:460V-3PH - Supply voltage:460V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

EAPPR:CSA-UL - Electrical approval:CSA-UL

FREQ:60HZ - Frequency:60 Hz

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:400V-3PH - Supply voltage:400V

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

EAPPR:IEC - Electrical approval:IEC


IDRY:FF - Integrated dryer:Full feature

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)



2256 0839 951-609 0008 37-1609 0008 41-42-1609 0009 39-41_02

66.6 - Air Dryer - Mechanical components - Water Cooled


COOL:WATER + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1617 8591 00	1	COMPRESSOR	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1010	1617 8592 00	1	COMPRESSOR	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1012	1617 4586 00	4	SPACER	(12/03/2014 - 31/12/2020)
1014	0300 8019 00	4	WASHER	(12/03/2014 - 31/12/2020)
1016	0147 1331 03	4	BOLT	(12/03/2014 - 31/12/2020)
1018	0147 1170 03	1	BOLT	(12/03/2014 - 31/12/2020)
1020	0333 3214 00	1	LOCK WASHER	(12/03/2014 - 31/12/2020)
1100	1627 6453 00	1	WIRING POWER	(12/03/2014 - 31/12/2020)
1102	1627 7996 00	2	RING CLAMPING	(12/03/2014 - 31/12/2020)
2020	0634 1001 70	1	NIPPLE	(12/03/2014 - 31/12/2020)
2030	1617 4682 00	5	VALVE CORE	(12/03/2014 - 31/12/2020)
3010	1627 7632 80	1	PIPE	(12/03/2014 - 31/12/2020)
3020	1617 9513 80	1	PIPE	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
3020	1627 7553 80	1	PIPE	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
3030	1627 7630 80	1	PIPE	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
3030	1627 7636 80	1	PIPE	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
3040	1627 7631 80	1	PIPE	(12/03/2014 - 31/12/2020)
3050	1627 7089 00	1	PIPE	(12/03/2014 - 31/12/2020)
3100	1627 7118 80	1	PIPE	(12/03/2014 - 31/12/2020)
4020	0395 1010 05	AR	INSUL. TAPE	(12/03/2014 - 31/12/2020)
4100	1627 7558 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4150	1627 7653 00	2	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4200	1627 7672 00	1	INSULATION	(12/03/2014 - 31/12/2020)
4202	1627 7557 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4204	1627 7231 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4206	1627 7559 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4208	1617 2235 80	1	INSULATION ASSY	(12/03/2014 - 31/12/2020)
4300	1617 2759 80	1	INSULATION ASSY	(12/03/2014 - 31/12/2020)
4400	1627 7647 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
5010	0147 1362 03	4	HEX. HEAD SCREW M10 X 25	(04/03/2015 - 31/12/2020)
5020	1617 4989 00	1	CONVERTER	(04/03/2015 - 31/12/2020)
5030	0147 1205 03	4	BOLT	(04/03/2015 - 31/12/2020)

Legend:COOL:WATER - Cooling:Water cooled
MODEL:GA250VSDA2 - Model:GA 250 VSDIDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD



2256 0839 96-1609 0008 29-35- 1609 0009 47_02

66.7 - Air Dryer - Mechanical components - Air Cooled GA200 VSD

COOL:AIR + IDRY:FF + MODEL:GA200VSDA2



Ref	Part Number	Qty	Name	Validity
1010	1617 8592 00	1	COMPRESSOR	(12/03/2014 - 31/12/2020)
1012	1617 4586 00	4	SPACER	(12/03/2014 - 31/12/2020)
1014	0300 8019 00	4	WASHER	(12/03/2014 - 31/12/2020)
1016	0147 1331 03	4	BOLT	(12/03/2014 - 31/12/2020)
1018	0147 1170 03	1	BOLT	(12/03/2014 - 31/12/2020)
1020	0333 3214 00	1	LOCK WASHER	(12/03/2014 - 31/12/2020)
1100	1627 7667 00	1	WIRING	(12/03/2014 - 31/12/2020)
1102	1627 7996 00	2	RING CLAMPING	(12/03/2014 - 31/12/2020)
2030	1617 4682 00	5	VALVE CORE	(12/03/2014 - 31/12/2020)
3010	1627 7105 80	1	PIPE	(12/03/2014 - 31/12/2020)
3020	1627 7066 00	1	PIPE	(12/03/2014 - 31/12/2020)
3030	1627 7065 80	1	PIPE	(12/03/2014 - 31/12/2020)
3040	1627 7139 80	1	PIPE	(12/03/2014 - 31/12/2020)
3050	1627 7104 80	1	PIPE	(12/03/2014 - 31/12/2020)
3060	1627 7097 80	1	PIPE	(12/03/2014 - 31/12/2020)
3070	1617 8803 00	1	PIPE	(12/03/2014 - 31/12/2020)
4100	1627 7241 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4200	1627 7653 00	2	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4250	1627 7242 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4252	1627 7233 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4254	1627 7231 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4256	1627 7230 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4258	1617 2235 80	1	INSULATION ASSY	(12/03/2014 - 31/12/2020)
4260	1617 4593 00	2	INSULATION	(12/03/2014 - 31/12/2020)
4300	1617 2759 80	1	INSULATION ASSY	(12/03/2014 - 31/12/2020)
4350	1627 7247 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4500	1627 7246 00	2	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
5010	1619 5337 01	8	BOLT	(04/03/2015 - 31/12/2020)
5020	1617 4989 00	1	CONVERTER	(04/03/2015 - 31/12/2020)
5030	0147 1205 03	4	BOLT	(04/03/2015 - 31/12/2020)


Legend:

COOL:AIR - Cooling:Air cooled

IDRY:FF - Integrated dryer:Full feature

MODEL:GA200VSDA2 - Model:GA 200 VSD

66.8 - Air Dryer - Mechanical components - Air Cooled GA250/315 VSD (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:FF



2256 0839 97-98-1609 0007 27-84-1609 0008-36-40_03

66.8 - Air Dryer - Mechanical components - Air Cooled GA250/315 VSD

(MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + COOL:AIR + IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1627 7093 00	1	COMPRESSOR REFRIGERANT	(12/03/2014 - 31/12/2020) (((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , (MOVOL:380V-3PH , MOVOL:440V-3PH) + FREQ:60HZ) + EAPPR:IEC , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:460V-3PH)
1010	1627 6606 00	1	COMPRESSOR REFRIGERANT	(12/03/2014 - 31/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH)
1020	1627 7252 00	1	WIRING	(12/03/2014 - 31/12/2020) (((MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , (MOVOL:380V-3PH , MOVOL:440V-3PH) + FREQ:60HZ) + EAPPR:IEC , (MOVOL:460V-3PH , MOVOL:575V-3PH) + EAPPR:CSA-UL + FREQ:60HZ)
2030	1617 4682 00	5	VALVE CORE	(12/03/2014 - 31/12/2020)
3010	1627 7985 80	1	PIPE	(12/03/2014 - 31/12/2020)
3020	1627 7986 00	1	PIPE	(12/03/2014 - 31/12/2020)
3030	1617 8698 80	1	PIPE	(12/03/2014 - 31/12/2020)
3040	1627 7098 80	1	PIPE	(12/03/2014 - 31/12/2020)
3050	1627 7083 80	1	PIPE	(12/03/2014 - 31/12/2020)
3060	1627 7984 80	1	PIPE	(12/03/2014 - 31/12/2020)
3070	1617 8803 00	1	PIPE	(12/03/2014 - 31/12/2020)
4100	1627 7228 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4200	1627 7653 00	2	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4250	1627 7234 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4252	1627 7233 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4254	1627 7231 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4256	1627 7230 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4258	1617 2235 80	1	INSULATION ASSY	(12/03/2014 - 31/12/2020)
4260	1617 4593 00	2	INSULATION	(12/03/2014 - 31/12/2020)
4300	1617 2759 80	1	INSULATION ASSY	(12/03/2014 - 31/12/2020)
4350	1627 7244 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4400	1627 7095 00	1	INSULATION THERMAL	(12/03/2014 - 30/10/2015)
4400	1629 0720 00	1	INSULATION THERMAL	(31/10/2015 - 31/12/2020)
4402	1627 7571 00	1	INSULATION THERMAL	(12/03/2014 - 30/10/2015)
4402	1629 0717 00	1	INSULATION THERMAL	(31/10/2015 - 31/12/2020)
4450	1627 7240 00	1	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
4500	1627 7246 00	2	INSULATION THERMAL	(12/03/2014 - 31/12/2020)
5010	1619 5337 01	8	BOLT	(04/03/2015 - 31/12/2020)
5020	1627 6604 00	1	CONVERTER	(04/03/2015 - 31/12/2020) (MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH , MOVOL:500V-3PH , MOVOL:690V-3PH)
5020	1627 6605 00	1	CONVERTER	(04/03/2015 - 31/12/2020) (MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH)
5030	0147 1246 03	4	BOLT	(04/03/2015 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

FREQ:50HZ - Frequency:50 Hz

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:400V-3PH - Supply voltage:400V

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

EAPPR:CSA-UL - Electrical approval:CSA-UL

FREQ:60HZ - Frequency:60 Hz

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)


EAPPR:IEC - Electrical approval:IEC

IDRY:FF - Integrated dryer:Full feature

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:460V-3PH - Supply voltage:460V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)



1609 0007 85-1609 0010 04_02

66.9 - Air Dryer - Drain System - Air Cooled


COOL:AIR + IDRY:FF



Ref	Part Number	Qty	Name	Validity
1005	0607 2900 08	1	REDUCING SOCKET	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1010	0560 0200 75	1	FITTING	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1010	0560 0200 88	1	ELBOW	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1020	0581 1200 45	1	ELBOW COUPL	(12/03/2014 - 31/12/2020)
1030	1627 7843 00	1	TUBE	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1030	1627 7844 00	1	TUBE	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1040	0580 2501 42	1	FITTING	(12/03/2014 - 04/01/2015)
1040	0580 2501 74	1	FITTING PIPE	(05/01/2015 - 31/12/2020)
1050	0661 1000 29	1	WASHER	(12/03/2014 - 31/12/2020)
1060	1627 7933 00	1	DRAIN AUTOMATIC	(12/03/2014 - 31/12/2020)
	• 2901 0633 20	1	SET OF WEARING PARTS	
1062	0301 2344 00	4	WASHER PLAIN	(12/03/2014 - 31/12/2020)
1064	0266 2111 00	2	NUT HEXAGON	(12/03/2014 - 31/12/2020)
1066	1627 7945 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1066	1627 7944 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1068	1619 2766 00	2	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1080	0581 0001 60	1	FITTING	(12/03/2014 - 31/12/2020)
1090	0070 6002 06	AR	PLASTIC TUBE	(12/03/2014 - 31/12/2020)

Legend:COOL:AIR - Cooling:Air cooled
MODEL:GA250VSDA2 - Model:GA 250 VSDIDRY:FF - Integrated dryer:Full feature
MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD



1609 0010 05-06_02

66.10 - Air Dryer - Drain System - Water Cooled

COOL:WATER + IDRY:FF




Ref	Part Number	Qty	Name	Validity
1010	0560 0200 75	1	FITTING	(12/03/2014 - 31/12/2020)
1020	0581 1200 45	1	ELBOW COUPL	(12/03/2014 - 31/12/2020)
1030	1627 7735 00	1	TUBE	(12/03/2014 - 31/12/2020)
1040	0580 2501 42	1	FITTING	(12/03/2014 - 04/01/2015)
1040	0580 2501 74	1	FITTING PIPE	(05/01/2015 - 31/12/2020)
1050	0661 1000 29	1	WASHER	(12/03/2014 - 31/12/2020)
1060	1627 7933 00	1	DRAIN AUTOMATIC	(12/03/2014 - 31/12/2020)
	• 2901 0633 20	1	SET OF WEARING PARTS	
1062	0301 2344 00	4	WASHER PLAIN	(12/03/2014 - 31/12/2020)
1064	0266 2111 00	2	NUT HEXAGON	(12/03/2014 - 31/12/2020)
1066	1627 7634 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA200VSDA2
1066	1627 7920 00	1	SUPPORT	(12/03/2014 - 31/12/2020) MODEL:GA250VSDA2 , MODEL:GA315VSDA2
1068	1619 2766 00	2	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020)
1080	0581 0001 60	1	FITTING	(12/03/2014 - 31/12/2020)
1090	0070 6002 06	AR	PLASTIC TUBE	(12/03/2014 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled
 MODEL:GA250VSDA2 - Model:GA 250 VSD

IDRY:FF - Integrated dryer:Full feature
 MODEL:GA315VSDA2 - Model:GA 315 VSD

MODEL:GA200VSDA2 - Model:GA 200 VSD



1609 0010 07_01

66.11 - Air Dryer - Regulation - Air cooled

COOL:AIR + IDRY:FF


Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1089 0574 14	1	SENSOR TEMP.	(12/03/2014 - 31/12/2020)
1020	1089 9139 17	1	SWITCH PRESS	(12/03/2014 - 31/12/2020)
1030	1089 0717 02	1	SENSOR PRESS	(12/03/2014 - 31/12/2020)
1040	1089 9625 09	1	SENSOR PRESS	(12/03/2014 - 31/12/2020)
1050	1627 7477 00	1	COIL	(12/03/2014 - 31/12/2020)
1052	1627 7579 80	1	COIL	(12/03/2014 - 31/12/2020)
1100	1627 7864 00	1	WIRING	(12/03/2014 - 31/12/2020)
1102	0348 0102 12	15	CABLE TIE	(12/03/2014 - 31/12/2020)
1104	1088 1305 02	13	PUSH MOUNT	(12/03/2014 - 31/12/2020)
1106	0348 0101 24	18	TIE	(12/03/2014 - 31/12/2020)
1200	1088 1001 01	3	WARNING MARK FD280-1600 & ID'S	(12/03/2014 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

IDRY:FF - Integrated dryer:Full feature



1609 0010 08_01

66.12 - Air Dryer - Regulation - Water cooled

COOL:WATER + IDRY:FF



Ref	Part Number	Qty	Name	Validity
1010	1089 0574 14	1	SENSOR TEMP.	(12/03/2014 - 31/12/2020)
1020	1089 9139 18	1	SWITCH PRESS	(12/03/2014 - 31/12/2020)
1030	1089 0717 02	1	SENSOR PRESS	(12/03/2014 - 31/12/2020)
1040	1089 9625 09	1	SENSOR PRESS	(12/03/2014 - 31/12/2020)
1050	1627 7477 00	1	COIL	(12/03/2014 - 31/12/2020)
1052	1627 7579 80	1	COIL	(12/03/2014 - 31/12/2020)
1100	1627 6454 00	1	WIRING SENSOR	(12/03/2014 - 31/12/2020)
1102	1088 1305 02	1	PUSH MOUNT	(12/03/2014 - 31/12/2020)
1104	0348 0102 12	11	CABLE TIE	(12/03/2014 - 31/12/2020)
1106	0348 0101 24	16	CABLE TIE	(12/03/2014 - 31/12/2020)
1150	1617 2618 00	1	CAPILLAR CONN.	(12/03/2014 - 31/12/2020)
1200	1088 1001 01	3	WARNING MARK FD280-1600 & ID'S	(12/03/2014 - 31/12/2020)


Legend:

COOL:WATER - Cooling:Water cooled

IDRY:FF - Integrated dryer:Full feature

66.13 - Air Dryer - Transformer Set - Air cooled

((((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:575V-3PH) + COOL:AIR + IDRY:FF



1609 0011 08-09-10-11_02

66.13 - Air Dryer - Transformer Set - Air cooled

((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:575V-3PH) + COOL:AIR + IDRY:FF



Ref	Part Number	Qty	Name	Validity
1100	1089 9425 24	1	TRANSFORMER	(12/03/2014 - 31/12/2020) (MOVOL:500V-3PH , MOVOL:525V-3PH) + EAPPR:IEC + FREQ:50HZ + MODEL:GA200VSDA2
1100	1089 9425 30	1	TRANSFORMER	(12/03/2014 - 31/12/2020) EAPPR:IEC + FREQ:50HZ + MOVOL:690V-3PH
1100	1089 9425 26	1	TRANSFORMER	(12/03/2014 - 30/12/2020) EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH (31/12/2020 - 31/12/2020) EAPPR:CSA-UL + FREQ:60HZ + MODEL:GA200VSDA2 + MOVOL:575V-3PH
1100	1089 9426 05	1	TRANSFORMER	(12/03/2014 - 31/12/2020) ((MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + MOVOL:500V-3PH , MODEL:GA200VSDA2 + MOVOL:550V-3PH) + EAPPR:IEC + FREQ:50HZ
1110	1079 1472 05	4	SCREW	(12/03/2014 - 13/09/2015) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH
1110	0147 1963 08	4	SCREW	(14/09/2015 - 30/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH (31/12/2020 - 31/12/2020)
1200	1627 6468 00	1	WIRING	(12/03/2014 - 30/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH (31/12/2020 - 31/12/2020)
1300	1627 6420 00	2	SUPPORT	(12/03/2014 - 30/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH (31/12/2020 - 31/12/2020)
1310	1619 2766 00	4	SCR.BOLT M8X20	(12/03/2014 - 30/12/2020) ((MOVOL:525V-3PH , MOVOL:550V-3PH) + MODEL:GA200VSDA2 , MOVOL:500V-3PH , MOVOL:690V-3PH) + EAPPR:IEC + FREQ:50HZ , EAPPR:CSA-UL + FREQ:60HZ + MOVOL:575V-3PH (31/12/2020 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

FREQ:50HZ - Frequency:50 Hz

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

EAPPR:CSA-UL - Electrical approval:CSA-UL

FREQ:60HZ - Frequency:60 Hz

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

EAPPR:IEC - Electrical approval:IEC


IDRY:FF - Integrated dryer:Full feature

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

66.14 - Air Dryer - Transformer Set - Water cooled (12/03/2014 - 19/03/2015)

((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:575V-3PH) + COOL:WATER + EAPPR:IEC + IDRY:FF



1609 0011 12-13-14_01

66.14 - Air Dryer - Transformer Set - Water cooled (12/03/2014 - 19/03/2015)

((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:575V-3PH) + COOL:WATER + EAPPR:IEC + IDRY:FF



Ref	Part Number	Qty	Name	Validity
1100	1089 9425 24	1	TRANSFORMER	(12/03/2014 - 31/12/2020) (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + FREQ:50HZ
1100	1089 9425 30	1	TRANSFORMER	(12/03/2014 - 31/12/2020) FREQ:50HZ + MOVOL:690V-3PH
1100	1089 9425 26	1	TRANSFORMER	(12/03/2014 - 31/12/2020) FREQ:60HZ + MOVOL:575V-3PH
1110	1619 2766 00	4	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020) ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:575V-3PH)
1110	0147 1362 03	4	HEX. HEAD SCREW M10 X 25	(12/03/2014 - 31/12/2020) FREQ:50HZ + MOVOL:690V-3PH
1120	0301 2344 00	4	WASHER PLAIN	(12/03/2014 - 31/12/2020) FREQ:50HZ + MOVOL:690V-3PH
1200	1627 6461 00	1	WIRING FOR TRANSFO	(12/03/2014 - 31/12/2020)
1300	1627 7641 00	2	SUPPORT	(12/03/2014 - 19/03/2015)
1310	1619 2766 00	8	SCR.BOLT M8X20	(12/03/2014 - ...)
1400	1627 6455 00	3	PLATE LOCK	(12/03/2014 - 20/03/2015)
1410	1619 2766 00	6	SCR.BOLT M8X20	(12/03/2014 - 20/03/2015)

Legend:

COOL:WATER - Cooling:Water cooled

FREQ:60HZ - Frequency:60 Hz

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

EAPPR:IEC - Electrical approval:IEC

IDRY:FF - Integrated dryer:Full feature

MOVOL:550V-3PH - Supply voltage:550 V (3ph)


FREQ:50HZ - Frequency:50 Hz

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

66.15 - Air Dryer - Transformer Set - Water cooled (20/03/2015 - ...)

((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:575V-3PH) + COOL:WATER + EAPPR:IEC + IDRY:FF



1609 0011 12-13-14_02

66.15 - Air Dryer - Transformer Set - Water cooled (20/03/2015 - ...)

((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:690V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:575V-3PH) + COOL:WATER + EAPPR:IEC + IDRY:FF



Ref	Part Number	Qty	Name	Validity
1100	1089 9425 24	1	TRANSFORMER	(12/03/2014 - 31/12/2020) (MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + FREQ:50HZ
1100	1089 9425 30	1	TRANSFORMER	(12/03/2014 - 31/12/2020) FREQ:50HZ + MOVOL:690V-3PH
1100	1089 9425 26	1	TRANSFORMER	(12/03/2014 - 31/12/2020) FREQ:60HZ + MOVOL:575V-3PH
1110	1619 2766 00	4	SCR.BOLT M8X20	(12/03/2014 - 31/12/2020) ((MOVOL:500V-3PH , MOVOL:525V-3PH , MOVOL:550V-3PH) + FREQ:50HZ , FREQ:60HZ + MOVOL:575V-3PH)
1110	0147 1362 03	4	HEX. HEAD SCREW M10 X 25	(12/03/2014 - 31/12/2020) FREQ:50HZ + MOVOL:690V-3PH
1120	0301 2344 00	4	WASHER PLAIN	(12/03/2014 - 31/12/2020) FREQ:50HZ + MOVOL:690V-3PH
1200	1627 6461 00	1	WIRING FOR TRANSFO	(12/03/2014 - 31/12/2020)
1210	0348 0101 24	3	TIE	(20/03/2015 - 31/12/2020)
1300	1627 6760 00	1	SUPPORT	(20/03/2015 - 31/12/2020)
1310	1619 2766 00	8	SCR.BOLT M8X20	(20/03/2015 - 31/12/2020)

Legend:

COOL:WATER - Cooling:Water cooled

FREQ:60HZ - Frequency:60 Hz

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

EAPPR:IEC - Electrical approval:IEC


IDRY:FF - Integrated dryer:Full feature

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

FREQ:50HZ - Frequency:50 Hz

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)



1609 0012 05-06-07_01

66.16 - Air Dryer - Heater

IDRY:FF

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1627 6476 00	1	HEATER	(31/12/2020 - 31/12/2020) (COOL:AIR + MODEL:GA200VSDA2 , COOL:WATER) + (MOVOL:525V-3PH , MOVOL:550V-3PH) , MOVOL:380V-3PH , MOVOL:400V-3PH , MOVOL:500V-3PH , MOVOL:690V-3PH
1010	1627 6477 00	1	HEATER	(31/12/2020 - 31/12/2020) (COOL:AIR + MODEL:GA200VSDA2 , COOL:WATER) + MOVOL:575V-3PH , MOVOL:440V-3PH , MOVOL:460V-3PH
1010	1627 6478 00	1	HEATER	(31/12/2020 - 31/12/2020) (MODEL:GA250VSDA2 , MODEL:GA315VSDA2) + (MOVOL:525V-3PH , MOVOL:550V-3PH , MOVOL:575V-3PH) + COOL:AIR
1100	1088 0015 03	1	CONTACT	(31/12/2020 - 31/12/2020)
1102	1088 0015 58	2	PIN	(31/12/2020 - 31/12/2020)
1104	1088 0015 14	1	CONTACT	(31/12/2020 - 31/12/2020)
1106	1088 1501 02	AR	SCHRINKING HOSE	(31/12/2020 - 31/12/2020)

Legend:

COOL:AIR - Cooling:Air cooled

MODEL:GA200VSDA2 - Model:GA 200 VSD

MOVOL:380V-3PH - Supply voltage:380V (3ph)

MOVOL:460V-3PH - Supply voltage:460V (3ph)

MOVOL:550V-3PH - Supply voltage:550 V (3ph)

COOL:WATER - Cooling:Water cooled

MODEL:GA250VSDA2 - Model:GA 250 VSD

MOVOL:400V-3PH - Supply voltage:400V

MOVOL:500V-3PH - Supply voltage:500V (3ph)

MOVOL:575V-3PH - Supply voltage:575V (3ph)

IDRY:FF - Integrated dryer:Full feature

MODEL:GA315VSDA2 - Model:GA 315 VSD

MOVOL:440V-3PH - Supply voltage:440V (3ph)

MOVOL:525V-3PH - Supply voltage:525 V (3ph)

MOVOL:690V-3PH - Supply voltage:690V (3ph)

In order to be First in Mind—First in Choice® for all your quality compressed air needs, Atlas Copco delivers the products and services that help to increase your business' efficiency and profitability.

Atlas Copco's pursuit of innovation never ceases, driven by our need for reliability and efficiency. Always working with you, we are committed to providing you the customized quality air solution that is the driving force behind your business.