

Atlas Copco Stationary Air Compressors

G 110 - G 132 - G 160

G 110W - G 132W - G 160W

Parts list

- Copyright 2010, Atlas Copco Airpower n.v., Antwerp, Belgium.
Any unauthorized use or copying of the contents or any part thereof is prohibited.
This applies in particular to trademarks, model denominations, part numbers and drawings.
- **Use only authorized parts.** Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

No.9829 3083 20
Ed.

Registration code : APC G>90

2010-05

www.atlascopco.com

Atlas Copco

Contents
Inhoud
Innehåll
Inhaltsverzeichnis
Table des matières
Indice

Indice
Innholdsfortegnelse
Indice
Indholdsfortegnelse
Sisällysluettelo

Element and connections - C146*.....	1	Gears -C190.....	8
Element and connections - C190*.....	2	Air inlet	9
Gearbox - C146.....	3	Unloader - C146.....	10
Gearbox - C190.....	4	Unloader - C190.....	11
Valves on elements - C146.....	5	Air receiver	12
Valves on elements - C190.....	6	Air and oil system	
Gears - C146.....	7	- C 146	13
		- C 190	14

Contents
Inhoud
Innehåll
Inhaltsverzeichnis
Table des matières
Indice


Indice
Innholdsfortegnelse
Indice
Indholdsfortegnelse
Sisällysluettelo

Air outlet	15	Regulating system - C146.....	22
Coolers		Regulating system - C190.....	23
- Aircooled	16	Drain system	24
- Watercooled - G 110	17	Bodywork	
- Watercooled - G 132, G 160	18	- Aircooled	25
Fan and cooling duct plates - Aircooled - G 110	19	- Watercooled	26
Fan and cooling duct plates - Aircooled - G 132, G 160	20	Cubicle box	27
Frame and motor	21	Control panel	28
		Service kits	29

* C146: 60Hz G 110/100/125/150/200psi, G 132/200psi .
50Hz G 110/7.5/8.5/10/14bar, G 132/14bar.

*C190: 60Hz G 132/100/125/150psi, G 160 100/125/150/200psi.
50Hz G 132/7.5/8.5/10bar, G 160/7.5/8.5/10/14bar.


1



Element and connections -C146**1**

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	1616 7409 80	1	Service stage		1130	0686 3716 01	1	Plug	
1020	0508 1158 01	1	Bearing		1140	0147 1365 03	3	Hexagon bolt	
1030	0335 2160 00	1	Int.circlip		1150	0147 1366 03	3	Hexagon bolt	
1040	1623 1476 00	1	Spacer		1160	0211 1366 03	2	Sock screw	
1050	0337 0009 77	1	Key parallel		1170	0663 2107 37	1	O-ring	
1060	1623 0367 00	1	Washer		1180	0147 1363 03	4	Hexagon bolt	
1070	0211 1409 00	1	Screw		1190	0301 2344 00	4	Washer	
1080	0663 2109 78	1	O-ring		1210	0663 2111 46	1	O-ring	
1090	0663 2111 46	1	O-ring		1230	1619 6032 00	5	Nipple	
1100	0101 1626 00	2	Pin						
1120	0661 1000 25	1	Seal washer						

2




Element and connections - C190

2

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	1616 7345 80	1	Service stage		1110	0101 1626 00	2	Pin	
1030	0508 1158 01	1	Bearing		1140	0686 6123 00	1	Plug	
1040	0335 2160 00	1	Int.circlip		1150	0147 1405 03	15	Hexagon bolt	
1050	1092 0037 01	1	Bushing		1160	0663 2114 23	1	O-ring	
1060	1621 7326 00	1	Bushing		1170	0663 2108 13	1	O-ring	
1070	0337 8350 00	1	Parallel key		1180	0301 2358 00	6	Washer	
1080	1623 0075 00	1	Washer		1190	0211 1102 20	6	Screw	
1090	0147 1409 03	1	Hexagon bolt		1210	1619 6032 00	3	Nipple	
1100	0663 2114 07	1	O-ring						


3



Gearbox - C146**3**

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010			Gear box		1140	0663 2107 76	1	O-ring	
	1621 7939 00	1	C146		1150	0147 1366 03	4	Hexagon bolt	
1020	0661 1000 27	1	Seal washer		1160	0337 0009 91	1	Key parallel	
1030	1623 0972 00	1	Shaft		1170	0147 1557 03	8	Hexagon bolt	
1040	0211 1480 00	1	Spacer		1180	0147 1411 03	2	Hexagon bolt	
1080	0504 0110 01	1	Bearing		1190	1088 0019 02	2	Washer	
1090	1616 5518 00	1	Washer		1200	1202 6668 07	2	Spacer	
1100	1616 5519 00	1	Bushing		1220	0147 1479 03	1	Hexagon bolt	
1110	1623 0611 00	1	Bushing		1230	0333 3244 00	1	Lock washer	
1120	1616 5515 00	1	Retainer		1240	0574 8235 32	1	Hose assembly	
1130	1621 4840 00	1	Seal		1250	1079 5840 15	1	Nipple	
					1260	1614 9252 00	1	Plug	
					1270	0266 2116 00	8	Nut	

4




Gearbox - C190

4

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	1621 7397 01	1	Gearbox G 132/6.9/8.6/10.4, 60Hz		1100	1616 5515 00	1	Retainer	
	1621 7335 01		G 132/7.5/8.5/10,50Hz		1110	1621 4840 00	1	Seal	
1020	0661 1000 27	1	Seal washer		1120	0663 2107 76	1	O-ring	
1030	1623 3920 00	1	Shaft		1130	0147 1366 03	4	Hexagon bolt	
1040	0211 1480 00	8	Hex.Sock.Screw		1170	0337 0009 91	1	Key parallel	
					1180	0147 1411 03	2	Hexagon bolt	
1060		1	Bearing		1190	1088 0019 02	2	Washer	
	0504 0110 01	1	C190		1200	0147 1479 03	1	Hexagon bolt	
1070		1	Washer		1210	1619 6032 00	1	Plug	
	1616 5518 00		C190		1220	1202 6668 07	2	Spacer	
1080	1616 5519 00	1	Bushing		1230	0333 3244 00	1	Lock washer	
1090		1	Bushing		1240	0266 2116 00	8	Nut	
	1623 0611 00		C190		1250	0211 1480 00	8	Hex. Sock. Screw	
					1260	0574 8235 32	1	Hose assembly	
					1270	1079 5840 15	1	Nipple	
					1280	1614 9252 00	1	Plug	

5




Valves on element - C146

5

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
1010	1622 0795 00	1	Valve housing		1090	1622 5662 00	1	Spring	
1020	1622 0977 00	1	Gasket		1100	0661 1000 44	1	Seal washer	
1030	1622 9639 00	1	Check valve		1110	1623 0798 00	1	Nipple	
1040	1622 0796 00	1	Spring		1120	0686 3716 01	1	Plug	
1050	1622 1041 00	1	Piston		1130	0661 1000 25	1	Seal washer	
1060	0661 1000 44	1	Seal washer		1140	1079 5840 19	1	Nipple	
1070	0686 3716 07	1	Plug		1150	0661 1000 27	1	Seal washer	
1080	1623 1362 00	1	Valve oil stop		1160	0211 1964 75	4	Hex. Sock. Screw	

6




Valves on element - C190

6

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	1623 0385 00	1	Valve check		1140	0147 1413 03	2	Hexagon bolt	
1020	2254 8075 00	1	Compr.spring		1150	2255 2813 00	1	Piston	
1030	1623 1354 00	1	Valve stop		1160	0686 3716 01	1	Plug	
1040	1623 1767 00	1	Spring		1170	0661 1000 25	1	Seal washer	
1050	2252 6269 00	1	Spring guide		1180	0686 3716 10	1	Plug	
1060	0335 2145 00	1	Int.circlip		1190	0661 1000 32	1	Seal washer	
1070	0663 2108 12	2	O-ring		1200	0686 6441 00	1	Plug	
1080	0663 2106 20	1	O-ring		1210	0686 3101 00	1	Plug	
1090	0663 2106 15	1	O-ring		1250	1623 3082 00	1	Nozzle	
1100	0663 3116 00	1	O-ring						
1110	0301 2358 00	4	Washer						
1120	0147 1421 03	4	Hexagon bolt						
1130	0301 2358 00	2	Washer						

7




Gears - C146

7

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
60Hz					50Hz				
			G 110 - 6.9bar(e)					G 110 - 7.5bar(e)	
1010	1623 4060 00	1	Gear		1010	1092 1069 00	1	Gear	
1020	1623 4059 00	1	Gear		1020	1092 1068 00	1	Gear	
			G 110 - 8.6bar(e)					G 110 - 8.5bar(e)	
1010	1623 4069 00	1	Gear		1010	1092 1081 00	1	Gear	
1020	1623 4068 00	1	Gear		1020	1092 1080 00	1	Gear	
			G 110 - 10.4bar(e)					G 110 - 10bar(e)	
1010	1623 4072 00	1	Gear		1010	1092 1037 00	1	Gear	
1020	1623 4071 00	1	Gear		1020	1092 1036 00	1	Gear	
			G 110 - 13.8bar(e)					G 110 - 14bar(e)	
1010	1623 4074 00	1	Gear		1010	1092 1055 00	1	Gear	
1020	1623 4073 00	1	Gear		1020	1092 1054 00	1	Gear	
			G 132 - 13.8bar(e)					G 132 - 14bar(e)	
1010	1623 4072 00	1	Gear		1010	1092 1037 00	1	Gear	
1020	1623 4071 00	1	Gear		1020	1092 1036 00	1	Gear	

8




Gears - C190

8

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
60Hz					50Hz				
			G 132 - 100psi(e)					G 132 - 7.5bar(e)	
1010	1623 3954 00	1	Gear		1010	1092 1033 00	1	Gear	
1020	1623 3953 00	1	Gear		1020	1092 1032 00	1	Gear	
			G 132 - 125psi(e)					G 132 - 8.5bar(e)	
1010	1623 3977 00	1	Gear		1010	1092 1109 00	1	Gear	
1020	1623 3976 00	1	Gear		1020	1092 1108 00	1	Gear	
			G 132 - 150psi(e)					G 132 - 10bar(e)	
1010	1623 4088 00	1	Gear		1010	1092 1067 00	1	Gear	
1020	1623 7087 00	1	Gear		1020	1092 1066 00	1	Gear	
			G 160 - 100psi(e)					G 160 - 7.5bar(e)	
1010	1623 3949 00	1	Gear		1010	1092 1097 00	1	Gear	
1020	1623 3948 00	1	Gear		1020	1092 1096 00	1	Gear	
			G 160 - 125psibar(e)					G 160 - 8.5bar(e)	
1010	1623 3952 00	1	Gear		1010	1092 1099 00	1	Gear	
1020	1623 3951 00	1	Gear		1020	1092 1098 00	1	Gear	
			G 160 - 150psibar(e)					G 160 - 10bar(e)	
1010	1623 3954 00	1	Gear		1010	1092 1103 00	1	Gear	
1020	1623 3953 00	1	Gear		1020	1092 1102 00	1	Gear	
			G 160 - 200psibar(e)					G 160 - 14bar(e)	
1010	1623 3953 00	1	Gear		1010	1092 1549 00	1	Gear	
1020	1623 3952 00	1	Gear		1020	1092 1548 00	1	Gear	

9




Air inlet

9

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
1020	0301 2344 00	2	Washer		1120	0147 1326 03	2	Hexagon bolt	
1030	1621 5012 00	2	Support		1140	1079 1472 06	1	Hexagon bolt	
1040	1079 1472 06	8	Hexagon bolt		1150	0346 1000 26	2	Pipe clamp	
1050	0147 1362 03	4	Hexagon bolt		1180		1	Support	
1060	0301 2344 00	4	Washer			1614 9772 00		Watercooled	
1070		1	Hose			1621 7377 80	1	Air filter	
	1092 0030 27		G 110, GA132/13.8		2010	1621 7376 00	• 1	Air filter	
	1092 0035 05		G 132/6.9/8.6/10.4, G 160		2020	1621 7377 00	• 1	Housing	
1080	1092 0002 55	1	Hose clamp						
1090	0347 6100 43	1	Hose clip						
1100	1614 9625 00	1	Support						
1110	1621 5690 00	1	Support						

10




Unloader - C146

10

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
	1623 1786 80	1	Unloader assy		1080	1622 3687 00	• 1	Piston	
1010	1622 3778 00	• 1	Housing		1090	1622 3689 00	• 1	Guidance tape	
1020	1622 3688 00	• 1	Rod		1100	0261 1099 32	• 1	Nut	
1030	0335 2182 00	• 1	Int.circlip		1110	1622 3182 00	• 1	Guide	
1040	0663 7151 00	• 1	O-ring		1120	1622 3183 00	• 1	Seal	
1050	1622 3691 00	• 1	Quadring c146		1130	1622 3184 00	• 1	Bushing	
1060	1622 3690 00	• 1	Bushing		1140	1622 3185 00	• 1	Spring	
1070	1623 1785 00	• 1	Valve		1150	1622 3649 00	• 1	Cover	

11




Unloader - C190

11

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
	1623 0794 80	1	Housing valve		1100	1623 0796 00	• 1	Cover valve	
1010	1623 0794 00	• 1	Housing valve		1110	0661 1000 29	• 1	Seal washer	
1020	1623 0904 00	• 1	Bushing		1120	0686 3716 35	• 1	Plug	
1030	1623 0335 00	• 1	Valve regulator		1130	0301 2358 00	• 8	Washer	
1040	0663 2114 22	• 1	O-ring		1140	0147 1403 03	• 8	Hexagon bolt	
1050	1623 0508 00	• 1	Rod		1150	0517 1424 00	• 1	Bearing ball	
1060	1623 0540 00	• 1	Tape		1160	1623 0881 00	• 1	Pin	
1070	1623 0334 00	• 1	Piston		1170	0663 2111 66	• 1	O-ring	
1080	1623 0539 00	• 1	Seal		1180	0335 2126 00	• 1	Circlip	
1090	0663 2109 49	• 1	O-ring						

12




Air receiver

12

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
	1614 6478 80	1	Min. Press valve		5150		1	Bushing	
2010	9125 7289 00	• 1	Set screw			1614 9090 00		G 110	
2020	0147 1365 03	• 6	Hexagon bolt			1614 9094 00		G 132, G 160	
2030	0147 1958 97	• 2	Hexagon bolt		5160		1	Scavenge line	
2040	0301 2335 00	• 2	Washer			1614 9142 00		G 110	
2050	0663 2106 58	• 1	O-ring			1614 9141 00		G 132, G 160	
2060	0665 0701 39	• 1	Back-up ring		5170	1614 9146 00	1	Plug	
2070	1614 6477 00	• 1	Sleeve		5180	1614 9184 00	1	Level gauge	
2080	1614 6478 00	• 1	Cover		5190		1	Shield	
2090	1621 4977 00	• 1	Piston			1614 9223 00		G 110	
2100	1614 6957 00	• 1	Washer			1092 0041 97		G 132, G 160	
2110	1623 2037 00	• 1	Shaft		5200	1621 9144 00	1	Hose assembly	
2120	2253 1860 00	• 1	Spring		5210	2250 2528 00	1	Plug	
2130	1621 4975 00	• 1	Ring		5220	0663 2106 20	1	O-ring	
2140	1621 4976 00	• 1	Nut						
			Air receiver					Safety valve	
			Vessel			ASME		G 110, G 132/8.6/10.4/13.8	
3010		• 1	Asme vessel			CE		G 160 10.4/13.8	
	1092 0024 02		G 110					G 110/8.5/10/14	
	1092 0024 03		G 132, G 160						
		• 1	CE vessel		6010	0830 1008 95	1	Safety valve	
	1092 0051 25		G 110		6020	0603 4106 03	1	Nipple	
	1092 0051 28		G 132, G 160		6030	0560 0200 73	1	Elbow	
3020	0147 1555 03	• 15	Hexagon bolt		6040	0653 1165 00	2	Flat gasket	
3030	0301 2394 00	• 15	Washer						
4020		1	Valve housing			ASME		G 132/6.9	
			ASME			CE		G 160/6.9/8.6	
	1092 0033 08		G 110					G 132, G 160	
	1092 0033 08		G 110					G 110/7.5	
			CE		6010	0830 1008 92	1	Safety valve	
	1092 0050 98		G 110		6020	0603 4107 03	1	Nipple	
	1092 0050 99		G 132, G 160		6030	0564 0000 81	1	Elbow	
5010	0147 1479 03	1	Hexagon bolt		6040	0653 1189 00	2	Flat gasket	
5020	0147 1962 29	11	Hexagon bolt						
5090	0661 1000 31	1	Seal washer					Oil - Roto Xtend duty	
5100	0663 2109 45	1	O-ring		7010	1092 0012 07	1	Label	
5110	0663 2109 45	1	O-ring		7020	1092 0050 00	1	Oil can	
5120	1092 0112 00	1	Pipe						
5130		1	Oil separator element						
	1614 9054 00		G 110						
	1614 9056 00		G 132, G 160						
5140	1614 9089 00	1	Pivot pin						

13




Air and oil system - C146

13

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
			Oil connection		2050	0291 1114 00	4	Locknut	
1010	0147 1362 03	2	Hexagon bolt		2060	0301 2378 00	8	Washer	
1020	0147 1370 03	3	Hexagon bolt		2070	0301 2344 00	20	Washer	
1030	0147 1401 03	2	Hexagon bolt		2080	0301 2358 00	8	Washer	
1040	0301 2344 00	5	Washer		2085	0300 0276 03	4	Washer	
1050	0301 2358 00	2	Washer		2090	0663 2106 15	1	O-ring	
1060	0661 1000 24	2	Seal washer		2100	0663 2106 17	1	O-ring	
1070	0661 1000 25	1	Seal washer		2110	0663 2106 17	1	O-ring	
1080	0663 2107 77	2	O-ring		2120	0663 2106 18	2	O-ring	
1090	0663 2106 11	1	O-ring		2130	0663 2107 94	1	O-ring	
1100	0663 2109 68	1	O-ring		2135	0147 1363 03	2	Hexagon bolt	
1110	0686 3716 01	1	Plug		2138	0066 7138 00	1	O-ring	
1120	1079 5840 01	2	Nipple		2140	1092 0020 29	1	Pipe	
1130	1621 7378 00	2	Glass fiber oil filter		2160	1614 8926 00	8	Absorber	
1140	1092 0023 35	1	Oil filter housing		2165	1092 0020 30	1	Pipe	
1150	1623 1451 00	2	Nipple		2185	03000276 03	4	Washer	
1160	1621 0399 00	1	Regul.valve		2190	1614 9117 00	2	Pipe	
1170	1621 9635 00	1	Hose		2210	1614 9171 00	1	Pipe	
1190	0266 2112 00	4	Nut		2220	1614 9169 00	1	Pipe	
1200		1	Thermost.valve		2230	0147 1363 03	4	Hexagon bolt	
	1202 5869 03		13.8 60Hz		2240	1614 9459 00	1	Pipe	
			14 50Hz		2285	1092 0020 28	1	Pipe	
	1619 7560 00		6.9/8.6/10.4 60Hz		2290	1092 0023 07	1	Elbow	
			7.5/8.5/10 50Hz		2300	0346 1000 27	2	Pipe clamp	
2010	0147 1369 03	8	Hexagon bolt		2310	1619 2766 00	1	Hexagon bolt	
2020	0147 1961 01	4	Hexagon bolt		2320	0147 1500 03	2	Hexagon bolt	
2025	0147 1406 03	4	Hexagon bolt		3010	1614 9114 00	4	Joint set	
2028	0147 1476 03	4	Hexagon bolt			1614 9115 00	• 1	Joint	
2030	0147 1499 03	2	Hexagon bolt			1614 9116 00	• 1	Ring	
						1614 9118 00	• 2	Bracket	

14




Air and oil system - C190

14

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
			Oil connection		2020	0147 1961 01	8	Hexagon bolt	
1010	0147 1362 03	2	Hexagon bolt		2030	0147 1502 03	2	Hexagon bolt	
1020	0147 1370 03	3	Hexagon bolt		2040	0211 1401 03	4	Hex. sock. screw	
1030	0147 1401 03	2	Hexagon bolt		2050	0291 1114 00	4	Locknut	
1040	0301 2344 00	7	Washer		2060	0300 0276 03	8	Washer	
1050	0301 2358 00	2	Washer		2070	0301 2344 00	20	Washer	
1060	0661 1000 24	2	Seal washer		2080	0301 2358 00	12	Washer	
1070	0661 1000 25	1	Seal washer		2090	0663 2106 15	1	O-ring	
1080	0663 2107 77	2	O-ring		2100	0663 2106 17	1	O-ring	
1090	0663 2106 11	1	O-ring		2110	0663 2106 17	1	O-ring	
1100	0663 2109 68	1	O-ring		2120	0663 2106 18	2	O-ring	
1110	0686 3716 01	1	Plug		2130	0663 2109 69	1	O-ring	
1120	1079 5840 01	2	Nipple		2140	1092 0020 31	1	Pipe	
1130	1621 7378 00	2	Glass fiber oil filter		2150	0634 1001 45	1	Coupline	
1140	1092 0023 35	1	Oil filter housing		2160	1614 8926 00	8	Absorber	
1150	1623 1451 00	2	Nipple		2170	1614 9063 00	4	Joint set	
1160	1621 0399 00	1	Regul.valve		2185	0300027603	4	Washer	
1170	1621 9635 00	1	Hose		2190	1614 9066 00	2	Pipe	
1180	1092 0030 16	1	Pipe		2210	1092 0020 32	1	Pipe	
1185	0663 2108 00	1	O-ring		2220	1614 9217 00	1	Pipe	
1186	0147 1363 03	2	Hexagon bolt		2230	0147 1363 03	4	Hexagon bolt	
1190	0266 2112 00	4	Nut		2240	1614 9448 00	1	Pipe	
1200		1	Thermost.valve		2250	1614 9488 00	1	Pipe	
	1202 5869 03		13.8 60Hz		2280	1092 0030 16	1	Pipe	
			14 50Hz		2290	1092 0023 07	1	Elbow	
	1619 7560 00		6.9/8.6/10.4 60Hz		2310	1619 2766 00	1	Hexagon bolt	
			7.5/8.5/10 50Hz		2320	0147 1501 03	2	Hexagon bolt	
			Air connection		3010	1614 9063 00	4	Joint set	
2010	0147 1369 03	8	Hexagon bolt			1614 9064 00	• 8	Joint	
						1614 9065 00	• 8	Ring	
						1614 9067 00	• 16	Bracket	

15




Air outlet

15

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1005	0147 1323 03	1	Hexagon bolt		1090		1	Pipe	
1010	0147 1369 03	4	Hexagon bolt			1092 0033 10		G 110	
1015		2	Hexagon bolt			1092 0033 11		G 132, G 160	
	0147 1499 03		G 110		1095	1619 2766 00	2	Hexagon bolt	
	0147 1501 03		G 132, G 160		1096	1619 5337 01	5	Hexagon bolt	
1020	0211 1401 03	4	Hex. Sock. Screw		1097	0301 2344 00	1	Washer	
1025	0301 2344 00	1	Washer		1100	1619 5337 01	5	Hexagon bolt	
1030	0291 1114 00	2	Locknut		2000		1	Pipe	
1035	0300 0276 03	4	Washer			1614 9461 00		G 110	
1040	0301 2344 00	4	Washer			1614 9450 00		G 132, G 160	
1045	0301 2358 00	4	Washer		2005		1	O-ring	
1050	0653 1062 00	1	Flat gasket			0663 2107 94		G 110	
1055		1	O-ring			0663 2109 69		G 132, G160	
	0663 2107 94		G 110		2010	1614 9114 00	2	Joint set G 110	
	0663 2109 69		G 132, G 160			1614 9115 00	• 1	Joint	
1060	0686 3716 01	1	Plug			1614 9116 00	• 1	Ring	
1065	1092 0030 23	1	Support			1614 9118 00	• 2	Bracket	
1070	1614 8926 00	4	Absorber		2010	1614 9063 00	2	Joint set G 132, G 160	
1080		1	Pipe			1614 9064 00	• 1	Joint	
	1614 9117 00		G 110			1614 9065 00	• 1	Ring	
	1614 9066 00		G 132, G 160			1614 9067 00	• 2	Bracket	
1085	1619 2766 00	2	Hexagon bolt						


16



Coolers - Aircooled

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	0147 1323 03	12	Hexagon bolt		1210		2	Oil cooler	
1020	0147 1362 03	12	Hexagon bolt			1621 4112 00		G 110, G 132	
1040	0300 8019 00	12	Washer			1621 4111 00		G 160/6.4/8.6/10.4 60Hz	
1050	0301 2344 00	12	Washer					G 160/7.5/8.5/10 50Hz	
1065	0346 1012 44	1	Pipe clamp			1621 9489 00		G 160/13.8 60Hz	
1080		1	Hose assembly					G 160/14 50Hz	
	0574 8235 32		G 110		1160	1614 9252 00	2	Plug	
	0574 8235 37		G 132, G160		1180	1619 2766 00	5	Hexagon bolt	
1090		1	Hose assembly		1185	1619 2861 01	1	Clamp	
	0574 8235 42		G 110		1190	1619 5337 01	1	Hexagon bolt	
	0574 8235 45		G 132, G160		1220		1	Hose assembly	
1100	0661 1000 27	4	Seal washer			1614 8959 00		G 110	
1110	0663 2109 68	4	O-ring			1621 9139 00		G 132, G160	
1120	0663 2109 68	2	O-ring		1230		1	Hose assembly	
1130	0686 3716 02	2	Plug			1092 0035 19		G 110	
1140	1079 5840 15	2	Nipple			1621 9137 00		G 132, G160	
1200		1	Cooler		1240		1	Hose	
	1621 4112 00		G 110, G 132			1621 9636 00		G 110	
	1621 4110 00		G 160			1621 9138 00		G 132, G160	


17



Coolers - Watercooled G 110

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
1010	0147 1362 03	12	Hexagon bolt		2070	0663 2106 12	2	O-ring	
1020	0147 1401 03	4	Hexagon bolt		2130	1619 5337 01	2	Hexagon bolt	
1030	0147 1407 03	2	Hexagon bolt		2140	1619 6153 08	1	Ball valve	
1040	0147 1474 03	2	Hexagon bolt		2150	1092 0031 58	1	Pipe	
1050	0266 2112 00	2	Nut		2160	1092 0031 59	2	Pipe	
1060	0301 2344 00	12	Washer		2170	1092 0031 60	1	Pipe	
1070	0301 2358 00	8	Washer		2180	1092 0033 13	1	Pipe	
1080	0301 2378 00	2	Washer		2190	1092 0031 62	1	Pipe	
1090	0661 1000 25	1	Seal washer		2200	1092 0033 12	1	Pipe	
1100	0663 2106 11	2	O-ring		2210	0634 1000 27	4	Victaulic coupling	
1110	0663 2106 12	2	O-ring		2240	0686 3716 35	2	Plug	
1120	0663 2109 68	2	O-ring		2250	0661 1000 29	2	Seal washer	
1130	0686 3716 01	1	Plug		3010	0663 2106 17	1	O-ring	
1140	1614 6632 00	1	Plate		3020	0147 1363 03	4	Hexagon bolt	
1150	1614 8661 08	1	Oil cooler		3030	0301 2344 00	4	Seal washer	
1160	1619 5337 01	7	Hexagon bolt		3040	1621 2328 00	1	Pipe	
1170	1092 0018 14	1	Support		3050	1092 0005 79	1	Pipe	
1180	1621 2094 08	1	Aftercooler		3060	0663 2106 20	1	O-ring	
1190	1621 4858 00	1	Hose assembly		3070	0147 1402 03	4	Hexagon bolt	
1200	1621 4859 00	1	Hose assembly		3080	0301 2344 00	4	Seal washer	
1250	1621 2096 00	1	Support		4010	1621 2060 00	1	Pipe	
			Water connection		4020	0147 1476 03	4	Hexagon bolt	
2010	0147 1405 03	4	Hexagon bolt		4030	0301 2378 00	4	Seal washer	
2020	0266 2112 00	4	Nut		4040	0663 2107 94	2	O-ring	
2030	0301 2358 00	4	Washer		4050	1092 0005 80	1	Pipe	
2040	0661 1000 24	1	Seal washer		4060	0147 1402 03	4	Hexagon bolt	
2050	0661 1000 25	2	Seal washer		4070	0301 2358 00	4	Seal washer	
2060	0661 1000 29	2	Seal washer		4080	0663 2106 15	1	O-ring	


18



Coolers - Watercooled G 132, G 160

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	0147 1362 03	16	Hexagon bolt		3010	0663 2106 20	1	O-ring	
1020	0147 1401 03	4	Hexagon bolt		3020	0147 1402 03	4	Hexagon bolt	
1030	0147 1402 03	4	Hexagon bolt		3030	0301 2344 00	4	seal washer	
1040	0147 1407 03	2	Hexagon bolt		3040	1621 2046 00	1	Pipe	
1050	0266 2112 00	2	Nut		3050	1621 2047 00	1	Pipe	
1060	0301 2344 00	16	Washer		3060	0663 2106 17	1	O-ring	
1070	0301 2358 00	12	Washer		3070	0147 1363 03	4	Hexagon bolt	
1080	0661 1000 25	1	Seal washer		3080	0663 2106 20	4	seal washer	
1090	0663 2106 11	4	O-ring		1210	1621 2050 08	1	Aftercooler	
1100	0663 2106 12	2	O-ring		1220	1621 4850 08	2	Oil cooler	
1110	0663 2109 68	2	O-ring					Water connection	
1120	0686 3716 01	1	Plug		4010	0147 1405 03	8	Hexagon bolt	
1130	1614 6632 00	1	Plate		4020	0266 2112 00	8	Nut	
1140	1614 6634 00	1	Pipe		4030	0301 2358 00	10	Washer	
1150	1614 9299 00	1	Support		4040	0661 1000 24	1	Seal washer	
1160	1614 9583 00	1	Support		4050	0661 1000 25	1	Seal washer	
1170	1619 2766 00	4	Hexagon bolt		4060	0661 1000 25	1	Seal washer	
1180	1619 5337 01	4	Hexagon bolt		4070	0661 1000 29	1	Seal washer	
1190	1621 2039 00	1	Hose assembly		4080	0663 2106 12	4	O-ring	
1200	1621 2040 00	1	Hose assembly		4150	1619 6153 08	1	Ball valve	
1230	1092 0018 13	1	Support		4160	1092 0031 68	1	Pipe	
1270	1092 5690 00	1	Support		4170	1092 0031 69	1	Pipe	
1280	1614 9299 00	1	Support		4180	1092 0033 14	1	Pipe	
2010	1621 2048 00	1	Pipe		4190	1092 0031 64	1	Pipe	
2020	0663 2106 15	1	O-ring		4200	1092 0031 65	1	Pipe	
2030	0147 1364 03	4	Hexagon bolt		4210	1092 0031 66	1	Pipe	
2040	0301 2344 00	4	seal washer		4220	1092 0033 13	1	Pipe	
2050	0663 2109 69	2	O-ring		4230	0634 1000 27	4	Victaulic coupling	
2060	0147 1401 03	8	Hexagon bolt		4260	1621 4847 00	1	Pipe	
2070	0301 2358 00	8	seal washer		4270	0686 3716 35	2	Plug	
2080	1621 2060 00	1	Pipe		4280	0661 1000 29	2	Seal washer	

19




Fan and cooling duct plates - Aircooled G 110

19

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
			Cooler plates			1092 0038 17	1	Beam	1)
1010	0147 1360 03	4	Hexagon bolt		4020	1092 0030 92	• 1	Warning label	
1020	0147 1360 03	10	Hexagon bolt		4030	1092 0038 18	• 1	Beam	
1030	1623 4907 00	5	Hexagon bolt			1092 0038 20	1	Beam	2)
1040	0147 1401 03	4	Hexagon bolt		5020	1092 0030 92	• 1	Warning label	
1050	0301 2344 00	14	Washer		5030	1092 0038 21	• 1	Beam	
1060	0301 2358 00	4	Washer					Fan arrangement	
1070	1088 0019 02	5	Contact washer		6010	0147 1363 03	1	Hexagon bolt	
1140	1092 0024 29	1	Plate		6020	1092 0050 21	2	Washer	
1150	1092 0024 38	1	Support		6030	1614 6456 00	1	Washer	
1160	1092 0024 39	1	Fan cowl		6040	1092 0050 09	1	Fan	
1170	1614 9762 00	2	Hinge		7020	1088 1001 01	1	Warning label	
1180	1092 0051 56	1	Fan guard		7030	1503 0786 00	1	Rotation arrow	
1190	1619 2766 00	36	Hexagon bolt					Fan motor	
1200	1619 5337 01	4	Hexagon bolt		8010		1	Motor	
1210	1619 6449 00	AR	Seal			1092 0916 09		460V 60Hz UL	
1220	0147 1320 03	8	Hexagon bolt			1092 0916 31		400V 50Hz CE	
	1092 0030 29	1	Baffle					Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Kledd med / Vuorattu :	
2020	1503 1056 00	• 2	Seal					Garnir de / Rivestido de / Allineato con /	
2030	1092 0030 30	• 1	Baffle					Foret med / Revestido com /	
2040	1619 6449 00	• AR	Seal					Kledd med / Vuorattu :	
	1092 0021 80	1	Baffle		1)	Foam: 0395 6001 69 (AR)	50 x 2040 x 1650		
3020	1202 6584 00	• AR	Seal		2)	Foam: 0395 6001 69 (AR)	30 x 2040 x 1650		
3030	1092 0020 80	• 1	Baffle						
3040	1619 6449 00	• AR	Seal						

20




Fan and cooling duct plates - Aircooled G 132, G 160

20

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
			Cooler plates			1092 0021 80		Baffle G 132/13.8	
1010	0147 1322 03	2	Hexagon bolt		2010	1088 0803 26	• 2	Grommet	
1020	0147 1360 03	4	Hexagon bolt		2020	1202 6584 00	• AR	Seal	
1030	1623 4907 00	10	Hexagon bolt		2030	1092 0020 80	• 1	Baffle	
1040	0147 1363 03	10	Hexagon bolt		2040	1619 6449 00	• AR	Seal	
1050	0147 1401 03	8	Hexagon bolt			1092 0035 23		Baffle G 132/13.8	
1060	0291 1110 00	2	Locknut		3010	1092 0040 00	• 1	Baffle	
1070	0301 2335 00	2	Washer		3020	1088 0803 26	• 1	Grommet	
1080	0301 2344 00	14	Washer		3030	1619 6449 00	• AR	Seal	
1090	0301 2358 00	8	Washer			1092 0038 17	1	Beam	
1100	1088 0019 02	10	Contact washer		4020	1092 0030 92	• 1	Warning label	
1150	1614 9216 80	1	Plate		4030	1092 0038 18	• 1	Beam	
1160	1092 0051 57	2	Fan guard			1092 0038 20	1	Beam	
1170	1614 9405 00	4	Hinge		5020	1092 0030 92	• 1	Warning label	
1200	1619 2766 00	35	Hexagon bolt		5030	1092 0038 21	• 1	Beam	
1210	1619 5337 01	8	Hexagon bolt					Fan arrangement	
1220	1619 6449 00	AR	Seal		6010		2	Hexagon bolt	
1230	1621 9526 00	1	Plate			0147 1362 03		G 132	
1240	1621 9527 00	1	Fan cowl			0147 1363 03		G 160	
1250	1621 9528 00	1	Support		6020	1092 0050 22	2	Washer	
1260	0147 1320 03	8	Hexagon bolt		6030	1614 6456 00	2	Washer	
	1092 0028 30	1	Baffle G 132/6.9/8.6/10.4, G160/6.9/8.6		6040		2	Fan	
2020	1202 6584 00	• AR	Seal			1092 0050 08		G 132	
2030	1092 0028 20	• 1	Baffle			1092 0050 09		G 160	
2040	1619 6449 00	• AR	Seal		7020	1088 1001 01	2	Warning label	
	1092 0035 25	1	Baffle G 132/6.9/8.6/10.4, G160/6.9/8.6		7030	1503 0786 00	2	Rotation arrow	
3010	1092 0035 26	• 1	Baffle					Fan motor	
3020	1088 0803 26	• 1	Grommet		8010		2	Motor	
3030	1619 6449 00	• AR	Seal			1092 0916 09		460V 60Hz UL	
	1092 0021 83		Baffle G 160/10.4/13.8					Lined with / Bekleed met / Beklädd med / Ausgekleidet mit / Kledd med / Vuorattu :	
2010	1088 0803 26	• 2	Grommet					Garnir de / Rivestido de / Allineato con / Foret med / Revestido com / Kledd med / Vuorattu :	
2020	1202 6584 00	• AR	Seal						
2030	1092 0020 83	• 1	Baffle						
2040	1619 6449 00	• AR	Seal						
	1092 0035 27		Baffle G 160/10.4/13.8		1)	Foam: 0395 6001 69 (AR) 50 x 2040 x 1650			
3010	1092 0040 00	• 1	Baffle		2)	Foam: 0395 6001 69 (AR) 30 x 2040 x 1650			
3030	1619 6449 00	• AR	Seal						

21




Frame and motor

21

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
			Frame						
			G 110						
1020	0147 1322 03	1	Hexagon bolt		1165	1092 0038 35	2	G 132, G160	
1025	0147 1358 03	1	Hexagon bolt			1092 0023 13		Spacer	
1030	0147 1400 03	6	Hexagon bolt			1092 0023 15		G 110	
1035	0147 1401 03	4	Hexagon bolt		1170	0147 1377 03	3	G 132, G 160	
1040	0147 1411 03	2	Hexagon bolt		1172	0301 2344 00	3	Hexagon bolt	
1055	0261 2114 00	1	Nut		1175	1092 0178 00	3	Washer	
1060	0291 1111 00	3	Nut		1180	0346 1012 44	1	Support	
1070	0301 2358 00	18	Washer		1185	1619 5337 01	1	Pipe clamp	
1080	1088 0019 01	1	Contact washer		1190	1092 0020 33	2	Hexagon bolt	
1085	1088 0019 02	1	Contact washer		2010		1	Support	
1095	0346 1005 19	2	Pipe clamp			1092 0920 31		Motor	
1100		2	Anti pad			1092 0911 31		G 110	
	3175 1782 00		G 110			1092 0913 31		G 132	
	1619 5189 01		G 132, G 160					G 160	
1105	1020 5072 00	1	Rubber buffer					Coupling	
1110	1092 0043 00	1	Cable					G 110	
1120		1	Support		3010	1623 0377 00	1	Coupling drive	
	1092 0022 22		G 110		3015	1623 0378 00	1	Absorber	
	1614 6599 00		G 132, G 160		3020	1623 0379 01	1	Coupling drive	
1126	1092 0029 82	1	Stud G 132, G 160					G 132	
1130	1614 6600 00	1	Disc G 132, G 160		3010	1623 0377 00	1	Coupling drive	
1130	0301 2378 00	2	Washer		3015	1623 0378 00	1	Absorber	
1135	0147 1491 03	2	Hexagon bolt		3020	1623 0379 00	1	Coupling drive	
1145	1614 9542 00	3	Buffer					G 160	
1150		1	Frame		3010	1623 0374 00	1	Coupling element	
	1092 0038 33		G 110		3015	1623 0375 00	1	Absorber	
					3020	1623 0376 00	1	Coupling drive	


22



Regulating system - C146

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
			Control system		2230	0564 0000 34	1	Tee	
1010	0160 6038 00	4	Screw		2240	0571 0035 05	1	Nipple	
1020	0301 2315 00	4	Washer		2260	0603 4105 03	1	Nipple	
1050	1089 0574 70	4	Temperature sensor		2270	0653 1124 00	1	Flat gasket	
1060	1089 9625 01	1	Dp transducer		3200	<<< >>>	1	Unloader valve	
1080	1089 9625 33	2	Pressure transducer		3220	1614 9144 00	1	Nipple	
1100	1092 0150 00	1	Label		3230	1092 0008 96	1	Nozzle	
1110	1614 9406 00	1	Bracket		3240	1619 5205 00	1	Nipple	
1120	1900 0712 92	1	Regulator		3250	1092 0030 66	1	Nipple	
1130	1089 0637 16	1	Temperature switch		3260	0661 1000 26	1	Seal washer	
1140	1092 0051 49	1	Wire harness		3280	1092 2106 09	1	Flange	
			Regulation		3290	1092 2106 10	1	Nipple	
2020	0147 1364 03	4	Hexagon bolt		3300	0661 1000 49	1	Seal washer	
2040	0301 2344 00	4	Washer		3310	0663 2106 09	2	O-ring	
2050	0574 8231 26	2	Hose assembly		3320	0160 6043 00	4	Screw	
2060	0574 9917 15	1	Hose assembly		3330	0160 6043 00	4	Screw	
2070		1	Hose			1623 1810 80	1	Valve assembly	
	1092 0031 38		G 110 A, G 132/13.8 A		4010	0663 2111 55	• 1	O-ring	
	1092 0030 26		G 110 W, G 132/13.8 W		4020	0301 2318 00	• 2	Plain washer	
2080	1091 6006 00	1	Hose assembly		4030	0160 0996 99	• 2	Scraw slot	
2090	0580 0013 32	1	Coupling			1622 3694 80	• 1	Blow-off valve	
2100	0653 0500 02	1	Flat gasket		5010	0226 3300 18	•• 4	Screw	
2110	0661 1000 24	2	Seal washer		5020	0663 2112 69	•• 1	O-ring	
2120	0661 1000 25	1	Seal washer		5030	1513 0477 00	•• 1	Piston ring	
2130	0661 1000 27	1	Seal washer		5040	1622 3694 00	•• 1	Housing	
2140	0661 1000 29	2	Seal washer		5050	1622 3694 01	•• 1	Cover	
2150	0661 1000 30	1	Seal washer		5060	1622 3694 02	•• 1	Piston	
2160	0663 2107 37	1	O-ring		5070	1622 3694 03	•• 1	Seal	
2170	1079 5840 01	1	Nipple		5080	1622 3694 04	•• 1	Seal	
2180	1079 5840 19	1	Nipple		5090	1622 3694 05	•• 1	Rivet	
2190	1079 5840 29	2	Nipple		5100	1622 3694 06	•• 2	Insert	
2200	1092 0029 97	1	Flange	Aircooled	5110	1622 3694 07	•• 1	Seal	
2210	0663 2109 71	1	O-ring	Aircooled				Solenoid valve	
2220	0211 1362 03	4	Hex. Sock. Screw		6010	1089 0668 21	1	Solenoid valve	

23




Regulating system - C190

23

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
			Control system		2250	0661 1000 25	1	Seal washer	
1010	0160 6038 00	4	Screw		2260	0661 1000 27	1	Seal washer	
1020	0301 2315 00	4	Washer		2270	0661 1000 29	2	Seal washer	
1050	1089 0574 70	4	Temperature sensor		2280	0661 1000 30	1	Seal washer	
1060	1089 9625 01	1	Dp transducer		2290	0663 2114 23	1	O-ring	
1070	1089 0637 16	1	Temperature switch		2300	1079 5840 01	1	Nipple	
1080	1089 9625 33	2	Pressure transducer		2310	1079 5840 19	1	Nipple	
1120	1900 0712 92	1	Regulator		2320	1079 5840 29	2	Nipple	
1130	1089 0574 70	1	Temperature sensor		3200	<<< >>>	1	Unloader valve	
1140	1092 0051 49	1	Wire harness		3220	1092 0030 31	1	Unloader flange	
1150	1092 0030 31	1	Pipe	Aircooled	3230	0603 4200 36	2	Nipple	
1170	0663 2114 23	1	O-ring	Aircooled	3240	1092 0032 52	1	Nipple	
1180	0211 1362 03	4	Hex. Sock. Screw		3250	1092 0031 54	1	Pipe	
1200	0564 0000 34	1	Tee		3260	1614 9144 00	1	Nipple	
1210	0571 0035 05	1	Nipple		3270	1092 0008 96	1	Nozzle	
1220	0574 8236 35	1	Hose assembly		3280	1619 5205 00	1	Nipple	
1230	0603 4105 03	1	Nipple		3290	1092 0030 66	1	Nipple	
1240	0653 1124 00	1	Flat gasket		3300	0661 1000 26	1	Seal washer	
1250	0603 4200 36	2	Nipple		3310	1092 2106 10	1	Nipple	
1260	0661 1000 26	2	Seal washer		3320	1092 2106 10	1	Nipple	
1270	0575 0401 29	1	Hose		3330	0661 1000 49	1	Seal washer	
			Regulation		3340	1092 2106 09	1	Flange	
2020	0147 1364 03	4	Hexagon bolt		3350	0663 2106 09	2	O-ring	
2040	0301 2344 00	4	Washer		3360	0160 6043 00	4	Screw	
2050		1	Hose		1622 3694 80	• 1	Blow-off valve		
	1092 0039 06		Aircooled		4010	0226 3300 18	•• 4	Screw	
	1092 0039 02		Watercooled		4020	0663 2112 69	•• 1	O-ring	
2060	0574 9917 15	1	Hose		4030	1513 0477 00	•• 1	Piston ring	
2180	1091 6006 00	1	Hose		4040	1622 3694 00	•• 1	Housing	
2190	1092 0039 00	1	Hose		4050	1622 3694 01	•• 1	Cover	
2220	0580 0013 32	1	Coupling		4060	1622 3694 02	•• 1	Piston	
2230	0653 0500 02	1	Flat gasket		4070	1622 3694 03	•• 1	Seal	
2240	0661 1000 24	2	Seal washer		4080	1622 3694 04	•• 1	Seal	
					4090	1622 3694 05	•• 1	Rivet	
					4100	1622 3694 06	•• 2	Insert	
					4110	1622 3694 07	•• 1	Seal	
								Solenoid valve	
					5010	1089 0668 21	1	Solenoid valve	

24




Drain system

24

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1010	0653 1062 00	2	Flat gasket		3010	0663 9287 00	•• 1	O-ring	
1020	0653 1124 00	1	Flat gasket		3020	1613 9378 00	•• 1	Drain	
1030	0686 3716 01	2	Plug		3030	1613 9379 00	•• 1	Housing	
1040	0686 3716 02	1	Plug		3040	1613 9380 00	•• 1	Cover	
	1613 9370 80	1	Water separator		3060	1613 9397 01	•• 1	Insert	
2030	0663 2133 00	• 1	O-ring		3070	1613 9398 00	•• 1	Valve disc	
2040	0663 6136 00	• 1	O-ring			1613 9385 80	•• 1	Float assembly	
2050	0663 6147 00	• 1	O-ring		4010	1613 9385 00	••• 1	Float half	
2060	1613 9367 70	• 1	Head		4020	1613 9386 00	••• 1	Support	
2070	1613 9370 00	• 1	Head					Connections	
2080	1613 9371 00	• 1	Bowl		5010	0070 6002 06	AR	Plastic tube	
2100	1613 9381 00	• 1	Nut		5020	0581 0000 45	2	Pipe coupling	
2110	1613 9389 00	• 1	Clamp		5030	0581 0000 53	2	Pipe coupling	
2120	1613 9390 00	• 1	Ring		5040	0653 1062 00	1	Flat gasket	
2130	1613 9483 04	• 1	Label		5050	0653 1124 00	2	Flat gasket	
2140	1613 9671 00	• 1	Stud		5060	0661 1000 25	1	Seal washer	
	1613 9378 93	• 1	Drain		5070	1092 0017 41	1	Ball valve	
					5080	1614 9934 00	2	Pipe coupling	

25




Bodywork - Aircooled

25

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
Panels and stays					Door G 132, G 160 1)				
1010	1088 1301 03	1	Cable tie		7010	1614 9017 00	• 8	Door	
1020	1089 9068 01	1	Key		7040	0690 1140 01	• 1	House mark	
	1092 0025 76	1	Stay	1)	7050	2252 7237 00	• 2	Door lock	
1040	1092 0025 77	1	Stay		1614 9767 80 1 Stay G 110 1)				
1045	1092 0030 92	1	Warning label		8030	1079 9901 09	• 1	Label	
	1092 0038 31	1	Stay	1)	8040	1079 9910 95	• 1	Label	
1060	1092 0038 32	1	Stay		8050	1079 9910 96	• 1	Label	
	1092 0038 06	2	Stay	1)	8060	1092 0029 98	• 1	Stay	
1070	1092 0038 07	1	Stay		1614 9730 80 1 Stay G 132, G 160 1)				
1076	1621 2538 00	• 2	Hinge		8030	1079 9901 09	• 1	Label	
1130	1619 2766 00	22	Hexagon bolt		8040	1079 9910 95	• 1	Label	
	1092 0038 37	1	Stay		8050	1079 9910 96	• 1	Label	
1080	1092 0038 38	1	Stay		8060	1092 0029 99	• 1	Stay	
1085	1092 0030 92	• 1	Warning label		1092 0038 41 2 Door 1)				
1086	1621 2538 00	• 2	Hinge		9010	1092 0038 02	• 1	Door	
	1092 0038 01	1	Door		9030	2252 7237 00	• 2	Door lock	
1140	1092 0038 02	1	Door		9040	0690 1140 01	• 1	House mark	
1145	2252 7237 00	• 2	Door lock		Roofs				
	1092 0038 04	2	Door		G 110				
1160	1092 0038 05	1	Door		10010	1092 0038 60	• 1	Roof	1)
1165	2252 7237 00	• 2	Door lock		10020	1092 0038 62	• 1	Roof	1)
1170	1621 0607 00	12	Pin		10030	1092 0038 64	• 1	Roof	1)
1200	0147 1320 03	26	Hexagon bolt		10040	1619 2766 00	13	Hexagon bolt	
	1092 0038 22	1	Panel	1)	G 132				
2010	1092 0038 23	1	Panel		G 160				
	1092 0038 14	1	Stay	1)	10010	1092 0038 66	• 1	Roof	1)
2020	1092 0038 15	1	Stay		10020	1092 0038 68	• 1	Roof	1)
	1092 0038 08	1	Stay	1)	10030	1092 0038 70	• 1	Roof	1)
3010	1092 0038 09	• 1	Stay		10040	1619 2766 00	13	Hexagon bolt	
3020	1092 0030 92	• 1	Warning label		Markings				
3040	1621 2538 00	• 1	Hinge		G 110				
3050	1092 0030 25	• 2	Hinge		11010	1614 9425 02	1	Label	
	1614 9017 80	1	Door	1)	12010	1092 0040 90	1	Data plate	
4010	1614 9017 00	• 1	Door		12020	0129 3107 00	4	Blind rivet	
4050	2252 7237 00	• 2	Door lock		G 132				
	1092 0038 27	1	Panel	1)	11010	1614 9425 03	1	Label	
5010	1092 0038 28	• 1	Panel		12010	1092 0040 90	1	Data plate	
5040	2252 7237 00	• 2	Door lock		12020	0129 3107 00	4	Blind rivet	
	1614 9018 80	1	Door	1)	G 160				
6010	1614 9018 00	• 1	Door		11010	1614 9425 04	1	Label	
6040	2252 7237 00	• 2	Door lock		12010	1092 0040 90	1	Data plate	
	1614 9161 80	2	Door G 110	1)	12020	0129 3107 00	4	Blind rivet	
7010	1614 9161 00	• 1	Panel						
7040	0690 1140 01	• 1	House mark						
7050	2252 7237 00	• 2	Door lock						


26



Bodywork - Watercooled

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
Panels and stays						1092 0032 33	1	Stay G 110	1)
1010	1088 1301 03	1	Cable tie		8040	1092 0032 34	• 1	Stay	
1020	1089 9068 01	1	Key		8050	1079 9901 09	• 1	Label	
	1092 0025 76	1	Stay	1)	8060	1079 9910 95	• 1	Label	
1040	1092 0025 77	1	Stay		8070	1079 9910 96	• 1	Label	
1045	1092 0030 92	1	Warning label		8090	1079 9913 69	• 1	Inform. label	
	1092 0038 11	2	Stay	1)	8100	1079 9913 79	• 1	Inform. label	
1050	1092 0038 12	• 1	Stay			1092 0032 35	1	Stay G 132, G 160	1)
1055	1092 0030 92	• 1	Warning label		8040	1092 0032 36	• 1	Stay	
1056	1621 2538 00	• 2	Hinge		8050	1079 9901 09	• 1	Label	
	1092 0038 31	1	Stay	1)	8060	1079 9910 95	• 1	Label	
1060	1092 0038 32	1	Stay		8070	1079 9910 96	• 1	Label	
	1092 0038 06	2	Stay	1)	8090	1079 9913 69	• 1	Inform. label	
1070	1092 0038 07	1	Stay		8100	1079 9913 79	• 1	Inform. label	
1076	1621 2538 00	• 2	Hinge			1092 0038 41	2	Door	1)
	1092 0038 37	1	Stay		9010	1092 0038 02	• 1	Door	
1080	1092 0038 38	1	Stay		9030	2252 7237 00	• 2	Door lock	
1085	1092 0030 92	• 1	Warning label		9040	0690 1140 01	• 1	House mark	
1086	1621 2538 00	• 2	Hinge					Roofs	
								G 110	
1130	1619 2766 00	22	Hexagon bolt		10010	1092 0038 62	• 1	Roof	1)
	1092 0038 01	1	Door		10020	1092 0038 72	• 1	Roof	1)
1140	1092 0038 02	1	Door		10030	1092 0038 74	• 1	Roof	1)
1145	2252 7237 00	• 2	Door lock		10050	1619 2766 00	17	Hexagon bolt	
	1092 0038 04	2	Door		10060	1621 0607 00	2	Pin	
1160	1092 0038 05	1	Door		10070	0147 1320 03	8	Hexagon bolt	
1165	2252 7237 00	• 2	Door lock					G 132	
								G 160	
1170	1621 0607 00	12	Pin		10010	1092 0038 68	• 1	Roof	1)
1180	0147 1320 03	26	Hexagon bolt		10020	1092 0038 76	• 1	Roof	1)
	1092 0038 22	1	Panel	1)	10030	1092 0038 78	• 1	Roof	1)
2010	1092 0038 23	1	Panel		10050	1619 2766 00	17	Hexagon bolt	
	1092003814	1	Stay	1)	10060	1621 0607 00	2	Pin	
2020	1092 0038 15	1	Stay		10070	0147 1320 03	8	Hexagon bolt	
	1092 0038 08	1	Stay	1)				Markings	
3010	1092 0038 09	• 1	Stay					G 110	
3020	1092 0030 92	• 1	Warning label		11010	1614 9425 16	1	Label	
3040	1621 2538 00	• 1	Hinge		12010	1092 0040 90	1	Data plate	
3050	1092 0030 25	• 2	Hinge		12020	0129 3107 00	4	Blind rivet	
	1614 9017 80	1	Door	1)				G 132	
4010	1614 9017 00	• 1	Door		11010	1614 9425 17	1	Label	
4030	2252 7237 00	• 2	Door lock		12010	1092 0040 90	1	Data plate	
	1092 0038 27	1	Panel	1)	12020	0129 3107 00	4	Blind rivet	
5010	1092 0038 28	• 1	Panel					G 160	
5040	2252 7237 00	• 2	Door lock		11010	1614 9425 18	1	Label	
	1614 9018 80	1	Door	1)	12010	1092 0040 90	1	Data plate	
6010	1614 9018 00	• 1	Door		12020	0129 3107 00	4	Blind rivet	
6040	2252 7237 00	• 2	Door lock					Fan assembly	
	1614 9161 80	2	Door G 110	1)	13010	0147 1250 03	3	Hexagon bolt	
7010	1614 9161 00	• 2	Panel		13020	0301 2321 00	3	Washer	
7040	0690 1140 01	• 1	House mark		13030	1088 1001 01	1	Warning label	
7050	2252 7237 00	• 4	Door lock		13040	1503 0786 00	1	Rotation arrow	
					13050	1092 0030 93	1	Fan	
	1614 9017 81	2	Door G 132, G 160	1)					
7010	1614 9017 00	• 8	Door						
7040	0690 1140 01	• 1	House mark						
7050	2252 7237 00	• 2	Door lock						

27





Cubicle box

27

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
	1092 0038 25	1	Cubicle		3020	1088 1001 04	1	Warning label	
1010	1092 0038 26	• 1	Cubicle		3030	1079 9901 67	1	Label	
1020	1202 6584 00	• AR	Seal		3040	1092 0019 06	1	Rod	
1030	1614 9106 03	• 2	Pin		3060	0296 1108 02	2	Wing nut	
1040	1619 7704 00	• 2	Lock					Filter & Fan	
2130	1079 9901 67	1	Label		4010	1092 0030 84	1	Filter	
2140	1079 9923 72	2	Label		4020	1092 0030 83	1	Filter+ Fan	
2170	1088 1001 01	1	Warning label						
2180	1088 1001 04	1	Warning label						
2190	1089 9154 02	1	Key						
2200	1614 6567 00	1	Seal						
2210	1619 2766 00	11	Hexagon bolt						
2230	1621 0478 00	1	Label						
2270	1614 7145 00	1	Gasket						
2280	1614 7146 00	1	Flange						
2290	0147 1325 03	6	Hexagon bolt						
2300	1613 5330 10	1	Listing mark						
2310	1613 3431 00	1	Label						
			Screen						
3010	1092 0018 76	1	Screen						

28



Control panel

28

Ref.	Partnumber	Qty	Name	Remarks	Ref.	Partnumber	Qty	Name	Remarks
1000	ASME	1	Control panel		1011	1091 6371 11	1	Contactor	
	1092 0780 01		G 110		1014	1092 0033 05	5	Fuse holder	
	1092 0780 02		G 132		1015		2	Fuse ASME	
	1092 0780 03		G 160			1091 6365 24		G 110, G132	
	1092 0780 04		G 110 W			1091 6365 25		G 160	
	1092 0780 05		G 132 W		1016		1	Circuit breaker	
	1092 0780 06		G 160 W			1092 0040 91		G 110-160	
	CE				1016		1	Fuse	
	1092 0051 27		G 110			1092 0052 78		G 110-132	
	1092 0051 50		G 132			1092 0052 79		G 160	
	1092 0051 51		G 160		1017	1092 0033 07	2	Fuse	
	1092 0780 04		G 110 W		1018	1091 6364 27	5	Terminal(ground)	
	1092 0780 05		G 132 W		1019	1091 6364 62	38	Terminal	
	1092 0780 06		G 160 W		1020	1091 6371 13	1	Contact block	
1001		2	Contactor		1021	10916371 13	1	Contact block	
	1091 6371 60		G 110, G132		1022	1613 6639 00	1	Date plate	
	1091 6371 77		G 160		1023	1079 9911 77	1	Connect.Inform.Label	
1002		1	Contactor		1024	1079 9906 09	1	Label	
	1091 6371 42		G 110, G132		1025	1079 9901 68	1	Label	
	1091 6371 44		G 160		1026	1091 6363 51	1	Emergency button	
1003		1	Overload relay		1027	1091 6363 50	2	Contact block	
	1091 6376 20		G 110		1028	1091 6362 30	1	Connector	
	1091 6376 21		G 132		1029	1091 6362 29	1	Connector	
	1091 6376 22		G 160		1030	1091 6362 49	1	Connector	
1004		1	Transformer		1031	1091 6362 13	1	Connector	
	1092 0030 81		G 110, G132		1032	1091 6362 03	1	Connector	
	1092 0030 82		G 160		1033	1091 6262 03	1	Connector	
1005	1092 0030 80		Transformer						
1007		1	Circuit breaker						
	1091 6372 29		G 110-160 A						
	1091 6372 22		G 110-160 W						
1010	1091 6378 28	1	Contactor						

29

Service kits

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
	3001 5006 21	1	Air/oil filter kit			3001 5006 25	1	Oil separator kit	
	0653 1046 00 •	1	Flat gasket			G 132 (W), G 160 (W)			
	0653 1100 00 •	1	Flat gasket			0663 2106 17 •	1	O-ring	
	0653 1124 00 •	1	Flat gasket			0663 2109 45 •	2	O-ring	
	0661 1000 25 •	2	Seal washer			1614 9056 99 •	1	Oil separator element	
	0661 1000 27 •	3	Seal washer			2906 0973 00		Element overhaul kit(C190)	
	0661 1000 31 •	1	Seal washer			G 132(W)		6.9bar/8.6bar/10.4bar	
	1621 7376 00 •	1	Heavy duty air filter element			G 160(W)		6.9bar/8.6bar/10.4bar/13.8bar	
	1621 7378 90 •	2	Oil filter			0663 2103 25 •	1	O-ring	
	2906 0960 00	1	CV-OSV kit for C146			0663 2108 14 •	1	O-ring	
	G 110(W)		6.9bar/8.6bar/10.4bar/13.8bar			0663 7135 00 •	1	O-ring	
	G 132(W)		13.8bar			0508 1101 07 •	2	Bearing	
	G 160(W)		13.8bar			0211 1362 00 •	2	Bolt	
	1622 0977 00 •	1	Gasket			1616 7355 00 •	2	Bearing	
	1622 9639 00 •	1	Check valve			0147 1409 03 •	2	Bolt	
	0661 1000 44 •	1	Seal washer			1616 7353 00 •	2	Wave spring	
	1622 5662 00 •	1	Spring			0663 2106 20 •	2	O-ring	
	1622 0796 00 •	1	Spring			2906 0971 00	1	Element exchange kit (C146)	
	0661 1000 44 •	1	Seal washer			G 110(W)		6.9bar/8.6bar/10.4bar/13.8bar	
	0661 1000 25 •	1	Seal washer			G 132(W)		13.8bar	
	0661 1000 27 •	1	Seal washer			0663 2109 78 •	1	O-ring	
	2906 0961 00	1	CV-OSV kit for C190			0663 2111 46 •	1	O-ring	
	G 132(W)		6.9bar/8.6bar/10.4bar			0663 2107 37 •	1	O-ring	
	G 160(W)		6.9bar/8.6bar/10.4bar			1622 0977 00 •	1	Gasket	
	1623 0385 00 •	1	Check valve			0661 1000 27 •	1	Seal washer	
	2254 8075 00 •	1	Spring			0337 0009 77 •	1	Parallely key	
	1623 1767 00 •	1	Spring			0211 1409 00 •	1	Cap screw	
	0663 2108 12 •	1	O-ring			0663 7138 00 •	1	O-ring	
	0663 2106 20 •	1	O-ring			2906 0972 00	1	Element exchange kit (C190)	
	0663 2106 15 •	1	O-ring			G 132(W)		6.9bar/8.6bar/10.4bar	
	0663 3116 00 •	1	O-ring			G 160(W)		6.9bar/8.6bar/10.4bar/13.8bar	
	0661 1000 25 •	1	Seal washer			0663 2114 07 •	1	O-ring	
	0661 1000 32 •	1	Seal washer			0663 2114 23 •	1	O-ring	
	3001 5006 26	1	Min. pressure valve kit			0663 2124 00 •	1	O-ring	
	0663 2106 58 •	1	O-ring			0663 2109 68 •	1	O-ring	
	1621 4976 00 •	1	Nut			0663 2108 12 •	2	O-ring	
	1614 6957 00 •	1	Washer			0663 2106 20 •	1	O-ring	
	9125 7289 00 •	3	Set screw			0663 2106 15 •	1	O-ring	
	2901 1089 00		Element overhaul kit(C146)			0663 3116 00 •	1	O-ring	
	G 110(W)		6.9bar/8.6bar/10.4bar/13.8bar			0661 1000 27 •	1	Seal washer	
	G 132(W)		13.8bar			0337 8350 00 •	1	Parallel key	
	0663 2111 77 •	1	O-ring			0147 1407 03 •	1	Bolt	
	0508 1310 00 •	2	Bearing			2906 0957 00	1	Unloading valve kits C146	
	0512 0510 12 •	1	Bearing			0663 7151 00 •	1	O-ring	
	1616 7149 00 •	1	Wave spring			1622 3694 80 •	1	Assembly Blow off valve	
	0512 0510 13 •	1	Bearing			1622 3690 00 •	1	Bushing	
	1616 7148 00 •	1	Wave spring			1622 3689 00 •	1	Guidance tape	
	1616 7266 00 •	1	Clamping ring			1622 3691 00 •	1	Quadring C146	
	0147 1409 03 •	1	Cap screw			1622 3182 00 •	1	Guide	
	3001 5006 24	1	Oil separator kit			1622 3183 00 •	1	Seal	
	G 110 (W)					1622 3185 00 •	1	Spring	
	0663 2106 17 •	1	O-ring			0663 2107 37 •	2	O-ring	
	0663 2109 45 •	2	O-ring			1623 1785 00 •	1	Valve	
	1614 9054 99 •	1	Oil separator element			0663 7154 00 •	1	O-ring	
						0211 1957 79 •	1	Screw	
						0661 1000 40 •	1	Washer	
						0663 2111 46 •	1	O-ring	

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
	2906 0958 00	1	Unloading valve kits C190			3001 5006 22	1	Flexmaster joint G 110 (W)	
	0663 2114 23 •	1	O-ring			0291 1114 00 •	2	Locknut	
	1622 3694 80 •	1	Assembly Blow off valve			0300 0276 03 •	4	Washer	
	0661 1000 29 •	1	Seal washer			1614 9115 00 •	4	Rubber joint	
	0663 2109 49 •	1	O-ring			1614 8926 00 •	4	Absorber	
	1623 0540 00 •	1	Guidance tape			3001 5006 23	1	Flexmaster joint G 132 (W), G160 (W)	
	1623 0904 00 •	1	Bushing			0291 1114 00 •	2	Locknut	
	0663 2114 22 •	1	O-ring			0300 0276 03 •	4	Washer	
	0517 1424 00 •	1	Bearing ball			1614 9064 00 •	4	Rubber joint	
	0663 2111 66	1	O-ring			1614 8926 00 •	4	Absorber	
	2906 0566 00	1	Cooler kit G 110 - 160			3001 5006 27	1	Maintenancekit 4000h or yearly G 110 (W)	
	0663 2106 15 •	1	O-ring			0661 1000 25 •	1	Seal washer	
	0663 2106 17 •	1	O-ring			0663 2106 18 •	1	O-ring	
	0663 2109 68 •	4	O-ring			0663 2106 20 •	1	O-ring	
	0663 2106 19 •	1	O-ring			2254 8075 00 •	1	Spring	
						3001 5006 21 •	1	Air/Oil filter kit	
	2906 1000 00	1	Cooler kit G 110 W - 110 W			3001 5006 28	1	Maintenancekit 4000h or yearly G 132 (W), G160 (W)	
	1092 0147 00 •	4	O-Ring			0661 1000 25 •	1	Seal washer	
	1092 0147 00 •	4	O-Ring			0663 2106 18 •	1	O-ring	
	0663 2106 20 •	2	O-Ring			0663 2106 20 •	1	O-ring	
	0663 2106 11 •	2	O-Ring			2254 8075 00 •	1	Spring	
	0663 2106 12 •	3	O-Ring			3001 5006 21 •	1	Air/Oil filter kit	
	2906 1001 00	1	Cooler kit G 132 W - 160 W			2906 0578 00	1	Seal washer kit	
	1092 0147 00 •	8	O-Ring			0653 0500 08 •	3	Flat Cu gasket	
	1092 0147 00 •	4	O-Ring			0653 1046 00 •	3	Flat Cu gasket	
	0663 2106 20 •	1	O-Ring			0653 1062 00 •	12	Flat Cu gasket	
	0663 2106 11 •	4	O-Ring			0653 1100 00 •	3	Flat Cu gasket	
	0663 2106 12 •	4	O-Ring			0653 1124 00 •	3	Flat Cu gasket	
						0653 1165 00 •	3	Flat Cu gasket	
	2906 0969 00	1	Gearbox overhaul kit			0653 1189 00 •	3	Flat Cu gasket	
	0611 1000 27 •	1	Seal washer			0653 1227 00 •	3	Flat Cu gasket	
	0211 1325 00 •	4	Cap screw			0653 9078 00 •	3	Flat Cu gasket	
	0337 0009 74 •	1	Parallel key			0661 1000 25 •	9	Seal ring	
	0504 0110 01 •	1	Ball Bearing			0661 1000 27 •	12	Seal ring	
	0508 1158 01 •	1	Bearing			0661 1000 29 •	6	Seal ring	
	0337 8352 00 •	1	Paralel key			0661 1000 31 •	3	Seal ring	
	2906 0968 00 •	1	Shaft seal kit			0661 1000 36 •	3	Seal ring	
						3001 5006 29		Maintenance kit - 8000h or every two years (C146)	
						G 110(W)		6.9bar/8.6bar/10.4bar	
						0663 2107 77 •	1	O-ring	
						1619 7560 00 •	1	Thermostatic valve	
						2901 0749 00 •	1	Drain valve kit	
						3001 5006 21 •	1	Air/oil filter kit	
						2906 0960 00 •	1	CV-OSV kits	
						3001 5006 26 •	1	Min press valve kit	
						2906 0957 00 •	1	Unloading valve kit	
						3001 5006 24 •	1	Oil separator kit	
						3001 5006 22 •	1	Flexmaster joint kit	

Ref.	Part number	Qty	Name	Remarks	Ref.	Part number	Qty	Name	Remarks
	3001 5006 30		Maintenance kit - 8000h or every two years (C146)			3001 5006 32		Maintenance kit - 8000h or every two years (C190)	
	G 110(W)		14bar			G 132(W)		7.4bar/9.1bar/10.9bar	
						G 160(W)		7.4bar/9.1bar/10.9bar	
	0663 2107 77 •	1	O-ring			0663 2107 77 •	1	O-ring	
	1202 5869 03 •	1	Thermostatic valve			1619 7560 00 •	1	Thermostatic valve	
	2901 0749 00 •	1	Drain valve kit			2901 0749 00 •	1	Drain valve kit	
	3001 5006 21 •	1	Air/oil filter kit			3001 5006 21 •	1	Air/oil filter kit	
	2906 0960 00 •	1	CV-OSV kits			2906 0961 00 •	1	CV-OSV kits	
	3001 5006 26 •	1	Min press valve kit			3001 5006 26 •	1	Min press valve kit	
	2906 0957 00 •	1	Unloading valve kit			2906 0958 00 •	1	Unloading valve kit	
	3001 5006 24 •	1	Oil separator kit			3001 5006 25 •	1	Oil separator kit	
	3001 5006 22 •	1	Flexmaster joint kit			3001 5006 23 •	2	Flexmaster joint kit	
	3001 5006 31		Maintenance kit - 8000h or every two years (C146)			3001 5006 33		Maintenance kit - 8000h or every two years (C190)	
	G 132(W)		14bar			G 160(W)		14bar	
	0663 2107 77 •	1	O-ring			0663 2107 77 •	1	O-ring	
	1202 5869 03 •	1	Thermostatic valve			1202 5869 03 •	1	Thermostatic valve	
	2901 0749 00 •	1	Drain valve kit			2901 0749 00 •	1	Drain valve kit	
	3001 5006 21 •	1	Air/oil filter kit			3001 5006 21 •	1	Air/oil filter kit	
	2906 0960 00 •	1	CV-OSV kits			2906 0961 00 •	1	CV-OSV kits	
	3001 5006 26 •	1	Min press valve kit			3001 5006 26 •	1	Min press valve kit	
	2906 0957 00 •	1	Unloading valve kit			2906 0958 00 •	1	Unloading valve kit	
	3001 5006 25 •	1	Oil separator kit			3001 5006 25 •	1	Oil separator kit	
	3001 5006 23 •	2	Flexmaster joint kit			3001 5006 23 •	2	Flexmaster joint kit	

[illegible]

Notes:

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

Atlas Copco Stationary Air Compressors

G 110 - G 132 - G 160 UL

G 110W - G 132W -G 160W UL

Parts list

What sets Atlas Copco apart as a company is our conviction that we can only excel in what we do if we provide the best possible know-how and technology to really help our customers produce, grow and succeed.

There is a unique way of achieving that - we simply call it the Atlas Copco way. It builds on **interaction**, on long-term relationships and involvement in the customers' process, needs and objectives. It means having the flexibility to adapt to the diverse demands of the people we cater for.

It's the **commitment** to our customers' business that drives our effort towards increasing their productivity through better solutions. It starts with fully supporting existing products and continuously doing things better, but it goes much further, creating advances in technology through **innovation**. Not for the sake of technology, but for the sake of our customer's bottom line and peace-of-mind.

That is how Atlas Copco will strive to remain the first choice, to succeed in attracting new business and to maintain our position as the industry leader.

