

# Atlas Copco

## Oil-injected compressors



**GA 55, GA 55+, GA 75, GA 75+ GA 90**

## Parts List





# **Atlas Copco**

## **Oil-injected compressors**

**GA 55, GA 55+, GA 75, GA 75+ GA 90**

### **Parts List**

**Edition: 01**

Copyright, Atlas Copco Wuxi Compressor Co., Ltd.

Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers and drawings.

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.



|                                                                                       |     |
|---------------------------------------------------------------------------------------|-----|
| Instructions .....                                                                    | 3   |
| 1 Service Kits .....                                                                  | 18  |
| 2 Oil.....                                                                            | 24  |
| 3 Drive train GA 55.....                                                              | 26  |
| 4 Drive train GA 55+, GA 75, GA 75+.....                                              | 54  |
| 5 Drive train GA 90 - (ASME, MHLW, ML).....                                           | 96  |
| 6 Drive train GA 90 - CHN.....                                                        | 118 |
| 7 Air system.....                                                                     | 122 |
| 7.1 Air filter GA 55, GA 75, GA 90.....                                               | 122 |
| 7.2 Air filter GA 55+, GA 75+.....                                                    | 124 |
| 7.3 Air inlet GA 55.....                                                              | 126 |
| 7.4 Air inlet GA 55+, GA 75, GA 75+, GA 90.....                                       | 128 |
| 7.5 Separation GA 55.....                                                             | 130 |
| 7.6 Separation GA 55+, GA 75, GA 75+, GA 90.....                                      | 136 |
| 8 Liquid filtration GA 55 .....                                                       | 162 |
| 9 Liquid filtration GA 75, GA 90.....                                                 | 170 |
| 10 Liquid filtration GA 55+, GA 75+.....                                              | 178 |
| 11 Fluid transport.....                                                               | 182 |
| 11.1 Fluid transport - Air-cooled Pack.....                                           | 182 |
| 11.2 Fluid transport - Air-cooled Full-Feature.....                                   | 186 |
| 11.3 Fluid transport - Water-cooled GA 55 - Without dryer.....                        | 190 |
| 11.4 Fluid transport - Water-cooled GA 55+, GA 75, GA 75+, GA 90 - Without dryer..... | 192 |
| 11.5 Fluid transport - Water-cooled GA 55, GA 55+ - Full-Feature.....                 | 194 |
| 11.6 Fluid transport - Water-cooled GA 75, GA 75+, GA 90 - Full-Feature.....          | 196 |
| 12 Cooling system Air-cooled - (380V, 400V)/50Hz.....                                 | 198 |
| 13 Cooling system Air-cooled - (230V, 380V, 460V)/60Hz.....                           | 202 |
| 14 Cooling system Water-cooled.....                                                   | 204 |
| 15 Loose parts Pack.....                                                              | 206 |
| 16 Loose parts Full-Feature.....                                                      | 208 |
| 17 Air dryer.....                                                                     | 210 |
| 17.1 Dryer assembly.....                                                              | 210 |
| 17.2 Dryer rail.....                                                                  | 212 |
| 18 Regulation.....                                                                    | 214 |
| 18.1 Cubicle box components.....                                                      | 214 |
| 18.2 Cubicle components.....                                                          | 216 |
| 18.3 Controller GA 55, GA 75, GA 90.....                                              | 220 |
| 18.4 Controller GA 55+, GA 75+.....                                                   | 222 |
| 19 Bodywork Pack.....                                                                 | 224 |
| 20 Bodywork Full-Feature.....                                                         | 232 |
| 21 Markings.....                                                                      | 242 |
| 22 Condensate system Air-cooled - Pack.....                                           | 244 |

|             |                                                               |     |
|-------------|---------------------------------------------------------------|-----|
| <b>23</b>   | Condensate system Air-cooled - Full-Feature.....              | 246 |
| <b>24</b>   | Condensate system Water-cooled - Pack.....                    | 248 |
| <b>25</b>   | Condensate system Water-cooled - Full-Feature.....            | 250 |
| <b>26</b>   | Standard option.....                                          | 252 |
| <b>26.1</b> | Controller 380V/50Hz.....                                     | 252 |
| <b>26.2</b> | Controller (380V - 400V)/50Hz, (230V - 380V - 460V)/60Hz..... | 254 |

## EN - English

## 1 ORDERING PARTS

Always specify the part number, the name and quantity of the required items, as well as the type and serial number of the machine.

## 2 COLUMN INFORMATION

Ref - Reference number: links a specific part from the list to the drawing. Only parts with a reference number are shown in the drawing. Parts in the drawing without a reference number are simply there to illustrate the assembly.

Part number - Part number to be used when ordering spare parts.

When no part number is specified, the component is not available as a spare part.

Parts which are contained in a kit will have the kit number mentioned on the line below. For complete content of the kit see chapter "1 - Service kits".

A part number preceded by a black dot is comprised in the assembly right above.

Remarks: Additional information to the part number right above.

Substituted by: The part number right above has been replaced by another part number due to an update or revision.

Qty - Quantity: Indicates the number of parts in relation to the corresponding reference number. „AR“ means „As required“: quantity or number to be determined.

Name - Part name: Translations of the English names can be found in document "Glossary of part names".

Validity - Defines the timeframe and type/version of the machines the part is valid for. Clarification of the codes used in the validity pattern can be found in the legend at the bottom of the page. A validity pattern mentioned in the chapter title applies to the whole chapter. A plus sign in the pattern is to be interpreted as 'and', a comma as 'or'. Parentheses group the validity codes, similarly to mathematical parentheses, see following example:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' is valid for machines with 8 bar working pressure and 50Hz frequency and 500V supply voltage, or 8 bar working pressure and 60Hz frequency and 575V supply voltage.

EL - Reference to the drawing or the component inside the electric cubicle.

R. - Remarks: Extra information about the part. Explanation can be found at the bottom of the page.

## BG - български

## 1 ПОРЪЧКА НА ЧАСТИ

Винаги цитирайте номера на частта, наименованието и количеството на необходимите изделия, както и типа и серийния номер на машината.

## 2 ИНФОРМАЦИЯ В КОЛОНИТЕ

Ref - Референтен номер: свързва дадена част от списъка с чертежа. На чертежа са показани само части с референтен номер.

Частите на чертежа без референтен номер са там, единствено за да се покаже възелът.

Part number - Номер на частта, който да се използва при поръчката на резервни части.

Ако не е посочен номер на частта, компонентът не се предлага като резервна част.

Частите, които се съдържат в даден комплект, ще включват номер на комплекта на долния ред. За пълното съдържание на комплекта вижте глава „1 – Service kits“.

Номер на част, пред който има черна точка, се съдържа във възела непосредствено по-горе.

Remarks: Допълнителна информация за частта – непосредствено по-горе.

Substituted by: Номерът на частта непосредствено по-горе е заменен от друг номер на частта поради актуализация или ревизия.

Qty - Количество: Посочва броя на частите във връзка със съответния референтен номер. „AR“ означава „Според нуждата“: количеството или броят ще бъдат определени допълнително.

Name - Име на частта: превод на английските имена можете да откриете в документа „Glossary of part names“.

Validity - Определя периода и типа/версията на машините, за които частта е валидна. Обяснение на елементите от кода, използвани в кода за валидността, можете да откриете в легендата в долната част на страницата. Кодът за валидността, посочен в заглавието на главата, се отнася за цялата глава. Знакът плюс в кода се приема за „и“, а запетаята – за „или“. Скобите групират елементите на кодовете за валидност подобно на математическите скоби, вижте следния пример:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ е валидно за машини с работно налягане 8 bar, честота 50 Hz и захранващо напрежение 500 V или работно налягане 8 bar, честота 60 Hz и захранващо напрежение 575 V.

EL - Референция към чертежа или компонента в електрическата кутия.

R.. - Забележки: допълнителна информация относно частта. Обяснения можете да намерите в долната част на страницата.

## BR - Brasileiro

### 1 ENCOMENDANDO PEÇAS

Sempre especifique o número da peça, o nome e a quantidade dos itens necessários, assim como o tipo e o número de série da máquina.

Páginas marcadas com o símbolo Serviço - “ “ contêm peças do(s) Kit(s) de serviço. Para conhecer o conteúdo completo do kit, consulte o capítulo “1 - Service kits” (1 - Kits de serviço).

### 2 INFORMAÇÕES SOBRE AS COLUNAS

Ref. - Número de referência: indica onde está uma peça específica listada no desenho. Somente peças com número de referência são mostradas no desenho. As peças no desenho que não têm um número de referência destinam-se simplesmente a ilustrar o conjunto.

Part number - Número da peça: se nenhum número de peça estiver especificado, o componente não está disponível como peça sobressalente. Uma linha mostrada em negrito é um conjunto. Uma peça cujo número seja seguido por um ponto preto faz parte do conjunto impresso em negrito imediatamente acima dela.

O símbolo “<<< >>>” direciona para outra lista com o mesmo título, como “Name” (Nome).

Quando o número de peça específico é colocado abaixo da linha “Ref.”/“Name” (Ref. / Nome), é preciso escolher o tipo/versão da máquina.

Qty - Quantidade: indica o número de peças e os números de referência correspondentes. “AR” significa “As required” (Conforme solicitado): a quantidade ou o número a ser determinado.

Name - Nome da peça: as traduções dos nomes em inglês podem ser encontradas no documento “Glossary of part names” (Glossário de nomes de peças).

Remarks - Observações - Informações extras sobre a peça.

Uma série de letras pode indicar que uma determinada peça é certificada pelo órgão autorizado específico, de acordo com os códigos ou as regras da lista.

As medidas são fornecidas em milímetros.

## CS - čeština

### 1 OBJEDNÁNÍ DÍLŮ

Vždy uveďte číslo dílu, název a množství požadovaných položek a také typ a sériové číslo stroje.

### 2 INFORMACE VE SLOUPCÍCH

Ref – Referenční číslo: Propojuje konkrétní díl ze seznamu s výkresem. Pouze díly s referenčním číslem jsou zobrazeny na výkresu. Díly bez referenčního čísla, které jsou na výkresu uvedeny, slouží pouze jako ilustrace.

Part number – Číslo dílu se používá pro objednávání náhradních dílů.

Pokud není uvedeno žádné číslo dílu, komponenta není k dispozici jako náhradní díl.

Díly obsažené v sadě mají na následujícím řádku uvedeno číslo sady. Úplný obsah sady viz kapitulu „1 – Service kits“.

Díl s číslem, před kterým je černý puntík, je obsažen v sestavě přímo nad ním.

Remarks: Další informace k číslu dílu přímo nad ním.

Substituted by: Číslo dílu přímo nad ním bylo nahrazeno jiným číslem dílu v důsledku aktualizace nebo revize.

Qty – Množství: Indikuje počet dílů pro odpovídající referenční číslo. „AR“ znamená „As required“ (Podle potřeby): množství nebo počet bude určen.

Name – Název dílu: Překlady anglických názvů naleznete v dokumentu „Glossary of part names“.

Validity – Definuje časový rámec a typ/verzi strojů, na které se daný díl vztahuje. Objasnění kódů použitých ve vzorci platnosti naleznete v legendě na konci stránky. Vzorec platnosti uvedený v názvu kapitoly se vztahuje na celou kapitolu. Znaménko plus ve vzorci se interpretuje jako „a“ a čárka jako „nebo“. Závorky seskupují kódy platnosti, obdobně jako matematické závorky, viz následující příklad:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ platí pro stroje s provozním tlakem 8 bar, frekvencí 50 Hz a napájecím napětím 500 V nebo pro stroje s provozním tlakem 8 bar, frekvencí 60 Hz a napájecím napětím 575 V.

EL – Reference na výkres nebo komponentě uvnitř elektrického rozvaděče.

R. – Poznámky: Doplňující informace o dílu. Vysvětlení naleznete na konci stránky.

## DA - Dansk

## 1 BESTILLING AF DELE

Angiv altid styknummeret, navnet på og antallet af de ønskede varer samt typen og serienummeret for maskinen.

## 2 OPLYSNINGER TIL KOLONNERNE

Ref - Referencenummer: Knytter en bestemt del fra listen til tegningen. Kun dele med et referencenummer vises på tegningen. Dele på tegningen uden et referencenummer er blot medtaget for at vise samlingen.

Part number - Styknummer, der skal bruges ved bestilling af reservedele.

Hvis der ikke er angivet et styknummer, fås komponenten ikke som reservedel.

Dele, der er indeholdt i et sæt, har sætnummeret stående på linjen nedenfor. Se kapitel "1 – Service kits" for at få vist hele indholdet af sættet.

Et styknummer med en sort prik foran indgår i samlingen lige ovenfor.

Remarks: Der findes yderligere oplysninger til styknummeret lige ovenfor.

Substituted by: Styknummeret lige ovenfor er blevet erstattet af et andet styknummer i forbindelse med en opdatering eller en revidering.

Qty - Antal: Angiver antallet af dele, der hører til det tilsvarende referencenummer. "AR" står for "As required": Antallet eller nummeret skal fastsættes.

Name - Navn på del: Oversættelser af de engelske navne kan findes i dokumentet "Glossary of part names".

Validity - Angiver tidshorisont og maskintype/-version, som delen gælder for. Forklaringer til koderne, der anvendes i modellen for gyldigheden, kan findes i teksten nederst på siden. En model for gyldigheden, der er nævnt i kapitlets titel, gælder for hele kapitlet. Et plustegn i modellen skal fortolkes som et "og", og et komma som et "eller". Parenteser inddeler koderne, der beskriver gyldigheden, på samme måde som parenteser i matematik. Se følgende eksempel:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" gælder for maskiner med et arbejdsstryk på 8 bar, en frekvens på 50 Hz og en forsyningsspænding på 500 V eller for maskiner med et arbejdsstryk på 8 bar, en frekvens på 60 Hz og en forsyningsspænding på 575 V.

EL – Refererer til tegningen eller komponenten inde i elskabet.

R. - Bemærkninger: Yderligere oplysninger om delen. Forklaringer kan findes nederst på siden.

## DE - Deutsch

## 1 TEILE BESTELLEN

Geben Sie immer genau die Teilenummer, den Namen und die Anzahl des gewünschten Artikels und den Typ und die Seriennummer der Maschine an.

## 2 SPALTENINFORMATION

Ref - Referenznummer: Verknüpft ein spezifisches Teil der Liste mit der Zeichnung. Es werden nur Referenznummern in der Zeichnung gezeigt. In der Zeichnung dargestellte Teile ohne Referenznummer sind einfach nur zu Illustrationszwecken der Baugruppe abgebildet.

Part number - Die Teilenummer wird bei der Bestellung von Ersatzteilen angegeben.

Ist keine Teilenummer angegeben, ist die Komponente nicht als Ersatzteil verfügbar.

Bei Teilen, die zu einem Set gehören, wird die Setnummer unten auf der Linie angegeben. Zum kompletten Inhalt des Sets siehe Kapitel „1 – Service kits“.

Eine mit einem schwarzen Punkt versehene Teilenummer ist in dem direkt darüber stehenden Set enthalten.

Remarks: Zusätzliche Informationen zur Teilenummer stehen direkt darüber.

Substituted by: Die direkt darüber stehende Teilenummer wurde aufgrund einer Aktualisierung oder Überarbeitung durch eine andere Teilenummer ersetzt.

Qty - Anzahl: Gibt die Anzahl der Teile im Verhältnis zur entsprechenden Referenznummer an. „AR“ steht für „Nach Bedarf“: Anzahl oder Nummer muss noch angegeben werden.

Name - Teilename: Übersetzungen der englischen Bezeichnungen finden Sie im Dokument „Glossary of part names“.

Validity - Gibt den Zeitrahmen und den Typ/die Version der Maschine vor, für die die Teile gültig sind. Eine Erläuterung der Codes, die für das Gültigkeitsmuster angewandt werden, finden Sie am Fuß der Seite. Ein im Kapiteltitel genanntes Gültigkeitsmuster bezieht sich auf das gesamte Kapitel. Ein Pluszeichen im Muster steht für „und“, ein Komma für „oder“. Klammern fassen die Codes in Gruppen zusammen, ähnlich wie bei mathematischen Klammern. Siehe dazu folgendes Beispiel:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" ist für Maschinen gültig mit 8 bar-Betriebsdruck, 50 Hz-Frequenz und 500 V-Versorgungsspannung oder 8 bar-Betriebsdruck, 60 Hz-Frequenz und 575 V-Versorgungsspannung.

EL – Referenz zu der Zeichnung oder dem Bauteil im Inneren des Schaltkastens.

R. – Anmerkungen: Zusatzinformationen zum Teil. Erklärungen finden Sie am Fuß der Seite.

## EL - ελληνικά

## 1 ΠΑΡΑΓΓΕΛΙΑ ΑΝΤΑΛΛΑΚΤΙΚΩΝ

Πρέπει πάντα να προσδιορίζετε τον κωδικό εξαρτήματος, την ονομασία και την ποσότητα των απαιτούμενων ειδών, καθώς και τον τύπο και τον αριθμό σειράς του μηχανήματος.

## 2 ΠΛΗΡΟΦΟΡΙΕΣ ΓΙΑ ΤΙΣ ΣΤΗΛΕΣ

Ref - Κωδικός αναφοράς: συσχετίζει ένα συγκεκριμένο εξάρτημα από τη λίστα με το σχέδιο. Μόνο εξαρτήματα που έχουν κωδικό αναφοράς εμφανίζονται στο σχέδιο. Τα εξαρτήματα στο σχέδιο που δεν έχουν κωδικό αναφοράς, υπάρχουν απλώς για την εικονογράφηση του συγκροτήματος.

Part number - Κωδικός εξαρτήματος, ο οποίος χρησιμοποιείται κατά την παραγγελία ανταλλακτικών.

Όταν δεν αναφέρεται κάποιος κωδικός εξαρτήματος, το εξάρτημα δεν διατίθεται ως ανταλλακτικό.

Για τα εξαρτήματα που περιέχονται σε κιτ, ο αριθμός του κιτ θα αναφέρεται στην παρακάτω γραμμή. Για το πλήρες περιεχόμενο του κιτ, βλ. κεφάλαιο "1 – Service kits".

Όταν μπροστά από τον κωδικό εξαρτήματος υπάρχει μια μαύρη κουκίδα, το εξάρτημα περιέχεται στο συγκρότημα που βρίσκεται ακριβώς από πάνω.

Remarks (Παρατηρήσεις): Πρόσθετες πληροφορίες για τον κωδικό εξαρτήματος ακριβώς από πάνω.

Substituted by (Έχει αντικατασταθεί από): Ο πιο πάνω κωδικός εξαρτήματος έχει αντικατασταθεί από άλλο κωδικό εξαρτήματος λόγω ενημέρωσης ή αναθεώρησης.

Qty - Ποσότητα: Δείχνει τον αριθμό των εξαρτημάτων σε σχέση με τον αντίστοιχο κωδικό αναφοράς. Το "AR" σημαίνει "As required" (Αναλόγως των απαιτήσεων): η ποσότητα ή ο αριθμός θα πρέπει να προσδιοριστούν.

Name - Ονομασία εξαρτήματος: Μεταφράσεις των ονομασιών από τα αγγλικά μπορείτε να βρείτε στο έγγραφο "Glossary of part names".

Validity - Καθορίζει το χρονικό πλαίσιο και τον τύπο/την έκδοση των μηχανημάτων στα οποία μπορεί να χρησιμοποιηθεί το εξάρτημα. Στο υπόμνημα, στο κάτω μέρος της σελίδας, μπορείτε να βρείτε μια αποσαφήνιση των κωδικών που χρησιμοποιούνται στο υπόδειγμα ισχύος παραγγελίας. Εάν αναφέρεται ένα υπόδειγμα ισχύος παραγγελίας στον τίτλο του κεφαλαίου, αυτό ισχύει για ολόκληρο το κεφάλαιο. Ένα σύμβολο "συν" στο υπόδειγμα θα πρέπει να ερμηνεύεται ως "και", ένα κόμμα ως "ή".

Οι παρενθέσεις ομαδοποιούν τους κωδικούς ισχύος παραγγελίας, όπως οι παρενθέσεις στους μαθηματικούς τύπους. Δείτε το ακόλουθο παράδειγμα:

Το 'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' ισχύει για μηχανήματα με πίεση λειτουργίας 8 bar, συχνότητα 50 Hz και τάση τροφοδοσίας 500 V ή με πίεση λειτουργίας 8 bar, συχνότητα 60 Hz και τάση τροφοδοσίας 575 V.

EL – Κωδ. αναφοράς για το σχέδιο ή το εξάρτημα στο εσωτερικό του ηλεκτρικού πίνακα.

R. – Παρατηρήσεις: Πρόσθετες πληροφορίες σχετικά με το εξάρτημα. Επεξήγηση παρέχεται στο κάτω μέρος της σελίδας.

## ES - Español

## 1 PEDIDO DE PIEZAS

Especifique siempre el número de referencia, el nombre y la cantidad de los elementos que necesita, además del tipo y número de serie de la máquina.

## 2 INFORMACIÓN DE LAS COLUMNAS

Ref - Número de referencia: enlaza una pieza concreta de la lista con el solo. Solo se muestran piezas con número de referencia en el plano. Las piezas del plano que no tienen números de referencia solo se muestran para ilustrar el conjunto.

Part number - Designación que se debe utilizar para pedir piezas de repuesto.

Si no se especifica una designación, esto quiere decir que el componente no está disponible como pieza de repuesto.

Las piezas que forman parte de un kit tendrán el número de kit en la línea inferior. Para consultar el contenido completo del kit, consulte el capítulo "1 – Service kits".

Una designación precedida por un punto negro forma parte del conjunto inmediatamente superior.

Remarks: información adicional de la designación inmediatamente superior.

Substituted by: la designación inmediatamente superior se ha sustituido por otra debido a una actualización o revisión.

Qty - Cantidad: indica el número de piezas en relación con el número de referencia correspondiente. "AR" significa "Según necesidad": cantidad o número a determinar.

Name - Nombre de la pieza: las traducciones de los nombres en inglés pueden encontrarse en el documento "Glossary of part names".

Validity - Define el periodo y tipo/versión de las máquinas en las que se puede utilizar la pieza. Puede encontrar una explicación de los códigos utilizados en el patrón de validez en la leyenda de la parte inferior de la página. Un patrón de validez mencionado en el título del capítulo es aplicable a todo el capítulo. Un signo '+' en el patrón debe interpretarse como una 'y' y una coma debe interpretarse como una 'o'. Los paréntesis agrupan los códigos de validez de manera similar a su uso en matemáticas; véase el siguiente ejemplo:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' es válido para máquinas con una presión de trabajo de 8 bar, una frecuencia de 50 Hz y un voltaje de alimentación de 500 V o de 8 bar, una frecuencia de 60 Hz y un voltaje de alimentación de 575 V.

EL – Referencia al plano o el componente del interior del armario eléctrico.

R. – Notas: información adicional sobre la pieza; se puede encontrar la explicación en la parte inferior de la página.

## ET - Eesti

## 1 OSADE TELLIMINE

Täpsustage alati osa number, soovitud ühikute nimi ja kogus, aga ka masina tüüp ja seerianumber.

## 2 TEABE TULP

Ref - Viitenumber: seostab loendis nimetatud konkreetse osa joonisega. Joonisel on näidatud ainult viitenumbriga osad.

Joonisel ilma viitenumbriga esitatud osadel on koostu kuvamisel illustreeriv tähendus.

Part number - Osa number, mida varuosade tellimisel kasutada.

Kui osa numbrit ei ole täpsustatud, ei ole vastav osa varuosana saadaval.

Komplekti kuuluvate osade puhul on alloleval real nimetatud komplekti number. Komplekti tervikliku kirjelduse leiate peatükist „1- Service kits”.

Kui osa numbri ees on must punkt, sisaldub osa ülaltoodud koostus.

Remarks: osa numbri kohal kuvatav lisateave.

Substituted by: ülaltoodud osa number on uuenduse või kontrolli tulemusena asendatud teise osa numbriga.

Qty - Kogus: osutab asjaomase viitenumbriga seotud osade arvule. „AR” tähendab „vastavalt vajadusele”: kogus või arv tuleb kindlaks määrata.

Name - Osa nimi: inglisekeelsete nimede tõlked leiate dokumendist „Glossary of part names”.

Validity - Määratleb ajavahemiku ja masina tüübi/versiooni, mille puhul osa kasutatakse. Kasutusmustris kasutatud koodide selgituse leiate iga lehekülje allosas olevast legendist. Peatüki pealkirjas nimetatud kasutusmuster kohaldub tervele peatükile. Mustris kasutatud plussmärki tuleb tõlgendada sõnana „ja”, komana või sõnana „või”. Sarnaselt ümarsulgude matemaatikas kasutamisele rühmitavad ümarsulud kehtivuskoodide rühmad; vt järgmist näidet:

‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ kehtib masinate puhul, mille töö rõhk on 8 bar ja sagedus 50 Hz ja toitepinge 500 V, või siis masinate puhul, mille töö rõhk on 8 bar ja sagedus 60 Hz ja toitepinge 575V.

EL – Viide joonisele või elektrikapis olevale osale.

R. - Märkused: lisateave osa kohta. Selgituse leiate lehekülje allosast.

## FI - Suomalainen

## 1 OSIEN TILAAMINEN

Määritä aina osanumero, haluttujen tuotteiden nimi ja määrä sekä koneen tyyppi ja sarjanumero.

## 2 SARAKETIEDOT

Ref - Viitenumero: Yhdistää jonkin tietyn luettelossa mainitun osan piirrokseseen. Piirroksessa näkyvät vain ne osat, joilla on viitenumero. Ne osat, joilla ei ole viitenumeroa, ovat piirroksessa vain kokoonpanoa kuvaamassa.

Part number - Osanumero, jota on käytettävä varaosia tilattaessa.

Jos osanumeroa ei ole määritetty, komponentti ei ole saatavana varaosana.

Sarjan mukana tulevalla osalla on sarjanumero, joka on merkitty alla olevalle viivalle. Lue tiedot sarjan täydellisestä sisällöstä luvusta 1 – Service kits.

Osanumero, jota edeltää musta piste, sisältyy edellä olevaan kokoonpanoon.

Remarks: lisätietoja edellä olevaan osanumeroon.

Substituted by: edellä oleva osanumero on korvattu toisella osanumerolla päivityksen tai korjauksen takia.

Qty - Määrä: Osoittaa viitenumeroon liittyvien osien määrän. AR (As required) tarkoittaa määritettävää määrää.

Name - Osa nimi: englanninkielisten nimien käännökset on kerrottu asiakirjassa ”Glossary of part names”.

Validity - Määrittää sen ajanjakson ja koneiden tyyppin tai version, joita osa koskee. Määrityskaavassa käytetyt koodit on selitetty sivun alalaidan kuvatekstissä. Luvun otsikossa mainittu määrityskaava koskee koko lukua. Kaavassa oleva plusmerkki tarkoittaa ja-sanaa ja pilkku tai-sanaa. Sulkeet ryhmittävät määrityskoodit matemaattisten sulkeiden tavalla, esimerkiksi näin:

PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) koskee koneita, joiden työskentelypaine on 8 baaria, taajuus 50 hertsiä ja verkkojännite 500 voltia tai joiden työskentelypaine on 8 baaria, taajuus 60 hertsiä ja verkkojännite 575 voltia.

EL – Viittaus piirrokseseen tai sähkökotelon sisällä olevaan komponenttiin.

R. - Huomautukset: Lisätietoja osasta. Selitys on sivun alalaidassa.

## FR - Français

## 1 COMMANDER DES PIÈCES

Toujours spécifier le numéro de pièce, la désignation et la quantité des articles souhaités ainsi que le type et le numéro de série de la machine.

## 2 COLONNE INFORMATIONS

Ref - Référence : associe une pièce donnée de la liste au schéma. Seules les pièces avec une référence sont illustrées sur le schéma. Les pièces représentées sur le schéma sans référence servent uniquement à illustrer l'ensemble.

Part number - Numéros de pièce à utiliser lors de la commande de pièces de rechange.

Si aucun numéro de pièce n'est indiqué, le composant n'est pas disponible en tant que pièce de rechange.

Pour les pièces contenues dans un kit, le numéro de kit est mentionné à la ligne ci-dessous. Pour voir le contenu du kit en détail, consulter le chapitre « 1 – Service Kits ».

Un numéro de pièce précédé d'un point noir est compris dans l'ensemble ci-dessus.

Remarks : informations supplémentaires sur le numéro de pièce ci-dessus.

Substituted by : le numéro de pièce ci-dessus a été remplacé par un autre numéro de pièce suite à une mise à jour ou une révision.

Qty - Quantité : indique le nombre de pièces en fonction du numéro de pièce correspondant. « AR » signifie « As required » (autant que nécessaire) : quantité ou nombre à définir.

Name - Désignation de la pièce : les traductions des désignations anglaises sont disponibles dans le document « Glossary of part names ».

Validity - Définit le délai et le type/version de machines pour lesquels les pièces sont valides. Pour plus de détails sur les codes utilisés dans le modèle de validité, voir la légende en bas de page. Un modèle de validité mentionné dans le titre du chapitre s'applique à l'ensemble du chapitre. Le signe plus utilisé dans le modèle se comprend comme un « et », une virgule comme un « ou ». Les parenthèses regroupent les codes de validité, comme en mathématiques, voir l'exemple suivant :

« PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) » est valide pour des machines avec une pression de service de 8 bar et une fréquence de 50 Hz et une tension d'alimentation de 500 V ou une pression de service de 8 bar et une fréquence de 60 Hz et une tension d'alimentation de 575 V.

EL – Référence sur le schéma ou le composant à l'intérieur de l'armoire électrique.

R. – Remarque : informations supplémentaires sur la pièce. Pour plus de détails, voir le bas de page.

## HU - Magyar

## 1 ALKATRÉSZRENDELÉS

Mindig adja meg a cikkszámot, a kért elemek nevét és mennyiségét, valamint a típust és a gyári számot.

## 2 A TÁBLÁZAT OSZLOPAI

Ref - Hivatkozási szám: a felsorolt alkatrészt a megfelelő ábrához társítja. A rajzon csak hivatkozási számmal ellátott alkatrészek láthatók. Az ábrán a hivatkozási számmal nem rendelkező alkatrészek csak az összeszerelés módját illusztrálják.

Part number - A pótalkatrészek rendelésénél használandó cikkszám.

Ha nincs megadva cikkszám, az adott alkatrész nem kapható pótalkatrészként.

Azokra az alkatrészekre, amelyek egy készlet részeként kaphatók, a készlet cikkszáma vonatkozik, amely az alsó sorban szerepel. A készlet teljes tartalmát lásd: „1 – Service Kits” című fejezet.

Ha egy cikkszámot pont előz meg, az illető alkatrész a közvetlenül felette lévő sorban szereplő egység részét képezi.

Remarks: További információk a közvetlenül felette lévő sorban szereplő cikkszámra vonatkozóan.

Substituted by: A közvetlenül felette lévő sorban szereplő cikkszámot frissítés vagy új változat következtében új cikkszám váltotta fel.

Qty - Mennyiség: az adott hivatkozási számhoz kapcsolódó alkatrészek számát jelöli. Az „AR” jelentése „As required” (igény szerint): itt megadhatja a mennyiséget vagy a számot.

Name - Az alkatrész neve: az angol nyelvű elnevezések fordítása az „Glossary of part names” c. dokumentumban található.

Validity - Azt az időkeretet, továbbá azokat a géptípusokat/-verziókat adja meg, amelyekhez az alkatrész használható. Az érvényességi formulában használt kódok magyarázata a lap alján olvasható. A fejezetcímbe szereplő érvényességi formula az egész fejezetre érvényes. A formulában szereplő plusz (+) jel jelentése: „és”, a vessző (,) jelentése: „vagy”. A zárójelek a matematikában használt zárójelekhez hasonlóan csoportosítják az érvényességi kódokat; lásd a következő példát:

A „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” 8 bar üzemi nyomású, 50 Hz frekvenciájú és 500 V tápfeszültségű, vagy 8 bar üzemi nyomású, 60 Hz frekvenciájú és 575 V tápfeszültségű berendezéseket jelöl.

EL – Hivatkozás az elektromos szekrényen belüli ábrára vagy alkatrésze.

R. – Megjegyzések: Az alkatrésszel kapcsolatos további információk. A magyarázat a lap alján található.

## IT - Italiano

## 1 ORDINE DEI RICAMBI

Specificare sempre il numero categorico, il nome e la quantità degli articoli richiesti, oltre al tipo e al numero di serie della macchina.

## 2 COLONNA DELLE INFORMAZIONI

Ref - Numero di riferimento: associa un ricambio specifico dalla lista all'illustrazione. Nell'illustrazione sono mostrati solo ricambi dotati di numero di riferimento. I ricambi presenti nell'illustrazione privi di numero di riferimento sono riportati semplicemente per illustrare il montaggio.

Part number - Numero categorico da utilizzare per l'ordine di parti di ricambio.

Quando non è specificato alcun numero categorico, il componente non è disponibile come parte di ricambio.

I ricambi contenuti in un kit avranno il numero di kit riportato nella riga sottostante. Per il contenuto completo del kit vedere il capitolo "1 - Service kits".

Un numero categorico preceduto da un punto nero fa parte del gruppo immediatamente precedente.

Remarks: le informazioni aggiuntive relative al numero categorico sono riportate in alto.

Substituted by: il numero categorico immediatamente precedente è stato sostituito da un altro numero categorico a causa di un aggiornamento o di una revisione.

Qty - Quantità: indica il numero di ricambi corrispondenti al numero di riferimento. "AR" significa "As required" (Secondo necessità): quantità o numero da definire.

Name - Nome parte: la traduzione dei termini dall'inglese è reperibile nel documento "Glossary of part names".

Validity - Definisce i tempi e il tipo/versione di macchine per le quali il ricambio è valido. La legenda in fondo alla pagina riporta una spiegazione dei codici utilizzati nello schema di validità. Uno schema di validità menzionato nel titolo del capitolo si applica all'intero capitolo. Un segno più nello schema deve essere interpretato come "e", una virgola come "o". Tra le parentesi sono raggruppati i codici di validità, al pari delle parentesi matematiche, vedere il seguente esempio:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" è valido per le macchine con pressione di esercizio di 8 bar e 50Hz di frequenza e una tensione di alimentazione di 500 V, o con pressione di esercizio di 8 bar, frequenza di 60Hz e tensione di alimentazione di 575 V.

EL - Riferimento all'illustrazione o al componente all'interno dell'armadio elettrico.

R. - Note: informazioni aggiuntive sulla spiegazione dei ricambi sono reperibili in fondo alla pagina.

## JA - 日本の

## 1 部品の注文

部品番号、注文するアイテムの名称および数量、機器のタイプおよびシリアル番号を必ず指定してください。サービスマーク“ ”のついたページにはサービスキットの部品が記載されています。キットの内容物については、第1章「サービスキット」を参照してください。

## 2 各列の説明

Ref. - 参照番号: リストの部品が図のどこにあるかを示します。参照番号がある部品のみが図に示されています。参照番号がない部品はアセンブリを表現するため便宜上表記されています。

Part number - 部品番号: 部品番号が示されていない部品は、スペア部品としては提供されていません。太字の行はアセンブリを示します。番号の後に黒い点が付いている部品は、すぐ上にある太字のアセンブリを構成しています。

"<<< >>>"は、“Name”と同じタイトルの別のリストを示します。

“Ref.”または“Name”行の下に、特定の部品の部品番号が記載されている場合は、機器のタイプ/バージョンに応じて部品を選択してください。

Qty - 数量: 参照番号に対応する部品の数量を示します。„AR“は「必要に応じて」を意味し、必要に応じて数量または番号を指定します。

Name - 部品名: 英語に対応する各言語の名称は「Glossary of part names」(部品名称対応表)に記載されています。

Remarks - 部品に関する追加情報です。

一連の文字列は特定の部品が指定認定団体によって承認されていることを示し、リストのコードまたは規定に準拠しています。

測定値はミリメートル単位で示されています。

## LT - Lietuvos

### 1 DALIŲ UŽSAKYMAS

Visada nurodykite pageidaujamos prekės dalies numerį, pavadinimą ir kiekį. Taip pat nurodykite įrenginio tipą ir serijos numerį.

### 2 INFORMACIJA STULPELIUOSE

Ref - Nuorodos numeris: susieja konkrečią dalį iš sąrašo su brėžiniu. Brėžinyje rodomos tik nuorodos numerį turinčios dalys.

Brėžinyje parodytos dalys be nuorodos numerio yra tiesiog įrenginio iliustracija.

Part number - Dalies numeris, naudojamas užsakant atsargines dalis.

Jei dalies numeris nenurodytas, komponentas negalimas kaip atsarginė dalis.

Rinkinyje esančios dalys turi rinkinio numerį, minimą apatinėje eilutėje. Visą rinkinio turinį gali pamatyti skyriuje „1 – Service kits“.

Jei prieš dalies numerį yra juodas taškas, jis yra viršuje pateiktame įrenginyje.

Remarks: papildoma dalies numerio informacija pateikta dešinėje pusėje viršuje.

Substituted by: dešinėje viršuje nurodytas dalies numeris buvo pakeistas kitu dalies numerio, nes vyko atnaujinimas arba revizija.

Qty - Kiekis: pateikiamas dalių, kurioms priskiriamas atitinkamas nuorodos numeris, skaičius. „AR“ reiškia „Priklausomai nuo poreikio“: kiekis arba skaičius bus nustatytas to prireikus.

Name - Dalies pavadinimas: anglų kalba pateiktų pavadinimų vertimus rasite dokumente „Glossary of part names“.

Validity - Apibūdinamas laikotarpis ir įrenginio tipas / versija, kurioms dalis tinka. Tinkamumo šablone naudojami kodai paaiškinti puslapio apačioje esančioje legendoje. Tinkamumo šablono skyriaus pavadinimas taikomas visam skyriui. Pliuso ženklas šablone reiškia „ir“, o kablelis – „arba“. Skliaustais grupuojami tinkamumo kodai (kaip ir matematiniai veiksmai), žr. pavyzdį: „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ tinka įrenginiams, kurių darbinis slėgis yra 8 barai, dažnis yra 50 Hz, o maitinimo įtampa yra 500 V, arba darbinis slėgis yra 8 barai, dažnis yra 60 Hz, o maitinimo įtampa yra 575 V.

EL – Nuoroda į brėžinį arba komponentą elektros modulio viduje.

R. – Pastabos: papildoma informacija apie dalį. Paaiškinimus galite rasti puslapio apačioje.

## LV - Latvijas

### 1. DETALU PASŪTĪŠANA

Vienmēr norādiet detaļas numuru, nosaukumu un vajadzīgo daudzumu, kā arī iekārtas tipu un sērijas numuru.

### 2. KOLONNAS INFORMĀCIJA

Ref – Atsauces numurs: saista konkrētu sarakstā esošo detaļu ar rasējumu. Rasējumā tiek parādītas tikai detaļas ar atsauces numuru. Detaļas rasējumā bez atsauces numura paredzētas vienīgi tam, lai attēlotu attiecīgo mezglu.

Part number – Detaļas numurs, kas jāizmanto, pasūtot rezerves daļas.

Ja detaļas numurs nav norādīts, attiecīgais komponents nav pieejams kā rezerves daļa.

Komplektā iekļautām detaļām nākamajā rindā būs norādīts komplekta numurs. Komplekta pilnīgs saturs aprakstīts nodaļā „1 – Service kits“.

Ja pirms detaļas numura ir melns punkts, tā ir iekļauta iepriekš attēlotajā mežglā.

Remarks: papildinformācija par iepriekšējo detaļas numuru.

Substituted by: iepriekšējais detaļas numurs ir aizstāts ar citu detaļas numuru atjaunināšanas vai pārskatīšanas dēļ.

Qty – Daudzums: apzīmē detaļu skaitu attiecīgajam atsauces numuram. „AR” nozīmē “pēc nepieciešamības”: jānosaka daudzums vai numurs.

Name – Detaļas nosaukums: angļu valodas nosaukumu tulkojumi ir atrodamī dokumentā “Glossary of part names”.

Validity – Nosaka iekārtu derīguma periodu un tipu/versiju. Derīguma norādē iekļauto kodu skaidrojums ir norādīts eksplikācijā lappuses apakšdaļā. Nodaļas virsrakstā minētā derīguma norāde attiecas uz visu nodaļu. Pluszīme norādē jāinterpretē kā “un”, bet komats kā “vai”. Iekavas grupē derīguma kodus līdzīgi kā iekavas matemātikā, piemēram:

“PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” ir derīgs iekārtām ar 8 bāru darba spiedienu, 50 Hz frekvenci un 500 V barošanas spriegumu vai iekārtām ar 8 bāru darba spiedienu, 60 Hz frekvenci un 575 V barošanas spriegumu.

EL – Atsauce uz rasējumu vai elektrosadales skapja komponentu.

R. – Piezīmes: papildinformācija par detaļu. Skaidrojums atrodams lappuses apakšdaļā.

## NL - Nederlands

### 1 BESTELLEN VAN ONDERDELEN

Vermeld altijd het onderdeelnummer, de benaming en de hoeveelheid van de gewenste onderdelen, alsmede het type en het serienummer van de machine.

### 2 KOLOMINFORMATIE

Ref. - Referentienummer: koppelt een specifiek onderdeel in de lijst aan de desbetreffende tekening. Alleen onderdelen met een referentienummer zijn in de tekening afgebeeld. Onderdelen zonder referentienummer die op de tekening voorkomen, worden slechts getoond om het geheel te illustreren.

Part number - Onderdeelnummer dat wordt gebruikt voor het bestellen van reserveonderdelen.

Indien geen onderdeelnummer is aangegeven, is de betreffende component niet als reserveonderdeel verkrijgbaar.

Van onderdelen uit een kit wordt het kitnummer op de regel eronder vermeld. Voor de volledige inhoud van de kit, zie paragraaf "1 - Service kits".

Een onderdeel waarvan het nummer gevolgd wordt door een zwart rondje, maakt deel uit van het vet afgedrukte samenstel direct erboven.

Remarks: aanvullende informatie voor het onderdeelnummer direct erboven.

Substituted by: het nummer direct erboven is vervangen door een ander onderdeelnummer als gevolg van een update of herziening.

Qty - Hoeveelheid: geeft het aantal onderdelen aan met betrekking tot met het overeenkomstige referentienummer. "AR" betekent "As required": de hoeveelheid of het aantal moet nader worden bepaald.

Name - Naam van het onderdeel: vertalingen van de Engelse benamingen zijn te vinden in het document "Glossary of part names".

Validity - Bepaalt het tijdsframe en type/versie van de machines waarvoor het onderdeel geldig is. Verklaring van de codes die in het geldigheidspatroon zijn gebruikt, vindt u in de legenda onder aan de pagina. Een geldigheidspatroon vermeld in de titel van het hoofdstuk is van toepassing op het hele hoofdstuk. Een plusteken in het patroon staat voor 'en' en een komma voor 'of'.

Haakjes groeperen de geldigheidscodes, vergelijkbaar met die in de wiskunde, zie het volgende voorbeeld:

"PRESS:8 BAR + (FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)" is geldig voor machines met een werkdruk van 8 bar, 50Hz-frequentie en 500V-voedingsspanning of een werkdruk van 8 bar, 60Hz-frequentie en 575V-voedingsspanning.

EL - Referentie van de tekening of het onderdeel in de elektrische aansluitkast.

R. - Opmerkingen: extra informatie over het onderdeel. Uitleg vindt u onder aan de pagina.

## NO - Norsk

### 1 BESTILLE DELER

Spesifiser alltid delenummeret, navnet og antallet til den nødvendige artikkelen, samt typen og serienummeret til maskinen.

### 2 KOLONNEINFORMASJON

Ref - Referansenummer: knytter en spesifikk del fra listen til tegningen. Kun delene med et referansenummer vises i tegningen.

Delene i tegningen som vises uten et referansenummer, er kun tatt med for å illustrere monteringen.

Part number - Delenummer skal brukes ved bestilling av reservedeler.

Når det er ikke er spesifisert et delenummer, er ikke komponenten tilgjengelig som en reservedel.

Deler som inngår i et sett, har settnummeret nevnt på linjen nedenfor. Du finner fullstendig oversikt over innholdet i settet i kapittel 1 - Service kits.

Et delenummer med en svart prikk foran er en del av settet rett ovenfor.

Remarks: ytterligere informasjon om delenummeret rett ovenfor.

Substituted by: Delenummeret rett ovenfor har blitt erstattet av et annet delenummeret på grunn av en oppdatering eller revisjon.

Qty - Antall: angir antall deler av det tilhørende referansenummeret. AR betyr Etter behov: Antallet er ikke bestemt.

Name - Delenavn: Du finner oversettelser av de engelske navnene i dokumentet «Glossary of part names».

Validity - Definerer tidsrommet og maskintypen/-versjonen som delen er gyldig for. Du finner en oversikt over kodene som brukes i gyldighetsmønsteret, i forklaringen nederst på siden. Et gyldighetsmønster som nevnes i kapiteltittelen, gjelder for hele kapittelet. Et pluss-tegn i mønsteret skal tolkes som "og", mens et komma skal tolkes som "eller". Parenteser deler inn gyldighetskodene, omtrent på samme måte som matematiske parenteser. Se følgende eksempel:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)" er gyldig for maskiner med arbeidstrykk på 8 bar, frekvens på 50 Hz og forsyningsspenning på 500 V; eller arbeidstrykk på 8 bar, frekvens på 60 Hz og forsyningsspenning på 575V.

EL - Referanse til tegningen eller komponentene inne i kopleingsskapet.

R. - Kommentarer: Ekstra informasjon om delen. Du finner en forklaring nederst på siden.

---

PL - Polski

---

## 1 ZAMAWIANIE CZĘŚCI

Podczas zamawiania produktów należy zawsze podawać następujące informacje: numer części, nazwę i liczbę produktów, a także typ i numer seryjny urządzenia.

## 2 OBJAŚNIENIE NAZW KOLUMN

Ref. — numer referencyjny: informuje, na którym rysunku można znaleźć konkretną część z listy. Na rysunku zamieszczone są wyłącznie części opatrzone numerem referencyjnym. Części bez przypisanego numeru referencyjnego zostały zamieszczone na rysunku wyłącznie w celu prawidłowego zilustrowania montażu.

Part number — numer części stosowany podczas zamawiania części zamiennych.

W przypadku braku numeru części danej pozycji nie można zamówić jako części zamiennej.

Jeśli dana część jest elementem zestawu, w kolejnym wierszu znajduje się numer zestawu. Informacje na temat pełnej zawartości zestawu można znaleźć w rozdziale „1 – Service kits”.

Jeśli numer części poprzedza czarna kropka, dana część jest elementem zestawu opisanego powyżej.

Remarks: dodatkowe informacje na temat numeru części zamieszczonego powyżej.

Substituted by: numer części zamieszczony powyżej został zastąpiony innym numerem części na skutek modernizacji lub aktualizacji.

Qty — ilość: oznacza liczbę części w odniesieniu do danego numeru referencyjnego. Symbol „AR” oznacza „zależnie od wymagań”: liczba lub numer do ustalenia.

Name — nazwa części: tłumaczenia nazw angielskich znajdują się w dokumencie „Glossary of part names”.

Validity — wskazuje ramy czasowe oraz typ/wersję urządzenia, do którego przeznaczona jest część. Kody wykorzystywane we wzorze przydatności zostały objaśnione w legendzie u dołu strony. Wzór przydatności wspomniany w tytule rozdziału dotyczy całego rozdziału. Znak dodawania we wzorze należy interpretować jako słowo „i”, natomiast przecinek — jako słowo „lub”.

Nawiasy pełnią tu funkcję podobną do nawiasów w matematyce — grupują kody przydatności — jak w poniższym przykładzie: kod „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” dotyczy maszyn o ciśnieniu roboczym 8 bar, częstotliwości 50 Hz i napięciu zasilania 500 V lub o ciśnieniu roboczym 8 bar, częstotliwości 60 Hz i napięciu zasilania 575 V.

EL — odnośnik do rysunku lub podzespołu wewnątrz szafki rozdzielczej.

R. — uwagi: dodatkowe informacje na temat części. Wyjaśnienie znajduje się u dołu strony.

---

PT - Português

---

## 1 ENCOMENDA DE PEÇAS

Especifique sempre a referência da peça, o nome e a quantidade de itens pretendidos, bem como o tipo e o número de série da máquina.

## 2 INFORMAÇÕES DAS COLUNAS

Ref - Número de referência: associa uma peça específica da lista ao desenho. Neste último, são apresentadas apenas as peças com um número de referência. As peças apresentadas no desenho sem um número de referência destinam-se simplesmente a ilustrar o processo de montagem.

Part number - Referência da peça a utilizar no caso de encomenda de peças sobresselentes.

Se não for especificada uma referência da peça, significa que o componente não se encontra disponível como uma peça sobresselente.

As peças incluídas num kit terão o número do kit mencionado na linha abaixo. Para obter informações sobre o conteúdo completo do kit, consulte o capítulo “1 – Service kits”.

Uma referência da peça precedida de um ponto preto está incluída no processo de montagem imediatamente acima mencionado.

Remarks: encontra informações adicionais sobre a referência da peça imediatamente acima.

Substituted by: a referência da peça imediatamente acima foi substituída por outra referência devido a uma actualização ou revisão.

Qty - Quantidade: indica o número de peças em relação ao número de referência correspondente. “AR” (As required) significa “Como exigido”: quantidade ou número a determinar.

Name - Nome da peça: encontra as traduções dos nomes em inglês no documento “Glossary of part names”.

Validity - Define o período de tempo e o tipo/versão de máquinas para que a peça é válida. Encontra a explicação sobre os códigos utilizados no padrão de validade na legenda situada no final da página. Um padrão de validade mencionado no título do capítulo aplica-se a todo o capítulo. Um sinal de adição no padrão deve ser interpretado como “e”, ao passo que uma vírgula deve ser interpretada como “ou”. Os parênteses agrupam os códigos de validade, da mesma forma que os parênteses utilizados em operações matemáticas; veja o seguinte exemplo:

“PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” é válido para máquinas com uma pressão de trabalho de 8 bar, uma frequência de 50 Hz e uma tensão de alimentação de 500 V ou uma pressão de trabalho de 8 bar, uma frequência de 60 Hz e uma tensão de alimentação de 575 V.

EL – Referência ao desenho ou ao componente dentro do compartimento eléctrico.

R. – Observações: informações adicionais sobre a peça. Encontra a explicação no final da página.

## RO - român

## 1 COMANDAREA PIESELOR

Indicați întotdeauna numărul de catalog, numele și cantitatea articolelor solicitate, precum și tipul și numărul de serie al mașinii.

## 2 INFORMAȚIILE DIN COLOANE

Ref. - Numărul de referință: face legătura între o piesă din listă și una din schemă. Numai piesele care au un număr de referință apar în schemă. Piesele din schemă care nu au un număr de referință sunt incluse doar pentru a clarifica modul de asamblare.

Part number - Numărul de catalog este utilizat pentru comandarea pieselor de schimb.

Atunci când nu este specificat un număr de catalog, componenta nu este disponibilă ca piesă de schimb.

Pentru piesele incluse în kituri, numărul kitului este menționat pe rândul următor. Pentru conținutul complet al kitului, consultați capitolul „1 – Service kits”.

Un număr de catalog precedat de un punct negru este inclus în ansamblul aflat chiar deasupra acestuia.

Remarks: Informații suplimentare privind numărul de catalog de mai sus.

Substituted by: Numărul de catalog de mai sus a fost înlocuit de un alt număr de catalog din cauza unei actualizări sau a unei revizuirii.

Qty - Cantitate: indică numărul de piese care au numărul de referință corespunzător. „AR” este abrevierea pentru „As required”: cantitatea și numărul vor fi determinate conform necesităților.

Name - Numele piesei: traducerea numelor din engleză se află în documentul „Glossary of part names”.

Validity - Definește perioada de valabilitate și tipul/versiunea utilajelor cu care piesa este compatibilă. Clarificarea codurilor utilizate în modelul de valabilitate poate fi găsită în legenda din partea de jos a paginii. Un model de valabilitate menționat în titlul unui capitol se aplică întregului capitol. Un semn plus care apare într-un model va fi interpretat drept „și”, virgulă ori „sau”. Codurile de valabilitate sunt grupate cu ajutorul unor paranteze având o funcție similară parantezelor matematice, a se vedea exemplul de mai jos:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” indică valabilitatea pentru utilajele cu presiune de lucru de 8 bari, frecvență de 50 Hz și tensiune de alimentare de 500 V sau presiune de lucru de 8 bari, frecvență de 60 Hz și tensiune de alimentare de 575 V.

EL – Referire la schemă sau la componenta din cofretul electric.

R. – Observații: informații suplimentare privind piesa. Explicațiile pot fi găsite în partea de jos a paginii.

## RU - русский

## 1 ЗАКАЗ ДЕТАЛЕЙ

Всегда указывайте номер по каталогу, наименование и количество требуемых позиций, а также тип и серийный номер машины.

## 2 ИНФОРМАЦИЯ

Ref - Ссылочный номер: соотносит деталь из списка со схемой. На схеме показаны только детали со ссылочным номером. Детали без ссылочного номера приведены на схемах только для демонстрации всего узла в сборе.

Part number - Номер детали, указываемый при заказе запасных частей.

Если номер детали не указан, то компонент недоступен в качестве отдельной запасной части.

Для деталей, входящих в состав комплекта, будут приведены номера этих комплектов, упомянутых строчкой ниже.

Чтобы узнать полный состав комплекта см. раздел “1 – Service kits”.

Деталь, перед номером которой стоит черная точка, входит в состав изображенного выше узла.

Remarks: дополнительная информация о номере приведенной выше детали.

Substituted by: номер изображенной выше детали был заменен другим номером по причине обновления или переработки.

Qty - Количество: указывает количество деталей относительно соответствующего ссылочного номера. „AR” значит „As required”: количество или номер будут определены.

Name - Наименование детали: перевод англоязычных наименований можно найти в документе “Glossary of part names” (Словарь наименований деталей).

Validity - Определяет временные рамки и тип/версию машины, в которой используется деталь. Пояснение кодов, используемых в данной графе, можно найти в списке обозначений внизу страницы. Информация о совместимости, упомянутая в данной главе, актуальна для всей главы. Знак плюса в примечании о совместимости следует принимать за ‘и’, запятые — за ‘или’. Скобки группируют коды совместимости по принципу, схожему с математическим. См. пример: ‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ применима в машинах с рабочим давлением 8 бар, частотой 50 Гц и напряжением источника питания 500 В или рабочим давлением 8 бар, частотой 60 Гц и напряжением источника питания 575 В.

EL – Ссылка на схему или компонент электрического шкафа.

R. – Примечания: дополнительная информация о детали. Пояснения приведены внизу страницы.

## SK - slovenský

### 1 OBJEDNÁVANIE DIELOV

Vždy uveďte číslo dielu, názov a množstvo požadovaných položiek, ako aj typ a výrobné číslo zariadenia.

### 2 INFORMÁCIE V STĽPCOCH

Ref – Referenčné číslo: spája konkrétny diel v zozname s nákresom. Na nákrese sú zobrazené len diely s referenčným číslom. Diely v nákrese bez referenčného čísla slúžia len na znázornenie zostavy.

Part number – Číslo dielu, ktoré treba použiť pri objednávaní náhradných dielov.

Ak nie je uvedené žiadne číslo dielu, daný komponent nie je k dispozícii ako náhradný diel.

Diely, ktoré sú súčasťou súpravy, majú v riadku nižšie uvedené číslo súpravy. Zoznam všetkých dielov v súprave nájdete v kapitole „1 – Service kits“.

Číslo dielu, pred ktorým sa nachádza čierna bodka, je súčasťou zostavy uvedenej nad ním.

Remarks: Ďalšie informácie o čísle dielu vyššie.

Substituted by: Číslo dielu uvedené vyššie bolo nahradené iným dielom kvôli inovácii alebo revízii.

Qty – Množstvo: Indikuje počet dielov v súvislosti s príslušným referenčným číslom. „AR“ znamená „As required“: množstvo alebo počet sa musí určiť.

Name – Názov dielu: Preklady anglických názvov nájdete v dokumente „Glossary of part names“ (Slovník názvov dielov).

Validity – Definuje časový rámec a typ/verziu zariadení, pre ktoré možno daný diel použiť. Informácie o význame kódov použitých v reťazci označujúcom platnosť nájdete v legende v spodnej časti strany. Reťazec označujúci platnosť uvedený v názve kapitoly sa vzťahuje na celú kapitolu. Znamienko plus v tomto reťazci znamená „a“ a čiarka znamená „alebo“. Zátvorky slúžia na zoskupenie kódov označujúcich platnosť podobne ako v matematických vzorcoch. Pozrite si nasledujúci príklad: „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ – platí pre zariadenia s pracovným tlakom 8 barov, frekvenciou 50 Hz a napájacím napätím 500 V alebo pracovným tlakom 8 barov, frekvenciou 60 Hz a napájacím napätím 575 V.

EL – Odkaz na nákres komponentu v elektrickej skriní.

R. – Poznámky: Ďalšie informácie o danom diele. Vysvetlenie nájdete v spodnej časti stránky.

## SL - slovenščina

### 1 NAROČANJE DELOV

Vedno navedite številko dela, ime in količino zahtevanih predmetov ter tip in serijsko številko stroja.

### 2 INFORMACIJE O STOLPCU

Ref - Referenčna številka: povezuje določen navedeni del z risbo. Na risbi so prikazani samo deli z referenčno številko. Deli na risbi, ki nimajo referenčne številke, so namenjeni samo prikazu sklopa.

Part number - Številko dela uporabite pri naročanju nadomestnih delov.

- Če številka dela ni navedena, komponenta ni na voljo kot nadomestni del.

Za dele, ki so del kompleta, bo v spodnji vrstici navedena tudi številka kompleta. Celotno vsebino kompleta si oglejte v poglavju "1 – Service kits".

Številka dela, pred katero je črna pika, spada v sklop tik zgoraj.

Remarks: dodatne informacije o številki dela tik zgoraj.

Substituted by: številka dela tik zgoraj je zamenjana z drugo številko dela, zaradi posodobitve ali revizije.

Qty Količina: določa število delov v povezavi z ustreznim referenčno številko. Kratica "AR" pomeni "As required" (kot je zahtevano): količina ali število za določitev.

Name - Ime dela: prevodi angleških imen se nahajajo v dokumentu "Glossary of part names".

Validity - Določa časovni razpon in tip/različico stroja, ki veljata za del. Razlago kod, ki se uporabljajo v vzorcu veljavnosti, najdete v legendi na dnu strani. Vzorec veljavnosti, ki je naveden v naslovu poglavja, velja za celotno poglavje. Znak plus v vzorcu lahko pomeni besedo "in", vejico ali besedo "ali". Oklepaji združujejo kode veljavnosti, podobno kot oklepaji pri matematiki; glejte spodnji primer:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" velja za stroje z delovnim tlakom 8 barov in frekvenco 50 Hz ter napajalno napetostjo 500 V, ali z delovnim tlakom 8 barov, frekvenco 60 Hz in napajalno napetostjo 575 V.

EL – Referenca za risbo ali komponenta znotraj električne omarice.

R. – Opombe: dodatne informacije o delu. Razlago lahko najdete na dnu strani.

## SV - Svenska

## 1 BESTÄLLA DELAR

Ange alltid reservdelsnummer, namn och antal delar som önskas, samt typbeteckning och tillverkningsnummer på maskinen.

## 2 SPALTINFORMATION

Ref. – Referensnummer: kopplar ihop en viss reservdel i förteckningen med ritningen. Endast reservdelar med referensnummer visas i ritningen. Reservdelar som saknar referensnummer i ritningen finns med för att illustrera själva monteringen.

Part number – Reservdelsnummer som används vid beställning av reservdelar.

Om reservdelsnummer saknas finns komponenten inte som reservdel.

Delar som tillhör en sats har satsnumret angivet på raden nedanför. Se kapitel "1 – Service kits" för satsens kompletta innehåll.

Ett reservdelsnummer som föregås av en svart punkt finns med i enheten direkt ovanför.

Remarks: Ytterligare information om reservdelsnumret direkt ovanför.

Substituted by: Reservdelsnumret direkt ovanför har ersatts med ett annat reservdelsnummer på grund av en uppdatering eller revision.

Qty – Antal: Anger hur många delar som är kopplade till motsvarande referensnummer. "AR" betyder "As required" (som erfordras): Antal eller nummer bestäms senare.

Name - Reservdelsbeteckningar: Översättningar av de engelska beteckningarna återfinns i dokumentet "Glossary of part names" (Ordlista med reservdelsbeteckningar).

Validity – Definierar tidsramen och typ/version av maskin som reservdelen passar för. En förklaring av koderna som används i giltighetsmönstret finns i symbolförklaringen längst ner på sidan. Ett giltighetsmönster som nämns i ett kapitel gäller för hela kapitlet. Ett plustecken i mönstret ska tolkas som "och" och ett komma som "eller". Parenteser grupperar giltighetskoderna i likhet med parenteser inom matematiken. Se följande exempel:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" gäller maskiner med 8 bar arbetstryck, 50 Hz frekvens och 500 V matningsspänning, eller 8 bar arbetstryck, 60 Hz frekvens och 575 V matningsspänning.

EL – Referens till ritningen eller komponenten inuti elskåpet.

R. – Anmärkningar: Extra information om reservdelen. En förklaring finns längst ner på sidan.

## TR - Türk

## 1 PARÇA SİPARİŞİ

Her zaman gereken parçaların parça numarası, adı ve miktarının yanı sıra makinenin tipini ve seri numarasını da belirtin.

## 2 SÜTUN BİLGİLERİ

Ref - Referans numarası: Listenin belirli bir bölümünü çizime bağlar. Yalnızca referans numarası olan parçalar çizimde gösterilir. Çizimde referans numarası olmayan parçalar yalnızca mekanizmanın tamamını göstermek için konulmuştur.

Part number - Yedek parça siparişi verirken kullanılacak parça numarası.

Parça numarası belirtilmediğinde, bu bileşen bir yedek parça olarak bulunmaz.

Bir kite dahil olan parçalar, alttaki satırda bulunan kit numarasına sahiptir. Kitin tüm içeriğini görmek için bkz. bölüm "1 – Service kits".

Önünde siyah nokta olan parça numaraları, hemen yukarıdaki mekanizmada bulunur.

Remarks: Hemen yukarıdaki parça numarası ile ilgili ek bilgiler.

Substituted by: Bir güncelleme veya revizyon nedeniyle hemen yukarıdaki parça numarası yerine başka bir parça numarası gelmiştir.

Qty - Miktar: İlgili referans numarasıyla ilgili parça sayısını gösterir. "AR" kısaltması "As required" (miktarı veya sayısı belirlenecek) anlamına gelir.

Name - Parça adı: İngilizce adların tercümelemleri "Glossary of part names"(Parça adları sözlüğü) adlı belgede bulunabilir.

Validity - Parçanın geçerli olduğu zaman aralığını ve makine tiplerini/modellerini belirler. Geçerlilik düzeninde kullanılan kodların açıklamaları sayfanın alt kısmında bulunabilir. Bölüm başlığında bahsedilen bir geçerlilik düzeni, tüm bölüm için geçerlidir.

Düzende bir artı işareti olması "ve", virgül işareti olması "veya" olarak anlaşılabilir. Geçerlilik kodları, matematikte kullanılan parantezlere benzer şekilde, parantezler ile gruplara ayrılır. Aşağıdaki örneğe bakabilirsiniz:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" düzeni 8 bar çalışma basıncı olan, 50 Hz frekanslı, 500 V besleme gerilimli makineler veya 8 bar çalışma basıncı, 60 Hz frekanslı ve 575 V besleme gerilimli makineler için geçerlidir.

EL – Elektrik panosu içindeki çizim veya parçaya referans anlamına gelir.

R. – Notlar: Parça hakkında ek bilgiler. Açıklamalar sayfanın alt kısmında bulunabilir.

---

## ZH - 中国的

### 1订购零件

一定要注明零件号码、所需物品的名称和数量，以及型号和机器的序列号。

### 2列信息

Ref-参考号码：将列表中的特定部件链接到图纸上。只有具有参考号码的部件才能如图所示。图纸中没有参考编号的部件只是简单地用于说明组装件。

Part number-订购备件时使用的零件号码。

当没有指定零件号码时，该零件不能作为备用零件使用。

组件包中包含的零件，将在该零件下面一行中提及组件包的编号。组件包的完整内容

请看第一章“1 -Service kits”。

前面有一个黑点的零件号包含在上面的组件中。

Remarks ( 备注 )：零件号码的额外信息显示在右上。

Substituted by ( 取代 )：由于更新或修改，上面的零件号已被另一个零件号替换。

Qty-表示与相应参考号码相关的部件数量。“AR”是指依据需求，数量待定。

Name-部件名称:英文名称的翻译可在文件“部件名称术语表”中找到。

Validity-定义了该部件对机器有效的框架和类型/版本。在有效性栏中缩写名称的澄清可以在页面底部的说明中找到。在章节标题中提到的有效性栏适用于该整个章节。句式中的加号可以解释为“与”，逗号可以解释为“或”。

括号将有效性代码分组，类似于数学括号，参见下面的示例：

' PRESS:8BAR +(FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) '适用于8 bar工作压力和频率50Hz及电压500V，或8bar工作压力和频率60Hz及电压575V的机器。

EL -指图纸中或电气柜内的元件的备注。

R. -备注:关于零件的额外信息。解释可以在这页的底部找到。



## 3002 6190 40 - OIL FILTER KIT - GA 55

MODEL:GA55MP\_21W

| Qty | Name                 |
|-----|----------------------|
| • 1 | OIL FILTER 8K        |
| • 1 | O-RING               |
| • 1 | O-RING               |
| • 1 | MOUNTING INSTRUCTION |

## 3002 6190 30 - OIL FILTER KIT - GA 55+, GA 75, GA 75+, GA 90

MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W

| Qty | Name                 |
|-----|----------------------|
| • 2 | OIL FILTER 8K        |
| • 1 | O-RING               |
| • 1 | O-RING               |
| • 1 | MOUNTING INSTRUCTION |

## 3002 6028 20 - MINIMUM PRESSURE VALVE KIT

MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W

| Qty | Name                 |
|-----|----------------------|
| • 1 | O-RING               |
| • 1 | O-RING               |
| • 2 | HEXAGON BOLT         |
| • 2 | NUT                  |
| • 1 | SPRING               |
| • 1 | SPRING               |
| • 1 | TUBE GREASE          |
| • 1 | WASHER               |
| • 1 | RETAINING RING       |
| • 1 | MOUNTING INSTRUCTION |

## 3002 6190 10 - OIL SEPARATOR KIT - 8000H

| Qty | Name                 |
|-----|----------------------|
| • 1 | OSE 8000H            |
| • 2 | O-RING               |
| • 1 | O-RING               |
| • 1 | O-RING 69.5 X 3      |
| • 1 | MOUNTING INSTRUCTION |

## 3002 6190 20 - SCAVENGE LINE KIT

| Qty | Name                 |
|-----|----------------------|
| • 1 | VALVE                |
| • 1 | O-RING               |
| • 2 | O-RING               |
| • 1 | MOUNTING INSTRUCTION |

## 3002 6028 30 - MOTOR DRIVE SIDE KIT

| Qty | Name          |
|-----|---------------|
| • 1 | NOZZLE OIL    |
| • 1 | MOTOR BUSHING |
| • 1 | SEAL          |
| • 1 | DRAIN NIPPLE  |
| • 1 | CIRCLIPS 120  |
| • 1 | O-RING        |
| • 1 | O-RING        |

continues on next page ...

... continued from previous page

### 3002 6028 30 - MOTOR DRIVE SIDE KIT

| Qty | Name                 |
|-----|----------------------|
| • 1 | ROLLER BEARING       |
| • 1 | MOUNTING INSTRUCTION |

### 3002 6003 50 - MOTOR NON DRIVE SIDE KIT

| Qty | Name                  |
|-----|-----------------------|
| • 1 | BALL BEARING          |
| • 1 | SEAL LIP              |
| • 1 | CIRCLIP-DIN471-75X2.5 |
| • 1 | CIRCLIP               |

### 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55

MODEL:GA55MP\_21W

| Qty | Name             |
|-----|------------------|
| • 1 | O-RING           |
| • 1 | O-RING 69.5 X 3  |
| • 1 | O-RING           |
| • 4 | O-RING           |
| • 1 | PLUG             |
| • 1 | HEX. SOCK. SCREW |
| • 1 | PISTON           |
| • 1 | VALVE OIL STOP   |
| • 1 | SPRING           |
| • 1 | VALVE            |
| • 1 | SPRING           |
| • 1 | O-RING           |
| • 2 | PLUG G 1/4       |
| • 1 | INSTRUCTION      |

### 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90

MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W

| Qty | Name               |
|-----|--------------------|
| • 1 | O-RING             |
| • 1 | O-RING 69.5 X 3    |
| • 1 | PLUG               |
| • 1 | O-RING             |
| • 1 | VALVE              |
| • 1 | SPRING             |
| • 1 | PISTON             |
| • 1 | VALVE OIL STOP     |
| • 1 | SPRING             |
| • 1 | PLUG SOCKET        |
| • 1 | SEALING PLATE C142 |
| • 1 | PLUG G1/4 FKM S    |
| • 1 | INSTRUCTION        |

### 3002 6028 60 - ELEMENT MOUNTING KIT - GA 55

MODEL:GA55MP\_21W

| Qty | Name         |
|-----|--------------|
| • 1 | O-RING       |
| • 1 | PARALLEL KEY |
| • 1 | O-RING       |
| • 4 | O-RING       |

continues on next page ...

... continued from previous page

## 3002 6028 60 - ELEMENT MOUNTING KIT - GA 55

MODEL:GA55MP\_21W

|   | Qty | Name        |
|---|-----|-------------|
| • | 1   | O-RING      |
| • | 1   | INSTRUCTION |

## 3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90

MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W

|   | Qty | Name               |
|---|-----|--------------------|
| • | 1   | O-RING             |
| • | 1   | O-RING             |
| • | 1   | SEALING PLATE C142 |
| • | 1   | C142 ELEMENT KEY   |
| • | 1   | INSTRUCTION        |

## 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H

|   | Qty | Name                     |
|---|-----|--------------------------|
| • | 1   | MOTOR DRIVE SIDE KIT     |
| • | 1   | MOTOR NON DRIVE SIDE KIT |

## 2901 1622 00 - UNLOADER VALVE KIT - GA 55

MODEL:GA55MP\_21W

|  | Qty | Name |
|--|-----|------|
|--|-----|------|

## 2901 1463 00 - UNLOADER VALVE KIT - GA 55+, GA 75, GA 75+, GA 90

MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W

|  | Qty | Name |
|--|-----|------|
|--|-----|------|

## 1619 6068 00 - DRAIN WSD15

|  | Qty | Name |
|--|-----|------|
|--|-----|------|

## 2901 1616 00 - THERMOSTATIC VALVE KIT 38 DEG

|   | Qty | Name                         |
|---|-----|------------------------------|
| • | 1   | THERMOSTATIC VALVE 38DEGREES |
| • | 1   | O-RING 34 X 1.5              |
| • | 1   | O-RING 35.1 X 1.6            |
| • | 1   | SET INSTRUCTION              |
| • | 1   | O-RING                       |

## 2901 1617 00 - THERMOSTATIC VALVE KIT 60 DEG

|   | Qty | Name                    |
|---|-----|-------------------------|
| • | 1   | THERMOSTATIC VALVE 60°C |
| • | 1   | O-RING 34 X 1.5         |
| • | 1   | O-RING 35.1 X 1.6       |
| • | 1   | SET INSTRUCTION         |
| • | 1   | O-RING                  |

## 3002 6029 00 - PREVENTIVE MAINTENANCE KIT - GA 55

MODEL:GA55MP\_21W

|   | Qty | Name          |
|---|-----|---------------|
| • | 1   | AIR FILTER 4K |
| • | 2   | FILTER        |

**3002 6029 50 - PREVENTIVE MAINTENANCE KIT - GA 55**

MODEL:GA55MP\_21W

| Qty | Name                 |
|-----|----------------------|
| • 1 | AIR FILTER 4K        |
| • 2 | FILTER               |
| • 1 | OIL FILTER X1 KIT 8K |
| • 1 | OSE KIT 8K           |
| • 1 | MPV KIT              |
| • 1 | CV/OSV KIT C106      |
| • 1 | UNLOADER             |
| • 1 | SCAVENGE LINE KIT    |

**3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+**

MODEL:GA55PMP21W

| Qty | Name                 |
|-----|----------------------|
| • 1 | AIR FILTER 8K        |
| • 2 | FILTER               |
| • 1 | OIL FILTER X2 KIT 8K |
| • 1 | OSE KIT 8K           |
| • 1 | MPV KIT              |
| • 1 | CV/OSV KIT C142      |
| • 1 | UNLOADER VALVE KIT   |
| • 1 | SCAVENGE LINE KIT    |

**3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+**

MODEL:GA75PMP21W

| Qty | Name                 |
|-----|----------------------|
| • 1 | AIR FILTER 8K        |
| • 2 | FILTER               |
| • 1 | OIL FILTER X2 KIT 8K |
| • 1 | OSE KIT 8K           |
| • 1 | MPV KIT              |
| • 1 | CV/OSV KIT C142      |
| • 1 | UNLOADER VALVE KIT   |
| • 1 | SCAVENGE LINE KIT    |

**3002 6029 20 - PREVENTIVE MAINTENANCE KIT - GA 55+, GA 75+**

MODEL:GA55PMP21W , MODEL:GA75PMP21W

| Qty | Name   |
|-----|--------|
| • 2 | FILTER |

**3002 6029 10 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90**

MODEL:GA75MP\_21W , MODEL:GA90MP\_21W

| Qty | Name          |
|-----|---------------|
| • 1 | AIR FILTER 4K |
| • 2 | FILTER        |

**3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90**

MODEL:GA75MP\_21W , MODEL:GA90MP\_21W

| Qty | Name                 |
|-----|----------------------|
| • 1 | AIR FILTER 4K        |
| • 2 | FILTER               |
| • 1 | OIL FILTER X2 KIT 8K |
| • 1 | OSE KIT 8K           |
| • 1 | MPV KIT              |

*continues on next page ...*

... continued from previous page

## 3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90

MODEL:GA75MP\_21W , MODEL:GA90MP\_21W

|   | Qty | Name               |
|---|-----|--------------------|
| • | 1   | CV/OSV KIT C142    |
| • | 1   | UNLOADER VALVE KIT |
| • | 1   | SCAVENGE LINE KIT  |

### Legend:

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90

MODEL:GA75MP\_21W - Model:GA75





| Ref | Part Number                | Qty          | Name                                         | Validity                                                                            |
|-----|----------------------------|--------------|----------------------------------------------|-------------------------------------------------------------------------------------|
| -   |                            |              | ROTO-INJECT FLUID - 4000H                    |                                                                                     |
| •   | <del>2901 0245 01</del>    | AR           | ROTO-INJECT FLUID 5L                         |                                                                                     |
| •   | <del>Substituted by:</del> | 1630 1146 00 | - RIF NDURANCE AC5L (quantity: 1)            |                                                                                     |
| •   | <del>2901 0522 00</del>    | AR           | ROTO-INJECT FLUID 20L                        |                                                                                     |
| •   | <del>Substituted by:</del> | 1630 0918 00 | - OIL RIF NDURANCE 20L (quantity: 1)         |                                                                                     |
| •   | <del>2901 0045 01</del>    | AR           | ROTO-INJECT FLUID 209L                       |                                                                                     |
| •   | <del>Substituted by:</del> | 1630 0919 00 | - OIL RIF NDURANCE 209L (quantity: 1)        |                                                                                     |
| -   |                            |              | ROTO-INJECT FLUID NDURANCE - 4000H           |                                                                                     |
| •   | 1630 1146 00               | AR           | ROTO-INJECT FLUID NDURANCE 5L                |                                                                                     |
| •   | 1630 0918 00               | AR           | ROTO-INJECT FLUID NDURANCE 20L               |                                                                                     |
| •   | 1630 0919 00               | AR           | ROTO-INJECT FLUID NDURANCE 209L              |                                                                                     |
| -   |                            |              | ROTO-SYNTHETIC FLUID ULTRA - 4000H           |                                                                                     |
| •   | 1630 2041 05               | AR           | ROTO-SYNTHETIC FLUID ULTRA 5L                |                                                                                     |
| •   | 1630 2041 20               | AR           | ROTO-SYNTHETIC FLUID ULTRA 20L               |                                                                                     |
| •   | 1630 2041 29               | AR           | ROTO-SYNTHETIC FLUID ULTRA 209L              |                                                                                     |
| -   |                            |              | FOODGRADE OIL - 4000H                        |                                                                                     |
| •   | 1630 0833 00               | AR           | FOODGRADE OIL 5L                             |                                                                                     |
| •   | 1630 0542 00               | AR           | FOODGRADE OIL 20L                            |                                                                                     |
| -   |                            |              | ROTO-SYNTHETIC FOODGRADE FLUID ULTRA - 4000H |                                                                                     |
| •   | 1830 0234 05               | AR           | ROTO-SYNTHETIC FOODGRADE FLUID ULTRA 5L      |                                                                                     |
| •   | 1831 0234 06               | AR           | ROTO-SYNTHETIC FOODGRADE FLUID ULTRA 20L     |                                                                                     |
| •   | 1832 0276 35               | AR           | ROTO-SYNTHETIC FOODGRADE FLUID ULTRA 209L    |                                                                                     |
| -   |                            |              | ROTO-XTEND DUTY FLUID - 8000H                |                                                                                     |
| •   | 2901 1700 00               | AR           | ROTO-XTEND DUTY FLUID 5L                     |                                                                                     |
| •   | 2901 1701 00               | AR           | ROTO-XTEND DUTY FLUID 20L                    |                                                                                     |
| •   | 2901 1702 00               | AR           | ROTO-XTEND DUTY FLUID 209L                   |                                                                                     |
|     | 1629 0336 00               | AR           | LABEL ROTO-SYNTHETIC FLUID ULTRA             | (03/09/2021 - ...) MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA90MP_21W           |
|     | 1079 9925 87               | AR           | LABEL ROTO-XTEND DUTY FLUID                  | (03/09/2021 - 30/06/2022) MODEL:GA55PMP21W , MODEL:GA75PMP21W<br>(01/07/2022 - ...) |

**Legend:**


MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90

MODEL:GA75MP\_21W - Model:GA75

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number                                                                                             | Qty | Name     | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | R. |
|------|---------------------------------------------------------------------------------------------------------|-----|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1005 | 1616 8693 80                                                                                            | 1   | ELEMENT  | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |
|      | <div> <div> Substituted by: </div> <div> 1616 8693 90 - C142 OIS M-10 SPARE (quantity: 1) </div> </div> |     |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
| 1005 | 1616 8348 90                                                                                            | 1   | ELEMENT  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
| 2010 | 1625 0017 23                                                                                            | 1   | GEAR SET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + PRESS:7.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + PRESS:7.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) PRESS:7.5BAR + (CAPPRM:CHN + MOVOL:380V , CAPPRM:ML + MOVOL:400V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM))                                                                                                                                                                                                                                                                                                                                |    |
| 2010 | 1622 3112 27                                                                                            | 1   | GEAR SET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + PRESS:8.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + PRESS:8.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) PRESS:8.5BAR + (CAPPRM:CHN + MOVOL:380V , CAPPRM:ML + MOVOL:400V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM))                                                                                                                                                                                                                                                                                                                                |    |
| 2010 | 1625 0017 19                                                                                            | 1   | GEAR SET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + PRESS:10.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + (PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:7.4BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)))<br>(01/07/2022 - ...) CAPPRM:CHN + MOVOL:380V + PRESS:10.5BAR , CAPPRM:ML + (MOVOL:230V + PRESS:7.4BAR , MOVOL:400V + PRESS:10.5BAR) , MOVOL:400V + PRESS:10.5BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM) , PRESS:7.4BAR + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) |    |
| 2010 | 1625 0017 36                                                                                            | 1   | GEAR SET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + PRESS:13BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , CAPPRM:ML + MOVOL:400V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM))                                                                                                                                                                                                                                                                                                                                   |    |
| 2010 | 1625 0017 18                                                                                            | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + PRESS:9.1BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))<br>(01/07/2022 - ...) PRESS:9.1BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))                                                                                                                                                                                                                                                                                                                                                                      |    |
| 2010 | 1625 0017 32                                                                                            | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + PRESS:10.8BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))<br>(01/07/2022 - ...) PRESS:10.8BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))                                                                                                                                                                                                                                                                                                                                                                    |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number     | Qty                                                                               | Name         | Validity                                                                                                                                                                                                                                                                                                                                      | R. |
|------|-----------------|-----------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2010 | 1625 0017 13    | 1                                                                                 | GEAR SET     | (29/09/2021 - 30/06/2022) COOL:AIR + PRESS:12.5BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) (01/07/2022 - ...) PRESS:12.5BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) |    |
| 2010 | 1625 0017 48    | 1                                                                                 | GEARSET      | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + PRESS:7.4BAR                                                                                                                                                                                                                                                      |    |
| 2010 | 1625 0017 47    | 1                                                                                 | GEARSET      | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + PRESS:9.1BAR                                                                                                                                                                                                                                                      |    |
| 2010 | 1625 0017 45    | 1                                                                                 | GEARSET      | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + PRESS:10.8BAR                                                                                                                                                                                                                                                     |    |
| 2010 | 1625 0017 43    | 1                                                                                 | GEARSET      | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + PRESS:12.5BAR                                                                                                                                                                                                                                                     |    |
| 3005 |                 | 1                                                                                 | O-RING       | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) COOL:AIR (01/07/2022 - ...)                                                                                                                                                              |    |
|      | Remarks:        | O-RING - 0663 2107 84                                                             |              |                                                                                                                                                                                                                                                                                                                                               |    |
|      | Service kits:   | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |              |                                                                                                                                                                                                                                                                                                                                               |    |
| 3005 | 1622 9019 00    | 1                                                                                 | SPACER       | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                     |    |
| 3010 |                 | 1                                                                                 | KEY PARALLEL | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) COOL:AIR (01/07/2022 - ...)                                                                                                                                                              |    |
|      | Substituted by: | 1629 0308 25 - PARALLEL KEY (quantity: 1)                                         |              |                                                                                                                                                                                                                                                                                                                                               |    |
|      | Service kits:   | 3002 6028 60 - ELEMENT MOUNTING KIT - GA 55                                       |              |                                                                                                                                                                                                                                                                                                                                               |    |
| 3010 | 1625 5056 01    | 1                                                                                 | ELEMENT KEY  | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                     |    |
| 3015 | 1622 9023 00    | 1                                                                                 | SPACER       | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) COOL:AIR (01/07/2022 - ...)                                                                                                                                                              |    |
| 3015 | 1622 4633 00    | 1                                                                                 | BUSHING      | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                     |    |
|      | 1625 5054 01    | 2                                                                                 | PLAIN WASHER | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                     |    |
| 3025 | 0211 1409 00    | 1                                                                                 | SCREW        | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) COOL:AIR (01/07/2022 - ...)                                                                                                                                                              |    |
| 3025 | 0211 1409 00    | 2                                                                                 | SCREW        | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                     |    |
|      | 0663 2109 78    | 1                                                                                 | O-RING       | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                     |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number                                                                                       | Qty                                                                               | Name         | Validity                                                                                                                                                                               | R. |
|------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3035 | 1625 7587 19                                                                                      | 1                                                                                 | SPACER       | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
| 3035 | 0101 1951 40                                                                                      | 2                                                                                 | PARALLEL PIN | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 3040 |                                                                                                   | 1                                                                                 | NOZZLE OIL   | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|      |  Service kits:   | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |              |                                                                                                                                                                                        |    |
| 3040 | 0147 1365 03                                                                                      | 10                                                                                | BOLT         | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 3045 | 0147 1322 03                                                                                      | 1                                                                                 | BOLT         | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
| 3045 | 1092 0000 73                                                                                      | 1                                                                                 | OIL NOZZLE   | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 3050 |                                                                                                   | 1                                                                                 | O-RING       | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|      |  Remarks:      | O-RING - 0663 2103 22                                                             |              |                                                                                                                                                                                        |    |
|      |  Service kits: | 3002 6028 60 - ELEMENT MOUNTING KIT - GA 55                                       |              |                                                                                                                                                                                        |    |
| 3050 | 0663 2111 46                                                                                      | 1                                                                                 | O-RING       | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 3055 | 0211 1409 00                                                                                      | 1                                                                                 | SCREW        | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
| 3055 | 1619 6032 00                                                                                      | 4                                                                                 | NIPPLE       | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 3060 | 0147 1364 03                                                                                      | 9                                                                                 | SCREW        | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
| 3065 | 0101 1951 40                                                                                      | 2                                                                                 | PARALLEL PIN | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
| 3070 | 0147 1364 03                                                                                      | 3                                                                                 | SCREW        | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
| 3075 | 1619 6032 00                                                                                      | 1                                                                                 | NIPPLE       | (24/02/2022 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                               |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref             | Part Number  | Qty                                                                                   | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | R. |
|-----------------|--------------|---------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3160            | 1619 6032 00 | 1                                                                                     | NIPPLE         | (24/02/2022 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| 3170            | 0686 3718 24 | 1                                                                                     | PLUG           | (10/12/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| 4000            | 2080 1114 11 | 1                                                                                     | MOTOR ASSEMBLY | (03/09/2021 - ...) CAPPRM:CHN + COOL:AIR +<br>MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
|                 | 2080 1114 12 |                                                                                       |                | (29/09/2021 - ...) CAPPRM:ML + COOL:AIR + MOVOL:400V<br>+ PRESS:7.5BAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
|                 | 2080 1114 12 |                                                                                       |                | (29/09/2021 - ...) CAPPRM:ML + COOL:AIR + MOVOL:400V<br>+ PRESS:8.5BAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
|                 | 2080 1114 12 |                                                                                       |                | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:400V +<br>((CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM)<br>+ (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR ,<br>PRESS:8.5BAR) , CAPPRM:ML + (PRESS:10.5BAR ,<br>PRESS:13BAR))<br>(01/07/2022 - ...) (CAPPRM:CHN + COOL:WATER +<br>MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 ,<br>CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML +<br>COOL:WATER)) + (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML<br>+ COOL:AIR + MOVOL:400V + (PRESS:10.5BAR ,<br>PRESS:13BAR)                                                                                                                                                  |    |
|                 | 2080 1114 13 |                                                                                       |                | (29/09/2021 - 30/06/2022) CAPPRM:ASME + COOL:AIR<br>+ MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR ,<br>PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) CAPPRM:ASME + MOVOL:380V +<br>(PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR ,<br>PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
|                 | 2080 1114 14 |                                                                                       |                | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:230V<br>+ (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR ,<br>PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MOVOL:230V + (CAPPRM:ASME ,<br>CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR ,<br>PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                      |    |
|                 | 2080 1114 15 |                                                                                       |                | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:460V<br>+ (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) +<br>(PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR ,<br>PRESS:9.1BAR)<br>(01/07/2022 - ...) MOVOL:460V + (CAPPRM:ASME ,<br>CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR ,<br>PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                       |    |
|                 | 2080 1114 19 |                                                                                       |                | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER<br>+ MODEL:GA55PMP21W + MOVOL:230V +<br>(PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR ,<br>PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 4005 •          |              | 1                                                                                     | BALL BEARING   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR<br>+ MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER<br>+ MODEL:GA55PMP21W + MOVOL:230V ,<br>MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML)<br>+ (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME +<br>MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) +<br>(PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR ,<br>PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN<br>+ MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 ,<br>CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) +<br>(PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR ,<br>PRESS:8.5BAR) |    |
| 🛠 Service kits: |              | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6003 50 - MOTOR NON DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty                                                                               | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | R. |
|------|----------------|-----------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4010 | • 1625 5052 01 | 1                                                                                 | KEY            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 4010 | • 1625 5055 01 | 1                                                                                 | KEY            | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 4015 | •              | 1                                                                                 | SEAL           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|      | Remarks:       | SEAL - 1622 8798 00                                                               |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 4020 | •              | 1                                                                                 | CIRCLIPS       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 4025 | •              | 1                                                                                 | ROLLER BEARING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 4030 | • 1092 2038 34 | 1                                                                                 | GEARBOX        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref             | Part Number    | Qty                                                                               | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | R. |
|-----------------|----------------|-----------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4030            | • 1092 2038 63 | 1                                                                                 | GEARBOX       | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 4035            | •              | 1                                                                                 | MOTOR BUSHING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 🛠 Service kits: |                | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 4040            | • 1622 5501 80 | 1                                                                                 | ASSEMBLY PLUG | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 4040            | • 1622 3698 80 | 1                                                                                 | ASSEMBLY PLUG | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 4045            | • 0335 1158 00 | 1                                                                                 | CIRCLIP       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 4050            | • 0147 1443 03 | 4                                                                                 | SCREW         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty | Name             | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | R. |
|------|----------------|-----|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4055 | • 1092 2073 51 | 1   | COOLING FAN      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 4060 | •              | 1   | MOTOR DATA PLATE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 4065 | • 1092 2073 45 | 1   | V-RING           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 4070 | • 1619 6032 05 | 1   | NIPPLE           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number                                                                                                                                                                                                                           | Qty                                                                                                                            | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | R. |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4075 | • 1619 6032 00                                                                                                                                                                                                                        | 1                                                                                                                              | NIPPLE         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 4080 | • 1503 0786 00                                                                                                                                                                                                                        | 1                                                                                                                              | ROTATION ARROW | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 4085 | •                                                                                                                                                                                                                                     | 1                                                                                                                              | DRAIN NIPPLE   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|      | <div><div> Substituted by:</div><div> Service kits:</div></div> | 1630 1318 00 - DRAIN NIPPLE (quantity: 1)<br>3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 5005 | 2080 1199 02                                                                                                                                                                                                                          | 1                                                                                                                              | OUTLET HOUSING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5005 | 0686 3718 19                                                                                                                                                                                                                          | 1                                                                                                                              | PLUG           | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 5006 | 2080 1199 11                                                                                                                                                                                                                          | 1                                                                                                                              | CHECK VALVE    | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 5010 |                                                                                                                                                                                                                                       | 1                                                                                                                              | O-RING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | <div><div> Remarks:</div></div>                                                                                                                    | O-RING - 0663 2106 57                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref                                                                                                      | Part Number  | Qty                                                                                                  | Name           | Validity                                                                                                                                                                               | R. |
|----------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|  <b>Service kits:</b>   |              | 3002 6028 60 - ELEMENT MOUNTING KIT - GA 55<br>3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55 |                |                                                                                                                                                                                        |    |
| 5010                                                                                                     | 1625 8407 00 | 1                                                                                                    | SPRING         | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 5015                                                                                                     |              | 4                                                                                                    | O-RING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|  <b>Remarks:</b>        |              | O-RING - 0663 2106 67                                                                                |                |                                                                                                                                                                                        |    |
|  <b>Service kits:</b>   |              | 3002 6028 60 - ELEMENT MOUNTING KIT - GA 55<br>3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55 |                |                                                                                                                                                                                        |    |
| 5020                                                                                                     | 0211 1965 64 | 4                                                                                                    | SCREW          | (21/02/2022 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                               |    |
| 5020                                                                                                     | 1613 2359 00 | 1                                                                                                    | PISTON         | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 5025                                                                                                     |              | 1                                                                                                    | PLUG           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|  <b>Service kits:</b>   |              | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55                                                |                |                                                                                                                                                                                        |    |
| 5025                                                                                                     | 1622 9089 20 | 1                                                                                                    | VALVE OIL STOP | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 5030                                                                                                     |              | 1                                                                                                    | PISTON         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|  <b>Service kits:</b> |              | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55                                                |                |                                                                                                                                                                                        |    |
| 5030                                                                                                     | 1622 5662 00 | 1                                                                                                    | SPRING         | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 5035                                                                                                     |              | 1                                                                                                    | VALVE OIL STOP | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|  <b>Service kits:</b> |              | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55                                                |                |                                                                                                                                                                                        |    |
| 5035                                                                                                     | 1625 2153 06 | 1                                                                                                    | PLUG SOCKET    | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 5040                                                                                                     |              | 1                                                                                                    | SPRING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|  <b>Service kits:</b> |              | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55                                                |                |                                                                                                                                                                                        |    |
| 5040                                                                                                     | 2080 1199 04 | 1                                                                                                    | OUTLET HOUSING | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                              |    |
| 5045                                                                                                     |              | 1                                                                                                    | VALVE          | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) |    |
|  <b>Service kits:</b> |              | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55                                                |                |                                                                                                                                                                                        |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number                                                                                       | Qty                                                   | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | R. |
|------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5045 | 2080 1199 10                                                                                      | 1                                                     | SEALING PLATE | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |
| 5050 |                                                                                                   | 1                                                     | SPRING        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
|      |  Service kits:   | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55 |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 5050 | 0211 1964 75                                                                                      | 4                                                     | SCREW         | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |
|      |  Substituted by: | 0211 1417 00 - HEX SOCK. SCREW (quantity: 1)          |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 5055 |                                                                                                   | 1                                                     | O-RING        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
|      |  Remarks:        | O-RING - 0663 3130 00                                 |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
|      |  Service kits:   | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55 |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 5055 | 0686 3718 24                                                                                      | 1                                                     | PLUG          | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |
| 5060 |                                                                                                   | 2                                                     | PLUG          | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
|      |  Service kits: | 3002 6028 40 - CHECK VALVE/OIL STOP VALVE KIT - GA 55 |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 6005 | 1092 9012 23                                                                                      | 1                                                     | MOTOR SUPPORT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6010 | 0147 1364 03                                                                                      | 4                                                     | SCREW         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number  | Qty | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | R. |
|------|--------------|-----|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6015 | 0300 0274 93 | 4   | PLAIN WASHER  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                |    |
| 6020 | 1092 9012 24 | 1   | MOTOR SUPPORT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                |    |
| 6025 | 0147 1364 03 | 5   | SCREW         | (19/10/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |
| 6025 | 0147 1364 03 | 4   | SCREW         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) COOL:AIR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
| 6030 | 0300 0274 93 | 5   | PLAIN WASHER  | (19/10/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:CHN + MOVOL:380V + (PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + ((CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number       | Qty                                            | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | R. |
|------|-------------------|------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6035 | 1092 0003 81      | 2                                              | ANTI-VIBRATION PAD | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|      | ↳ Substituted by: | 1613 6752 18 - ANTIVIBRATION PAD (quantity: 1) |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 6040 | 0147 1402 03      | 4                                              | BOLT               | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6045 | 0301 2358 00      | 4                                              | WASHER             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6050 | 0147 1479 03      | 2                                              | HEXAGON BOLT       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number     | Qty                                            | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | R. |
|------|-----------------|------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6055 | 0301 2378 00    | 2                                              | WASHER             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6060 | 1092 0003 82    | 1                                              | ANTI-VIBRATION PAD | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|      | Substituted by: | 1613 6752 19 - ANTIVIBRATION PAD (quantity: 1) |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 6065 | 0147 1402 03    | 2                                              | BOLT               | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6070 | 0301 2358 00    | 2                                              | WASHER             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME, CAPPRM:ML) + (MOVOL:230V, MOVOL:460V), CAPPRM:ASME + MOVOL:380V, CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR))



### 3 - Drive train GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number  | Qty | Name   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | R. |
|------|--------------|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6075 | 1613 9598 01 | 1   | SPACER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6080 | 0147 1493 03 | 1   | BOLT   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 6085 | 0301 2378 00 | 1   | WASHER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) (CAPPRM:ML + COOL:WATER + MODEL:GA55PMP21W + MOVOL:230V , MODEL:GA55MP_21W + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA55MP_21W + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name     | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | R. |
|------|--------------|-----|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1005 | 1616 8693 90 | 1   | ELEMENT  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
| 2010 | 1622 3692 79 | 1   | GEAR SET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA75PMP21W + MOVOL:380V + PRESS:13BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75PMP21W + PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) MODEL:GA75PMP21W + PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |    |
| 2010 | 1625 0017 52 | 1   | GEARSET  | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA55PMP21W + MOVOL:380V + PRESS:7.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + PRESS:7.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) MODEL:GA55PMP21W + PRESS:7.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
| 2010 | 1625 0018 02 | 1   | GEARSET  | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA55PMP21W + MOVOL:380V + PRESS:8.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + (MODEL:GA55PMP21W + PRESS:8.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , MODEL:GA75PMP21W + PRESS:9.1BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V))<br>(01/07/2022 - ...) MODEL:GA55PMP21W + PRESS:8.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , MODEL:GA75PMP21W + PRESS:9.1BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)                                                                                                                                                                                                                                              |    |
| 2010 | 1625 0017 48 | 1   | GEARSET  | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA55PMP21W + MOVOL:380V + PRESS:10.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (MODEL:GA55PMP21W + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA75MP_21W , MODEL:GA75PMP21W)) , MODEL:GA55PMP21W + PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (MODEL:GA55PMP21W + PRESS:7.4BAR , PRESS:10.8BAR + (MODEL:GA75MP_21W , MODEL:GA75PMP21W)) , CAPPRM:ML + MOVOL:230V + PRESS:10.8BAR + (MODEL:GA75MP_21W , MODEL:GA75PMP21W) , MODEL:GA55PMP21W + (CAPPRM:ML + COOL:AIR + MOVOL:230V + PRESS:7.4BAR , PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | R. |
|------|--------------|-----|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2010 | 1625 0017 46 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA55PMP21W + MOVOL:380V + PRESS:13BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) MODEL:GA55PMP21W + PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                |    |
| 2010 | 1625 0018 34 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA75PMP21W + MOVOL:380V + PRESS:7.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75PMP21W + PRESS:7.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) MODEL:GA75PMP21W + PRESS:7.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                             |    |
| 2010 | 1625 0017 54 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA75MP_21W + PRESS:7.5BAR , MODEL:GA75PMP21W + PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (MODEL:GA75MP_21W + PRESS:7.5BAR , MODEL:GA75PMP21W + PRESS:8.5BAR)<br>(01/07/2022 - ...) (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (MODEL:GA75MP_21W + PRESS:7.5BAR , MODEL:GA75PMP21W + PRESS:8.5BAR) |    |
| 2010 | 1625 0018 35 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA75PMP21W + MOVOL:380V + PRESS:10.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75PMP21W + PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) MODEL:GA75PMP21W + PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                          |    |
| 2010 | 1625 0563 52 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA75MP_21W + MOVOL:380V + PRESS:8.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75MP_21W + PRESS:8.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) MODEL:GA75MP_21W + PRESS:8.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                             |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | R. |
|------|--------------|-----|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2010 | 1625 0017 89 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA75MP_21W + MOVOL:380V + PRESS:10.5BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + (MODEL:GA75MP_21W + PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:7.4BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (MODEL:GA75MP_21W , MODEL:GA75PMP21W))<br>(01/07/2022 - ...) MODEL:GA75MP_21W + PRESS:10.5BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:7.4BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (MODEL:GA75MP_21W , MODEL:GA75PMP21W) |    |
| 2010 | 1625 0017 44 | 1   | GEARSET | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MODEL:GA75MP_21W + MOVOL:380V + PRESS:13BAR<br>(29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75MP_21W + (PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:9.1BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V))<br>(01/07/2022 - ...) MODEL:GA75MP_21W + (PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:9.1BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V))                                                                                     |    |
| 2010 | 1625 0017 47 | 1   | GEARSET | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (MODEL:GA55PMP21W + PRESS:9.1BAR , PRESS:12.5BAR + (MODEL:GA75MP_21W , MODEL:GA75PMP21W))<br>(01/07/2022 - ...) (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (MODEL:GA55PMP21W + PRESS:9.1BAR , PRESS:12.5BAR + (MODEL:GA75MP_21W , MODEL:GA75PMP21W)) , CAPPRM:ML + MOVOL:230V + (COOL:AIR + MODEL:GA55PMP21W + PRESS:9.1BAR , PRESS:12.5BAR + (MODEL:GA75MP_21W , MODEL:GA75PMP21W))                                                                                                                                                                                    |    |
| 2010 | 1625 0017 45 | 1   | GEARSET | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + PRESS:10.8BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)<br>(01/07/2022 - ...) MODEL:GA55PMP21W + PRESS:10.8BAR + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRM:ML + COOL:AIR + MOVOL:230V , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML))                                                                                                                                                                                                                                                                                                                                                                                                  |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)




#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Part Number   | Qty                                                                | Name        | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1625 0017 43  | 1                                                                  | GEARSET     | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + PRESS:12.5BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V)<br>(01/07/2022 - ...) MODEL:GA55PMP21W + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRM:ML + COOL:AIR + MOVOL:230V , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML))                                                                                                                                                                                                                                                                             |    |
| 3005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1622 9019 00  | 1                                                                  | SPACER      | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 3010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               | 1                                                                  | ELEMENT KEY | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Remarks:      | ELEMENT KEY - 1625 5056 01                                         |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Service kits: | 3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 3015                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 1622 4633 00  | 1                                                                  | BUSHING     | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| <b>Legend:</b><br>CAPPRM:AS1210 - Component approval mechanical:AS1210<br>CAPPRM:MHLW - Component approval mechanical:MHLW<br>COOL:AIR - Cooling:Air cooled<br>MODEL:GA75MP_21W - Model:GA75<br>MOVOL:380V - Supply voltage:380 V<br>PRESS:10.5BAR - Working pressure:10.5 bar<br>PRESS:13BAR - Working pressure:13 bar<br>PRESS:8.5BAR - Working pressure:8.5 bar<br>CAPPRM:ASME - Component approval mechanical:ASME<br>CAPPRM:ML - Component approval mechanical:ML<br>COOL:WATER - Cooling:Water cooled<br>MODEL:GA75PMP21W - Model:GA75+<br>MOVOL:400V - Supply voltage:400 V<br>PRESS:10.8BAR - Working pressure:10.8 bar<br>PRESS:7.4BAR - Working pressure:7.4 bar<br>PRESS:9.1BAR - Working pressure:9.1 bar<br>CAPPRM:CHN - Component approval mechanical:CHN (China)<br>CAPPRM:MOM - Component approval mechanical:MOM<br>MODEL:GA55PMP21W - Model:GA55+<br>MOVOL:230V - Supply voltage:230 V<br>MOVOL:460V - Supply voltage:460 V<br>PRESS:12.5BAR - Working pressure:12.5 bar<br>PRESS:7.5BAR - Working pressure:7.5 bar |               |                                                                    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name                                                                                                                                                                                  | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|--------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3020 | 1625 5054 01 | 2   | WASHER                                                                                                                                                                                | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 3025 | 0211 1409 00 | 2   | SCREW                                                                                                                                                                                 | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 3030 |              | 1   | O-RING                                                                                                                                                                                | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      |              |     | <div> <div>Remarks:</div> <div>O-RING - 0663 2109 78</div> </div> <div> <div>Service kits:</div> <div>3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90</div> </div> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 3035 | 0101 1951 40 | 2   | PARALLEL PIN                                                                                                                                                                          | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V, MOVOL:380V, MOVOL:460V), MOVOL:460V + (CAPPRM:MHLW, CAPPRM:ML)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W), CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W, COOL:AIR + MODEL:GA55PMP21W, MODEL:GA75PMP21W + (COOL:AIR, COOL:WATER)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|--------------|-----|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3040 | 0147 1365 03 | 10  | HEXAGON BOLT   | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME, CAPPRM:ML) + (MOVOL:230V, MOVOL:460V), CAPPRM:ASME + MOVOL:380V, CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 3045 | 1092 0000 73 | 1   | OIL NOZZLE     | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME, CAPPRM:ML) + (MOVOL:230V, MOVOL:460V), CAPPRM:ASME + MOVOL:380V, CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 3050 | 0663 2111 46 | 1   | O-RING         | (08/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME, CAPPRM:ML) + (MOVOL:230V, MOVOL:460V), CAPPRM:ASME + MOVOL:380V, CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 3055 | 1619 6032 00 | 4   | NIPPLE         | (24/02/2022 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME, CAPPRM:ML) + (MOVOL:230V, MOVOL:460V), CAPPRM:ASME + MOVOL:380V, CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP_21W, MODEL:GA75PMP21W)<br>(01/07/2022 - ...)                                                                                                                                                                                     |    |
| 4000 | 2080 1114 21 | 1   | MOTOR ASSEMBLY | (03/09/2021 - ...) CAPPRM:CHN + COOL:AIR + MODEL:GA75MP_21W + MOVOL:380V + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |
|      | 2080 1114 16 |     |                | (03/09/2021 - ...) CAPPRM:CHN + COOL:AIR + MODEL:GA55PMP21W + MOVOL:380V + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref | Part Number  | Qty | Name | Validity                                                                                                                                                                                                                                                                                                                                                                                                      | R. |
|-----|--------------|-----|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|     | 2080 1114 26 |     |      | (03/09/2021 - ...) CAPPRM:CHN + COOL:AIR + MODEL:GA75PMP21W + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                                                                                                                                                        |    |
|     | 2080 1114 17 |     |      | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(01/07/2022 - ...) MODEL:GA55PMP21W + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|     | 2080 1114 27 |     |      | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75PMP21W + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(01/07/2022 - ...) MODEL:GA75PMP21W + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|     | 2080 1114 22 |     |      | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75MP_21W + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(01/07/2022 - ...) MODEL:GA75MP_21W + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
|     | 2080 1114 18 |     |      | (29/09/2021 - 30/06/2022) CAPPRM:ASME + COOL:AIR + MODEL:GA55PMP21W + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) CAPPRM:ASME + MODEL:GA55PMP21W + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                            |    |
|     | 2080 1114 19 |     |      | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MODEL:GA55PMP21W + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML + COOL:AIR) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                     |    |
|     | 2080 1114 20 |     |      | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA55PMP21W + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MODEL:GA55PMP21W + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                    |    |
|     | 2080 1114 28 |     |      | (29/09/2021 - 30/06/2022) CAPPRM:ASME + COOL:AIR + MODEL:GA75PMP21W + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) CAPPRM:ASME + MODEL:GA75PMP21W + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                            |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref    | Part Number   | Qty | Name                                                                                  | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | R. |
|--------|---------------|-----|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|        | 2080 1114 29  |     |                                                                                       | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75PMP21W + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MODEL:GA75PMP21W + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                |    |
|        | 2080 1114 30  |     |                                                                                       | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75PMP21W + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MODEL:GA75PMP21W + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                    |    |
|        | 2080 1114 23  |     |                                                                                       | (29/09/2021 - 30/06/2022) CAPPRM:ASME + COOL:AIR + MODEL:GA75MP_21W + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) CAPPRM:ASME + MODEL:GA75MP_21W + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                                            |    |
|        | 2080 1114 24  |     |                                                                                       | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75MP_21W + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MODEL:GA75MP_21W + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                                                |    |
|        | 2080 1114 25  |     |                                                                                       | (29/09/2021 - 30/06/2022) COOL:AIR + MODEL:GA75MP_21W + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)<br>(01/07/2022 - ...) MODEL:GA75MP_21W + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                                                                                                                                                                                    |    |
| 4005 • |               | 1   | BALL BEARING                                                                          | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|        | Remarks:      |     | BALL BEARING - 1625 2098 30                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
|        | Service kits: |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6003 50 - MOTOR NON DRIVE SIDE KIT |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number    | Qty                                                                               | Name     | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|----------------|-----------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4010 | • 1625 5055 01 | 1                                                                                 | KEY      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4015 | •              | 1                                                                                 | SEAL     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:       | SEAL - 1622 8798 00                                                               |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 4020 | •              | 1                                                                                 | CIRCLIPS | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:       | CIRCLIPS - 0335 2176 00                                                           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number    | Qty                                                                               | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|----------------|-----------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4025 | •              | 1                                                                                 | ROLLER BEARING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:       | ROLLER BEARING - 0508 1100 85                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 4030 | • 1092 2038 63 | 1                                                                                 | GEARBOX        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4035 | •              | 1                                                                                 | MOTOR BUSHING  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:       | MOTOR BUSHING - 1622 8794 00                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number    | Qty | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|----------------|-----|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4040 | • 1622 3698 80 | 1   | ASSEMBLY PLUG | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4045 | • 0335 1158 00 | 1   | CIRCLIP       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4050 | • 0147 1443 03 | 4   | SCREW         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4055 | • 1092 2073 51 | 1   | COOLING FAN   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number    | Qty | Name             | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|----------------|-----|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4060 | •              | 1   | MOTOR DATA PLATE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4065 | • 1092 2073 45 | 1   | V-RING           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4070 | • 1619 6032 05 | 1   | NIPPLE           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4075 | • 1619 6032 00 | 1   | NIPPLE           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number                                                                                                                                                                                                                                                                                                                                  | Qty                                                                                                                                                           | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4080 | • 1503 0786 00                                                                                                                                                                                                                                                                                                                               | 1                                                                                                                                                             | ROTATION ARROW | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 4085 | •                                                                                                                                                                                                                                                                                                                                            | 1                                                                                                                                                             | DRAIN NIPPLE   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | <div><div> Substituted by:</div><div> Remarks:</div><div> Service kits:</div></div> | 1630 1318 00 - DRAIN NIPPLE (quantity: 1)<br>DRAIN NIPPLE - 1622 3740 00<br>3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5005 |                                                                                                                                                                                                                                                                                                                                              | 1                                                                                                                                                             | PLUG           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | <div><div> Remarks:</div><div> Service kits:</div></div>                                                                                                               | PLUG - 0686 3718 19<br>3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                           |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5006 | 2080 1199 11                                                                                                                                                                                                                                                                                                                                 | 1                                                                                                                                                             | CHECK VALVE    | (25/10/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...)                                                                                                                                                                                          |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number   | Qty                                                                          | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|---------------|------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5010 |               | 1                                                                            | SPRING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:      | SPRING - 1625 8407 00                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5020 |               | 1                                                                            | PISTON         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:      | PISTON - 1613 2359 00                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5025 |               | 1                                                                            | VALVE OIL STOP | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:      | VALVE OIL STOP - 1622 9089 20                                                |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number   | Qty                                                                          | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|---------------|------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5030 |               | 1                                                                            | SPRING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:      | SPRING - 1622 5662 00                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5035 |               | 1                                                                            | PLUG SOCKET    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:      | PLUG SOCKET - 1625 2153 06                                                   |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5040 | 2080 1199 04  | 1                                                                            | OUTLET HOUSING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number     | Qty                                                                                                                                                | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5045 |                 | 1                                                                                                                                                  | SEALING PLATE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:        | SEALING PLATE - 2080 1199 10                                                                                                                       |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits:   | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90<br>3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5050 | 0211 1964 75    | 4                                                                                                                                                  | SCREW         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Substituted by: | 0211 1417 00 - HEX SOCK. SCREW (quantity: 1)                                                                                                       |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 5055 |                 | 1                                                                                                                                                  | PLUG          | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | Remarks:        | PLUG - 0686 3718 24                                                                                                                                |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | Service kits:   | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|--------------|-----|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6005 | 1092 9012 23 | 1   | MOTOR SUPPORT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6010 | 0147 1364 03 | 4   | SCREW         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6015 | 0300 0274 93 | 4   | PLAIN WASHER  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6020 | 1092 9012 24 | 1   | MOTOR SUPPORT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref               | Part Number  | Qty                                            | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | R. |
|-------------------|--------------|------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6025              | 0147 1364 03 | 5                                              | SCREW              | (19/10/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) (01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 6030              | 0300 0274 93 | 5                                              | PLAIN WASHER       | (19/10/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:CHN + MOVOL:380V + (PRESS:13BAR , PRESS:8.5BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) , CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) , PRESS:7.5BAR + (MODEL:GA55PMP21W , MODEL:GA75MP_21W))) (01/07/2022 - ...) ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:13BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) , CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) , PRESS:7.5BAR + (MODEL:GA55PMP21W , MODEL:GA75MP_21W)) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP_21W , COOL:AIR + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) , COOL:WATER + MODEL:GA75PMP21W) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) (01/07/2022 - ...) |    |
| 6035              | 1092-0003-81 | 2                                              | ANTI-VIBRATION PAD | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) (01/07/2022 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| ⚙ Substituted by: |              | 1613 6752 18 - ANTIVIBRATION PAD (quantity: 1) |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MODEL:GA75MP\_21W - Model:GA75  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MODEL:GA75PMP21W - Model:GA75+  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA55PMP21W - Model:GA55+  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name         | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|--------------|-----|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6040 | 0147 1402 03 | 4   | BOLT         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6045 | 0301 2358 00 | 4   | WASHER       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6050 | 0147 1479 03 | 2   | HEXAGON BOLT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6055 | 0301 2378 00 | 2   | WASHER       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)




*Atlas Copco*

| Ref  | Part Number       | Qty          | Name                            | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|-------------------|--------------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6060 | 1092 0003 82      | 1            | ANTI-VIBRATION PAD              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
|      | ⚡ Substituted by: | 1613 6752 19 | ANTIVIBRATION PAD (quantity: 1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 6065 | 0147 1402 03      | 2            | BOLT                            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6070 | 0301 2358 00      | 2            | WASHER                          | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6075 | 1613 9598 01      | 1            | SPACER                          | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



#### 4 - Drive train GA 55+, GA 75, GA 75+

((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MOVOL:460V + (CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W) , CAPPRM:ML + MOVOL:230V + (MODEL:GA75MP\_21W , COOL:AIR + MODEL:GA55PMP21W , MODEL:GA75PMP21W + (COOL:AIR , COOL:WATER)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

| Ref  | Part Number  | Qty | Name   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | R. |
|------|--------------|-----|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6080 | 0147 1493 03 | 1   | BOLT   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |
| 6085 | 0301 2378 00 | 1   | WASHER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(01/07/2022 - ...) |    |

#### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number  | Qty | Name     | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | R. |
|------|--------------|-----|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1005 | 1616 8693 90 | 1   | ELEMENT  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
| 2010 | 1622 3692 79 | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + PRESS:12.5BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MOVOL:460V + PRESS:10.8BAR , PRESS:12.5BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))                                                                                                                                                                |    |
| 2010 | 1625 0018 33 | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:400V + PRESS:7.5BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) (01/07/2022 - ...) PRESS:7.5BAR + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                                                                                                                                                                                             |    |
| 2010 | 1622 3940 72 | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:400V + PRESS:8.5BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) (01/07/2022 - ...) PRESS:8.5BAR + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                                                                                                                                                                                             |    |
| 2010 | 1625 0018 34 | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + (MOVOL:400V + PRESS:10.5BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) , PRESS:7.4BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))) (01/07/2022 - ...) PRESS:10.5BAR + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:7.4BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) |    |
| 2010 | 1625 0018 13 | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + (MOVOL:400V + PRESS:13BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) , PRESS:9.1BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))) (01/07/2022 - ...) PRESS:13BAR + (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) , PRESS:9.1BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))     |    |
| 2010 | 1625 0017 51 | 1   | GEAR SET | (29/09/2021 - 30/06/2022) COOL:AIR + PRESS:10.8BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) (01/07/2022 - ...) PRESS:10.8BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML))                                                                                                                                                                                                                      |    |
| 3005 | 1622 9019 00 | 1   | SPACER   | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...)                                                                                                                                                                           |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number   | Qty                                                                | Name         | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|---------------|--------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3010 |               | 1                                                                  | ELEMENT KEY  | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | ELEMENT KEY - 1625 5056 01                                         |              |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |              |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 3015 | 1622 4633 00  | 1                                                                  | BUSHING      | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 3020 | 1625 5054 01  | 2                                                                  | WASHER       | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 3025 | 0211 1409 00  | 2                                                                  | SCREW        | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 3030 |               | 1                                                                  | O-RING       | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | O-RING - 0663 2109 78                                              |              |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |              |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 3035 | 0101 1951 40  | 2                                                                  | PARALLEL PIN | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 3040 | 0147 1365 03  | 10                                                                 | HEXAGON BOLT | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Atlas Copco

| Ref  | Part Number   | Qty | Name                                                                                  | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|---------------|-----|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 3045 | 1092 0000 73  | 1   | OIL NOZZLE                                                                            | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 3050 | 0663 2111 46  | 1   | O-RING                                                                                | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 3055 | 1619 6032 00  | 4   | NIPPLE                                                                                | (24/02/2022 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 4000 | 2080 1114 32  | 1   | MOTOR ASSEMBLY                                                                        | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (01/07/2022 - ...) (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)                     |    |
|      | 2080 1114 33  |     |                                                                                       | (29/09/2021 - 30/06/2022) CAPPRM:ASME + COOL:AIR + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (01/07/2022 - ...) CAPPRM:ASME + MOVOL:380V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                                                |    |
|      | 2080 1114 34  |     |                                                                                       | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (01/07/2022 - ...) MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                    |    |
|      | 2080 1114 35  |     |                                                                                       | (29/09/2021 - 30/06/2022) COOL:AIR + MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (01/07/2022 - ...) MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                        |    |
| 4010 | •             | 1   | BALL BEARING                                                                          | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      |     | BALL BEARING - 1625 2098 30                                                           |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6003 50 - MOTOR NON DRIVE SIDE KIT |                                                                                                                                                                                                                                                                                                                                                                                          |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty                                                                               | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                    | R. |
|------|----------------|-----------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4020 | • 1625 5055 01 | 1                                                                                 | KEY            | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4030 | •              | 1                                                                                 | SEAL           | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
|      | Remarks:       | SEAL - 1622 8798 00                                                               |                |                                                                                                                                                                                                                                                                                                                                                                                             |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 4035 | • 1622 8794 00 | 1                                                                                 | MOTOR BUSHING  | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4040 | •              | 1                                                                                 | CIRCLIPS       | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
|      | Remarks:       | CIRCLIPS - 0335 2176 00                                                           |                |                                                                                                                                                                                                                                                                                                                                                                                             |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 4050 | •              | 1                                                                                 | ROLLER BEARING | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
|      | Remarks:       | ROLLER BEARING - 0508 1100 85                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                             |    |
|      | Service kits:  | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H<br>3002 6028 30 - MOTOR DRIVE SIDE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 4060 | • 1092 2038 63 | 1                                                                                 | GEARBOX        | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty | Name             | Validity                                                                                                                                                                                                                                                                                                                                                                                    | R. |
|------|----------------|-----|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4080 | • 1622 3698 80 | 1   | PLUG             | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4090 | • 0335 1158 00 | 1   | CIRCLIP          | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4100 | • 0147 1443 03 | 4   | SCREW            | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4110 | • 1092 2073 51 | 1   | COOLING FAN      | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4120 | •              | 1   | MOTOR DATA PLATE | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4130 | • 1092 2073 45 | 1   | V-RING           | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 4140 | • 1619 6032 05 | 1   | NIPPLE           | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Atlas Copco

| Ref  | Part Number                                                                                | Qty | Name                                                                                                                                                                                                     | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|--------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4150 | • 1619 6032 00                                                                             | 1   | NIPPLE                                                                                                                                                                                                   | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 4160 | • 1503 0786 00                                                                             | 1   | ROTATION ARROW                                                                                                                                                                                           | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 4170 | •                                                                                          | 1   | DRAIN NIPPLE                                                                                                                                                                                             | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | <div> <div> Substituted by: </div> <div> Remarks: </div> <div> Service kits: </div> </div> |     | <div> 1630 1318 00 - DRAIN NIPPLE (quantity: 1) </div> <div> DRAIN NIPPLE - 1622 3740 00 </div> <div> 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H </div> <div> 3002 6028 30 - MOTOR DRIVE SIDE KIT </div> |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 4020 | 2080 1114 32                                                                               | 1   | 90KW ASSY 400V50 C142                                                                                                                                                                                    | (01/07/2022 - ...) CAPPRM:ML + COOL:WATER + MOVOL:400V + (PRESS:10.5BAR , PRESS:13BAR)                                                                                                                                                                                                                                                                                                   |    |
|      | • 1625 2098 30                                                                             | 1   | BALL BEARING                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1625 5055 01                                                                             | 1   | KEY                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1622 8798 00                                                                             | 1   | SEAL                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1622 8794 00                                                                             | 1   | MOTOR BUSHING                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 0335 2176 00                                                                             | 1   | CIRCLIPS 120                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 0508 1100 85                                                                             | 1   | ROLLER BEARING                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1092 2038 63                                                                             | 1   | C142 GEARBOX                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1622 3698 80                                                                             | 1   | ASSEMBLY PLUG                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | •• 0663 2101 80                                                                            | 1   | O-RING                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | •• 1622 3698 00                                                                            | 1   | PLUG                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | •• 1622 3699 00                                                                            | 1   | MAGNET                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 0335 1158 00                                                                             | 1   | CIRCLIP                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 0147 1443 03                                                                             | 4   | HEXAGONAL SCREW                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1092 2073 51                                                                             | 1   | COOLING FAN                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 9829 3519 58                                                                             | 1   | INSTRUCTION MOTOR DATAPLATE                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1092 2073 45                                                                             | 1   | V-RING (M75)                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1619 6032 05                                                                             | 1   | NIPPLE                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1619 6032 00                                                                             | 1   | NIPPLE                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1503 0786 00                                                                             | 1   | ROTATION ARROW                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | • 1622 3740 00                                                                             | 1   | DRAIN NIPPLE                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | <div> Substituted by: </div>                                                               |     | 1630 1318 00 - DRAIN NIPPLE (quantity: 1)                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                          |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number   | Qty                                                                          | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|---------------|------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5005 |               | 1                                                                            | PLUG           | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | PLUG - 0686 3718 19                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5006 | 2080 1199 11  | 1                                                                            | CHECK VALVE    | (25/10/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 5010 |               | 1                                                                            | SPRING         | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | SPRING - 1625 8407 00                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5020 |               | 1                                                                            | PISTON         | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | PISTON - 1613 2359 00                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5025 |               | 1                                                                            | VALVE OIL STOP | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | VALVE OIL STOP - 1622 9089 20                                                |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5030 |               | 1                                                                            | SPRING         | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:      | SPRING - 1622 5662 00                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits: | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Atlas Copco

| Ref  | Part Number     | Qty                                                                                                                                                | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5035 |                 | 1                                                                                                                                                  | PLUG SOCKET    | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:        | PLUG SOCKET - 1625 2153 06                                                                                                                         |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits:   | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5040 | 2080 1199 04    | 1                                                                                                                                                  | OUTLET HOUSING | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 5045 |                 | 1                                                                                                                                                  | SEALING PLATE  | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:        | SEALING PLATE - 2080 1199 10                                                                                                                       |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits:   | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90<br>3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5050 | 0211 1964 75    | 4                                                                                                                                                  | SCREW          | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Substituted by: | 0211 1417 00 - HEX SOCK. SCREW (quantity: 1)                                                                                                       |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 5055 |                 | 1                                                                                                                                                  | PLUG           | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | Remarks:        | PLUG - 0686 3718 24                                                                                                                                |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
|      | Service kits:   | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 6005 | 1092 9012 23    | 1                                                                                                                                                  | MOTOR SUPPORT  | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number  | Qty | Name          | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|--------------|-----|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6010 | 0147 1364 03 | 4   | SCREW         | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6015 | 0300 0274 93 | 4   | PLAIN WASHER  | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6020 | 1092 9012 24 | 1   | MOTOR SUPPORT | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6025 | 0147 1364 03 | 5   | SCREW         | (19/10/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6025 | 0147 1364 03 | 4   | SCREW         | (29/09/2021 - 18/10/2021) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))                    |    |
| 6030 | 0300 0274 93 | 4   | PLAIN WASHER  | (29/09/2021 - 18/10/2021) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))                    |    |
| 6030 | 0300 0274 93 | 5   | PLAIN WASHER  | (19/10/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Atlas Copco

| Ref  | Part Number                                                                                           | Qty | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                 | R. |
|------|-------------------------------------------------------------------------------------------------------|-----|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6035 | 1092-0003-81                                                                                          | 2   | ANTI-VIBRATION PAD | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | <div> <div> Substituted by: </div> <div> 1613 6752 18 - ANTIVIBRATION PAD (quantity: 1) </div> </div> |     |                    |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 6040 | 0147 1402 03                                                                                          | 4   | BOLT               | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6045 | 0301 2358 00                                                                                          | 4   | WASHER             | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6050 | 0147 1479 03                                                                                          | 2   | HEXAGON BOLT       | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6055 | 0301 2378 00                                                                                          | 2   | WASHER             | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
| 6060 | 1092-0003-82                                                                                          | 1   | ANTI-VIBRATION PAD | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |
|      | <div> <div> Substituted by: </div> <div> 1613 6752 19 - ANTIVIBRATION PAD (quantity: 1) </div> </div> |     |                    |                                                                                                                                                                                                                                                                                                                                                                                          |    |
| 6065 | 0147 1402 03                                                                                          | 2   | BOLT               | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 5 - Drive train GA 90 - (ASME, MHLW, ML)

MODEL:GA90MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + COOL:WATER + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Atlas Copco

| Ref  | Part Number  | Qty | Name   | Validity                                                                                                                                                                                                                                                                                                                                                                                    | R. |
|------|--------------|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 6070 | 0301 2358 00 | 2   | WASHER | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 6075 | 1613 9598 01 | 1   | SPACER | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 6080 | 0147 1493 03 | 1   | BOLT   | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |
| 6085 | 0301 2378 00 | 1   | WASHER | (29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 6 - Drive train GA 90 - CHN

CAPPRM:CHN + COOL:AIR + MODEL:GA90MP\_21W + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)



## 6 - Drive train GA 90 - CHN

CAPPRM:CHN + COOL:AIR + MODEL:GA90MP\_21W + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)

Atlas Copco

| Ref  | Part Number     | Qty | Name                                                               | Validity           | R.            |
|------|-----------------|-----|--------------------------------------------------------------------|--------------------|---------------|
| 1005 | 1616 8693 90    | 1   | ELEMENT                                                            |                    |               |
| 2010 | 1625 0018 33    | 1   | GEAR SET                                                           | (08/09/2021 - ...) | PRESS:7.5BAR  |
| 2010 | 1622 3940 72    | 1   | GEAR SET                                                           | (08/09/2021 - ...) | PRESS:8.5BAR  |
| 2010 | 1625 0018 34    | 1   | GEAR SET                                                           | (08/09/2021 - ...) | PRESS:10.5BAR |
| 2010 | 1625 0018 13    | 1   | GEAR SET                                                           | (08/09/2021 - ...) | PRESS:13BAR   |
| 3005 | 1622 9019 00    | 1   | SPACER                                                             | (08/09/2021 - ...) |               |
| 3010 |                 | 1   | ELEMENT KEY                                                        | (08/09/2021 - ...) |               |
|      | Remarks:        |     | ELEMENT KEY - 1625 5056 01                                         |                    |               |
|      | Service kits:   |     | 3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |                    |               |
| 3015 | 1622 4633 00    | 1   | BUSHING                                                            | (08/09/2021 - ...) |               |
| 3020 | 1625 5054 01    | 2   | WASHER                                                             | (08/09/2021 - ...) |               |
| 3025 | 0211 1409 00    | 2   | SCREW                                                              | (08/09/2021 - ...) |               |
| 3030 |                 | 1   | O-RING                                                             | (08/09/2021 - ...) |               |
|      | Remarks:        |     | O-RING - 0663 2109 78                                              |                    |               |
|      | Service kits:   |     | 3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |                    |               |
| 3035 | 0101 1951 40    | 2   | PARALLEL PIN                                                       | (08/09/2021 - ...) |               |
| 3040 | 0147 1365 03    | 10  | HEXAGON BOLT                                                       | (08/09/2021 - ...) |               |
| 3045 | 1092 0000 73    | 1   | OIL NOZZLE                                                         | (08/09/2021 - ...) |               |
| 3050 | 0663 2111 46    | 1   | O-RING                                                             | (08/09/2021 - ...) |               |
| 3055 | 1619 6032 00    | 4   | NIPPLE                                                             | (24/02/2022 - ...) |               |
| 4000 | 2080 1114 51    | 1   | MOTOR ASSEMBLY                                                     | (03/09/2021 - ...) |               |
| 4010 |                 | 1   | BALL BEARING                                                       |                    |               |
|      | Remarks:        |     | BALL BEARING - 1625 2098 30                                        |                    |               |
|      | Service kits:   |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H                         |                    |               |
|      |                 |     | 3002 6003 50 - MOTOR NON DRIVE SIDE KIT                            |                    |               |
| 4020 | 1625 5055 01    | 1   | KEY                                                                |                    |               |
| 4030 |                 | 1   | SEAL                                                               |                    |               |
|      | Remarks:        |     | SEAL - 1622 8798 00                                                |                    |               |
|      | Service kits:   |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H                         |                    |               |
|      |                 |     | 3002 6028 30 - MOTOR DRIVE SIDE KIT                                |                    |               |
| 4040 |                 | 1   | CIRCLIPS                                                           |                    |               |
|      | Remarks:        |     | CIRCLIPS - 0335 2176 00                                            |                    |               |
|      | Service kits:   |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H                         |                    |               |
|      |                 |     | 3002 6028 30 - MOTOR DRIVE SIDE KIT                                |                    |               |
| 4050 |                 | 1   | ROLLER BEARING                                                     |                    |               |
|      | Remarks:        |     | ROLLER BEARING - 0508 1100 85                                      |                    |               |
|      | Service kits:   |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H                         |                    |               |
|      |                 |     | 3002 6028 30 - MOTOR DRIVE SIDE KIT                                |                    |               |
| 4060 | 1092 2038 63    | 1   | GEARBOX                                                            |                    |               |
| 4070 | 1622 8794 00    | 1   | MOTOR BUSHING                                                      | (24/02/2022 - ...) |               |
| 4080 | 1622 5598 80    | 1   | PLUG                                                               |                    |               |
| 4090 | 0335 1158 00    | 1   | CIRCLIP                                                            |                    |               |
| 4100 | 0147 1443 03    | 4   | SCREW                                                              |                    |               |
| 4110 | 1092 2073 51    | 1   | COOLING FAN                                                        |                    |               |
| 4120 |                 | 1   | MOTOR DATA PLATE                                                   |                    |               |
| 4130 | 1092 2073 45    | 1   | V-RING                                                             |                    |               |
| 4140 | 1619 6032 05    | 1   | NIPPLE                                                             |                    |               |
| 4150 | 1619 6032 00    | 1   | NIPPLE                                                             |                    |               |
| 4160 | 1503 0786 00    | 1   | ROTATION ARROW                                                     |                    |               |
| 4170 |                 | 1   | DRAIN NIPPLE                                                       |                    |               |
|      | Substituted by: |     | 1630 1318 00 - DRAIN NIPPLE (quantity: 1)                          |                    |               |
|      | Remarks:        |     | DRAIN NIPPLE - 1622 3740 00                                        |                    |               |
|      | Service kits:   |     | 3002 6029 80 - MOTOR OVERHAUL KIT - 24000H                         |                    |               |
|      |                 |     | 3002 6028 30 - MOTOR DRIVE SIDE KIT                                |                    |               |
| 5005 |                 | 1   | PLUG                                                               | (03/09/2021 - ...) |               |

### Legend:


CAPPRM:CHN - Component approval mechanical:CHN (China)  
MOVOL:380V - Supply voltage:380 V  
PRESS:7.5BAR - Working pressure:7.5 bar

COOL:AIR - Cooling:Air cooled  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA90MP\_21W - Model:GA90  
PRESS:13BAR - Working pressure:13 bar

## 6 - Drive train GA 90 - CHN

CAPPRM:CHN + COOL:AIR + MODEL:GA90MP\_21W + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)



## 6 - Drive train GA 90 - CHN

CAPPRM:CHN + COOL:AIR + MODEL:GA90MP\_21W + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)

Atlas Copco

| Ref  | Part Number                                                                                                | Qty | Name                                                                                                                                               | Validity                  | R. |
|------|------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----|
|      |  <b>Remarks:</b>          |     | PLUG - 0686 3718 19                                                                                                                                |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 5006 | 2080 1199 11                                                                                               | 1   | CHECK VALVE                                                                                                                                        | (25/10/2021 - ...)        |    |
| 5010 |                                                                                                            | 1   | SPRING                                                                                                                                             | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>          |     | SPRING - 1625 8407 00                                                                                                                              |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 5020 |                                                                                                            | 1   | PISTON                                                                                                                                             | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>          |     | PISTON - 1613 2359 00                                                                                                                              |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 5025 |                                                                                                            | 1   | VALVE OIL STOP                                                                                                                                     | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>          |     | VALVE OIL STOP - 1622 9089 20                                                                                                                      |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 5030 |                                                                                                            | 1   | SPRING                                                                                                                                             | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>          |     | SPRING - 1622 5662 00                                                                                                                              |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 5035 |                                                                                                            | 1   | PLUG SOCKET                                                                                                                                        | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>          |     | PLUG SOCKET - 1625 2153 06                                                                                                                         |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 5040 | 2080 1199 04                                                                                               | 1   | OUTLET HOUSING                                                                                                                                     | (03/09/2021 - ...)        |    |
| 5045 |                                                                                                            | 1   | SEALING PLATE                                                                                                                                      | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>          |     | SEALING PLATE - 2080 1199 10                                                                                                                       |                           |    |
|      |  <b>Service kits:</b>     |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90<br>3002 6028 70 - ELEMENT MOUNTING KIT - GA 55+, GA 75, GA 75+, GA 90 |                           |    |
| 5050 | <del>0211 1964 75</del>                                                                                    | 4   | SCREW                                                                                                                                              | (03/09/2021 - ...)        |    |
|      |  <b>Substituted by:</b>   |     | 0211 1417 00 - HEX SOCK. SCREW (quantity: 1)                                                                                                       |                           |    |
| 5055 |                                                                                                            | 1   | PLUG                                                                                                                                               | (03/09/2021 - ...)        |    |
|      |  <b>Remarks:</b>        |     | PLUG - 0686 3718 24                                                                                                                                |                           |    |
|      |  <b>Service kits:</b>   |     | 3002 6028 50 - CHECK VALVE/OIL STOP VALVE KIT - GA 55+, GA 75, GA 75+, GA 90                                                                       |                           |    |
| 6005 | 1092 9012 23                                                                                               | 1   | MOTOR SUPPORT                                                                                                                                      | (03/09/2021 - ...)        |    |
| 6010 | 0147 1364 03                                                                                               | 4   | SCREW                                                                                                                                              | (03/09/2021 - ...)        |    |
| 6015 | 0300 0274 93                                                                                               | 4   | PLAIN WASHER                                                                                                                                       | (03/09/2021 - ...)        |    |
| 6020 | 1092 9012 24                                                                                               | 1   | MOTOR SUPPORT                                                                                                                                      | (03/09/2021 - ...)        |    |
| 6025 | 0147 1364 03                                                                                               | 5   | SCREW                                                                                                                                              | (19/10/2021 - ...)        |    |
| 6025 | 0147 1364 03                                                                                               | 4   | SCREW                                                                                                                                              | (03/09/2021 - 18/10/2021) |    |
| 6030 | 0300 0274 93                                                                                               | 4   | PLAIN WASHER                                                                                                                                       | (03/09/2021 - 18/10/2021) |    |
| 6030 | 0300 0274 93                                                                                               | 5   | PLAIN WASHER                                                                                                                                       | (19/10/2021 - ...)        |    |
| 6035 | <del>1092 0003 81</del>                                                                                    | 2   | ANTI-VIBRATION PAD                                                                                                                                 | (03/09/2021 - ...)        |    |
|      |  <b>Substituted by:</b> |     | 1613 6752 18 - ANTIVIBRATION PAD (quantity: 1)                                                                                                     |                           |    |
| 6040 | 0147 1402 03                                                                                               | 4   | BOLT                                                                                                                                               | (03/09/2021 - ...)        |    |
| 6045 | 0301 2358 00                                                                                               | 4   | WASHER                                                                                                                                             | (03/09/2021 - ...)        |    |
| 6050 | 0147 1479 03                                                                                               | 2   | HEXAGON BOLT                                                                                                                                       | (03/09/2021 - ...)        |    |
| 6055 | 0301 2378 00                                                                                               | 2   | WASHER                                                                                                                                             | (03/09/2021 - ...)        |    |
| 6060 | <del>1092 0003 82</del>                                                                                    | 1   | ANTI-VIBRATION PAD                                                                                                                                 | (03/09/2021 - ...)        |    |
|      |  <b>Substituted by:</b> |     | 1613 6752 19 - ANTIVIBRATION PAD (quantity: 1)                                                                                                     |                           |    |
| 6065 | 0147 1402 03                                                                                               | 2   | BOLT                                                                                                                                               | (03/09/2021 - ...)        |    |
| 6070 | 0301 2358 00                                                                                               | 2   | WASHER                                                                                                                                             | (03/09/2021 - ...)        |    |
| 6075 | 1613 9598 01                                                                                               | 1   | SPACER                                                                                                                                             | (03/09/2021 - ...)        |    |
| 6080 | 0147 1493 03                                                                                               | 1   | BOLT                                                                                                                                               | (03/09/2021 - ...)        |    |
| 6085 | 0301 2378 00                                                                                               | 1   | WASHER                                                                                                                                             | (03/09/2021 - ...)        |    |

### Legend:


CAPPRM:CHN - Component approval mechanical:CHN (China)  
MOVOL:380V - Supply voltage:380 V  
PRESS:7.5BAR - Working pressure:7.5 bar

COOL:AIR - Cooling:Air cooled  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA90MP\_21W - Model:GA90  
PRESS:13BAR - Working pressure:13 bar

## 7.1 - Air filter GA 55, GA 75, GA 90

MODEL:GA55MP\_21W , MODEL:GA75MP\_21W , MODEL:GA90MP\_21W



## 7.1 - Air filter GA 55, GA 75, GA 90

MODEL:GA55MP\_21W , MODEL:GA75MP\_21W , MODEL:GA90MP\_21W

Atlas Copco


| Ref  | Part Number  | Qty | Name                | Validity                                               |
|------|--------------|-----|---------------------|--------------------------------------------------------|
| 1005 | 1830 0207 57 | 1   | AIR FILTER ASSEMBLY | (03/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA90MP_21W |
| 1005 | 1830 0207 60 | 1   | AIR FILTER ASSEMBLY | (03/09/2021 - ...) MODEL:GA55MP_21W                    |
| 1010 | 1092 9031 99 | 1   | AIR FILTER PLATE    | (03/09/2021 - ...)                                     |
| 1015 | 0301 2344 00 | 2   | PLAIN WASHER        | (03/09/2021 - ...)                                     |
| 1020 | 0147 1360 03 | 2   | HEXAGON BOLT        | (03/09/2021 - ...)                                     |
| 1025 | 0147 1963 08 | 4   | SCREW               | (03/09/2021 - ...)                                     |
| 1030 | 1613 7912 01 | 1   | INDICATOR           | (03/09/2021 - ...)                                     |
| 1035 | 1092 2073 35 | 1   | AIR INLET HOSE      | (03/09/2021 - ...) MODEL:GA55MP_21W                    |
| 1035 | 1092 9012 15 | 1   | AIRINLET HOSE       | (03/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA90MP_21W |
| 1040 | 0347 6120 00 | 2   | HOSE CLAMP          | (03/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA90MP_21W |
| 1040 | 0347 6119 00 | 2   | HOSE CLAMP          | (03/09/2021 - ...) MODEL:GA55MP_21W                    |

### Legend:

MODEL:GA55MP\_21W - Model:GA55

MODEL:GA75MP\_21W - Model:GA75

MODEL:GA90MP\_21W - Model:GA90



## 7.2 - Air filter GA 55+, GA 75+

MODEL:GA55PMP21W , MODEL:GA75PMP21W


Atlas Copco

| Ref  | Part Number  | Qty | Name                        | Validity                            |
|------|--------------|-----|-----------------------------|-------------------------------------|
| 1005 | 1830 0207 68 | 1   | AIR FILTER ASSEMBLY         | (03/09/2021 - ...) MODEL:GA55PMP21W |
| 1005 | 1830 0207 65 | 1   | AIR FILTER ASSEMBLY         | (03/09/2021 - ...) MODEL:GA75PMP21W |
| 1010 | 1092 9031 99 | 1   | AIR FILTER PLATE            | (03/09/2021 - ...)                  |
| 1015 | 0301 2344 00 | 2   | PLAIN WASHER                | (03/09/2021 - ...)                  |
| 1020 | 0147 1360 03 | 2   | HEXAGON BOLT                | (03/09/2021 - ...)                  |
| 1025 | 0147 1963 08 | 4   | SCREW                       | (03/09/2021 - ...)                  |
| 1035 | 1092 9045 26 | 1   | AIR INLET HOSE              | (16/03/2022 - ...)                  |
| 1035 | 1092 9012 15 | 1   | AIRINLET HOSE               | (03/09/2021 - 15/03/2022)           |
| 1040 | 0347 6120 00 | 2   | HOSE CLAMP                  | (03/09/2021 - ...)                  |
| 1100 | 0070 6002 03 | 1   | PLASTIC TUBE 8X6 BLACK      | (16/03/2022 - ...)                  |
| 1105 | 0583 8120 74 | 2   | FITTING PIPE THREADED ELBOW | (16/03/2022 - ...)                  |

### Legend:

MODEL:GA55PMP21W - Model:GA55+

MODEL:GA75PMP21W - Model:GA75+



## 7.3 - Air inlet GA 55

MODEL:GA55MP\_21W

Atlas Copco


| Ref  | Part Number     | Qty                                         | Name           | Validity           | R. |
|------|-----------------|---------------------------------------------|----------------|--------------------|----|
| 1005 |                 | 1                                           | O-RING         | (03/09/2021 - ...) |    |
|      | Remarks:        | 0663 7150 00 - O-RING                       |                |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 1010 | 1092 2073 63    | 1                                           | VALVE ASSEMBLY | (03/09/2021 - ...) |    |
| 1020 | 0147 1363 03    | 4                                           | BOLT           | (03/09/2021 - ...) |    |
| 1025 | 0301 2344 00    | 4                                           | PLAIN WASHER   | (03/09/2021 - ...) |    |
| 1030 | 0663 2113 43    | 1                                           | O-RING         | (03/09/2021 - ...) |    |
| 1035 | 1092 9028 28    | 1                                           | NIPPLE         | (03/09/2021 - ...) |    |
| 2010 |                 | 1                                           | O-RING         | (03/09/2021 - ...) |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 2020 |                 | 2                                           | WASHER         | (03/09/2021 - ...) |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 2030 | 0160-0996-99    | 2                                           | SCREW          | (03/09/2021 - ...) |    |
|      | Substituted by: | 0160 0996 86 - CROSS (quantity: 1)          |                |                    |    |
|      |                 | 1                                           | BLOW-OFF VALVE | (03/09/2021 - ...) |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3005 | •               | 4                                           | SCREW          |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3010 | •               | 1                                           | O-RING         |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3015 | •               | 1                                           | PISTON RING    |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3020 | • 1622-3694-00  | 1                                           | HOUSING        |                    |    |
|      | Substituted by: | 1622 3694 80 - BLOW-OFF VALVE (quantity: 1) |                |                    |    |
| 3025 | •               | 1                                           | COVER          |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3030 | •               | 1                                           | PISTON         |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3035 | •               | 1                                           | SEAL           |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3040 | •               | 1                                           | SEAL           |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3045 | •               | 1                                           | RIVET          |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3050 | •               | 2                                           | INSERT         |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |
| 3055 | •               | 1                                           | SEAL           |                    |    |
|      | Service kits:   | 2901 1622 00 - UNLOADER VALVE KIT - GA 55   |                |                    |    |

### Legend:

MODEL:GA55MP\_21W - Model:GA55

## 7.4 - Air inlet GA 55+, GA 75, GA 75+, GA 90

MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W



## 7.4 - Air inlet GA 55+, GA 75, GA 75+, GA 90

MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W

Atlas Copco

| Ref  | Part Number                                                   | Qty | Name             | Validity           |
|------|---------------------------------------------------------------|-----|------------------|--------------------|
| 1005 | 0663 2107 37                                                  | 1   | O-RING           | (03/09/2021 - ...) |
| 1020 | 0147 1363 03                                                  | 4   | BOLT             | (03/09/2021 - ...) |
| 1025 | 0301 2344 00                                                  | 4   | PLAIN WASHER     | (03/09/2021 - ...) |
| 1030 | 0663 2113 43                                                  | 1   | O-RING           | (03/09/2021 - ...) |
| 1035 | 1092 9028 28                                                  | 1   | NIPPLE           | (03/09/2021 - ...) |
| 2010 | 1092 2073 04                                                  | 1   | VALVE REGULATION | (03/09/2021 - ...) |
| 2020 | 1622 3182 00                                                  | 1   | GUIDE            | (03/09/2021 - ...) |
| 2030 | 1622 3184 00                                                  | 1   | BUSHING          | (03/09/2021 - ...) |
| 2040 | 1622 3183 00                                                  | 1   | SEAL             | (03/09/2021 - ...) |
| 2050 | 1622 3185 00                                                  | 1   | SPRING           | (03/09/2021 - ...) |
| 2060 | 1622 3689 00                                                  | 1   | GUIDANCE TAPE    | (03/09/2021 - ...) |
| 2070 | 1092 2073 01                                                  | 1   | PISTON           | (03/09/2021 - ...) |
| 2080 | 1092 2073 02                                                  | 1   | COVER            | (03/09/2021 - ...) |
| 2090 | 0335 2182 00                                                  | 1   | CIRCLIP          | (03/09/2021 - ...) |
| 2100 | 0663 7151 00                                                  | 1   | O-RING           | (03/09/2021 - ...) |
| 2110 | 0261 1099 32                                                  | 1   | NUT              | (03/09/2021 - ...) |
| 2120 | 1622 3691 00                                                  | 1   | QUADRING         | (03/09/2021 - ...) |
| 2130 | 1622 3686 00                                                  | 1   | VALVE            | (03/09/2021 - ...) |
| 2140 | 1092 2073 03                                                  | 1   | ROD              | (03/09/2021 - ...) |
| 2150 | 1622 3690 01                                                  | 1   | BUSHING          | (03/09/2021 - ...) |
|      | ⚙ Substituted by: 1622 3690 02 - BUSHING (quantity: 1)        |     |                  |                    |
| 3010 | 0663 2111 55                                                  | 1   | O-RING           | (03/09/2021 - ...) |
| 3020 | 0301 2318 00                                                  | 2   | WASHER           | (03/09/2021 - ...) |
| 3030 | 0160 0996 99                                                  | 2   | SCREW            | (03/09/2021 - ...) |
|      | ⚙ Substituted by: 0160 0996 86 - CROSS (quantity: 1)          |     |                  |                    |
|      | 1622 3694 80                                                  | 1   | BLOW-OFF VALVE   | (03/09/2021 - ...) |
| 4005 | • 0226 3300 18                                                | 4   | SCREW            |                    |
| 4010 | • 0663 2112 69                                                | 1   | O-RING           |                    |
| 4015 | • 1513 0477 00                                                | 1   | PISTON RING      |                    |
| 4020 | • 1622 3694 00                                                | 1   | HOUSING          |                    |
|      | ⚙ Substituted by: 1622 3694 80 - BLOW-OFF VALVE (quantity: 1) |     |                  |                    |
| 4025 | • 1622 3694 01                                                | 1   | COVER            |                    |
| 4030 | • 1622 3694 02                                                | 1   | PISTON           |                    |
| 4035 | • 1622 3694 03                                                | 1   | SEAL             |                    |
| 4040 | • 1622 3694 04                                                | 1   | SEAL             |                    |
| 4045 | • 1622 3694 05                                                | 1   | RIVET            |                    |
| 4050 | • 1622 3694 06                                                | 2   | INSERT           |                    |
| 4055 | • 1622 3694 07                                                | 1   | SEAL             |                    |

### Legend:


MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90

MODEL:GA75MP\_21W - Model:GA75

MODEL:GA75PMP21W - Model:GA75+

## 7.5 - Separation GA 55

MODEL: GA55MP\_21W + (CAPPRM:MHLW, CAPPRM:ML, (CAPPRM:AS1210, CAPPRM:CHN, CAPPRM:MOM) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), CAPPRM:ASME + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



## 7.5 - Separation GA 55

MODEL:GA55MP\_21W + (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number                                                                                       | Qty                   | Name                       | Validity                                                                                                              | R. |
|------|---------------------------------------------------------------------------------------------------|-----------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------|----|
| 1010 |                                                                                                   | 1                     | OIL SEPARATOR ELEMENT      |                                                                                                                       |    |
|      |  Service kits:   | 3002 6190 10          | OIL SEPARATOR KIT - 8000H  |                                                                                                                       |    |
| 1020 | 0852 0010 22                                                                                      | 1                     | BALL VALVE                 | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1030 | 1649 8002 87                                                                                      | 3                     | BUFFER                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1040 | 1613 8967 12                                                                                      | 1                     | GROUNDING OF VESSEL        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1050 | 1079 9923 72                                                                                      | 1                     | LABEL                      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1060 | 1079 9904 99                                                                                      | 1                     | DECAL                      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1070 | 0211 1328 03                                                                                      | 4                     | SCREW                      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1080 | 1625 7277 01                                                                                      | 1                     | HOUSING VALVE              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1100 | 1631 0000 11                                                                                      | 1                     | NIPPLE                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1110 | 1625 4290 00                                                                                      | 1                     | NIPPLE                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1120 | 0266 2110 00                                                                                      | 3                     | NUT                        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
| 1130 |                                                                                                   | 1                     | O-RING                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
|      |  Remarks:      | O-RING - 0663 2106 95 |                            |                                                                                                                       |    |
|      |  Service kits: | 3002 6190 10          | OIL SEPARATOR KIT - 8000H  |                                                                                                                       |    |
| 1140 |                                                                                                   | 1                     | O-RING                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
|      |  Remarks:      | O-RING - 0663 2108 11 |                            |                                                                                                                       |    |
|      |  Service kits: | 3002 6190 20          | SCAVENGE LINE KIT          |                                                                                                                       |    |
| 1150 |                                                                                                   | 2                     | O-RING                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
|      |  Remarks:      | O-RING - 0663 3119 00 |                            |                                                                                                                       |    |
|      |  Service kits: | 3002 6190 20          | SCAVENGE LINE KIT          |                                                                                                                       |    |
|      |                                                                                                   | 3002 6190 10          | OIL SEPARATOR KIT - 8000H  |                                                                                                                       |    |
| 1160 |                                                                                                   | 1                     | O-RING                     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...) |    |
|      |  Remarks:      | O-RING - 0663 2116 70 |                            |                                                                                                                       |    |
|      |  Service kits: | 3002 6028 20          | MINIMUM PRESSURE VALVE KIT |                                                                                                                       |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 7.5 - Separation GA 55

MODEL:GA55MP\_21W + (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



## 7.5 - Separation GA 55

MODEL:GA55MP\_21W + (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number   | Qty                                               | Name               | Validity                                                                                                                                                                                                                  | R. |
|------|---------------|---------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1170 |               | 1                                                 | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
|      | Remarks:      | O-RING - 0663 2102 15                             |                    |                                                                                                                                                                                                                           |    |
|      | Service kits: | 3002 6029 50 - PREVENTIVE MAINTENANCE KIT - GA 55 |                    |                                                                                                                                                                                                                           |    |
| 1180 |               | 2                                                 | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
|      | Remarks:      | O-RING - 0663 3130 00                             |                    |                                                                                                                                                                                                                           |    |
|      | Service kits: | 3002 6029 50 - PREVENTIVE MAINTENANCE KIT - GA 55 |                    |                                                                                                                                                                                                                           |    |
| 1190 | 1092 2044 02  | 1                                                 | SCAVENGE LINE PIPE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1200 | 0301 2335 00  | 10                                                | PLAIN WASHER       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1210 | 1092 0014 36  | 1                                                 | PLUG               | (24/02/2022 - ...)                                                                                                                                                                                                        |    |
| 1220 | 0686 3718 16  | 1                                                 | PLUG               | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1230 |               | 1                                                 | RETAINING RING     | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
|      | Remarks:      | RETAINING RING - 0335 3111 00                     |                    |                                                                                                                                                                                                                           |    |
|      | Service kits: | 3002 6028 20 - MINIMUM PRESSURE VALVE KIT         |                    |                                                                                                                                                                                                                           |    |
| 1240 | 1092 0019 22  | 1                                                 | SAFETY VALVE       | (03/09/2021 - ...) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                             |    |
| 1240 | 1092 0019 21  | 1                                                 | SAFETY VALVE       | (03/09/2021 - ...) CAPPRM:CHN + PRESS:13BAR                                                                                                                                                                               |    |
| 1240 | 1092 0019 28  | 1                                                 | SAFETY VALVE       | (29/09/2021 - ...) CAPPRM:ML + PRESS:12.5BAR , PRESS:13BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)                                                                                                       |    |
| 1240 | 1092 0019 29  | 1                                                 | SAFETY VALVE       | (29/09/2021 - ...) (CAPPRM:AS1210 , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.5BAR , PRESS:10.8BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) |    |
| 1240 | 1613 5452 00  | 1                                                 | SAFETY VALVE       | (29/09/2021 - ...) CAPPRM:ASME + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:MHLW + PRESS:12.5BAR                                                                                                              |    |
| 1240 | 1613 7810 00  | 1                                                 | SAFETY VALVE       | (29/09/2021 - ...) CAPPRM:ASME + PRESS:12.5BAR                                                                                                                                                                            |    |
| 1250 | 0147 1964 30  | 3                                                 | HEXAGON BOLT       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1260 | 1092 2018 70  | 1                                                 | SHIELD             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1270 | 1092 0000 72  | 1                                                 | SIGHT GLASS        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1280 | 1092 9019 82  | 3                                                 | TRANSPORT SPACER   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
| 1290 | 0147 1963 08  | 1                                                 | SCREW              | (10/12/2021 - ...)                                                                                                                                                                                                        |    |
| 1300 |               | 1                                                 | VALVE              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                     |    |
|      | Remarks:      | VALVE - 1613 9005 01                              |                    |                                                                                                                                                                                                                           |    |
|      | Service kits: | 3002 6190 20 - SCAVENGE LINE KIT                  |                    |                                                                                                                                                                                                                           |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 7.5 - Separation GA 55

MODEL:GA55MP\_21W + (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



## 7.5 - Separation GA 55

MODEL:GA55MP\_21W + (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number                                                                                              | Qty                                       | Name           | Validity                                                                                                                                                                                                      | R. |
|------|----------------------------------------------------------------------------------------------------------|-------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1310 | 1092 9008 63                                                                                             | 1                                         | VESSEL         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) CAPPRM:ML , CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 1310 | 1092 9008 64                                                                                             | 1                                         | VESSEL         | (29/09/2021 - ...) (CAPPRM:AS1210 , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                   |    |
| 1310 | 1092 9008 69                                                                                             | 1                                         | VESSEL         | (29/09/2021 - ...) CAPPRM:MHLW                                                                                                                                                                                |    |
| 1320 | 1625 7302 00                                                                                             | 3                                         | WASHER         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
| 1330 | 1088 0019 01                                                                                             | 2                                         | CONTACT WASHER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
| 2010 | 1622 3663 00                                                                                             | 1                                         | PISTON         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
| 2020 |                                                                                                          | 1                                         | O-RING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
|      |  <b>Remarks:</b>        | O-RING - 0663 2101 01                     |                |                                                                                                                                                                                                               |    |
|      |  <b>Service kits:</b>   | 3002 6028 20 - MINIMUM PRESSURE VALVE KIT |                |                                                                                                                                                                                                               |    |
| 2030 |                                                                                                          | 1                                         | SPRING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
|      |  <b>Service kits:</b> | 3002 6028 20 - MINIMUM PRESSURE VALVE KIT |                |                                                                                                                                                                                                               |    |
| 2040 | 1613 3221 00                                                                                             | 1                                         | PISTON VALVE   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
| 2050 |                                                                                                          | 1                                         | WASHER         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
|      |  <b>Service kits:</b> | 3002 6028 20 - MINIMUM PRESSURE VALVE KIT |                |                                                                                                                                                                                                               |    |
| 2060 | 1613 3222 00                                                                                             | 1                                         | WASHER         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
| 2070 |                                                                                                          | 1                                         | SPRING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |
|      |  <b>Service kits:</b> | 3002 6028 20 - MINIMUM PRESSURE VALVE KIT |                |                                                                                                                                                                                                               |    |
| 2080 | 0147 1244 03                                                                                             | 1                                         | BOLT           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                      |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number     | Qty                                                      | Name                  | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|------|-----------------|----------------------------------------------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1010 |                 | 1                                                        | OIL SEPARATOR ELEMENT | (03/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
|      | 📦 Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+       |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      |                 | 3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90 |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      |                 | 3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+       |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      |                 | 3002 6190 10 - OIL SEPARATOR KIT - 8000H                 |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
| 1020 | 0852 0010 22    | 1                                                        | BALL VALVE            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1030 | 1649 8002 87    | 3                                                        | BUFFER                | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1040 | 1613 8967 12    | 1                                                        | GROUNDING OF VESSEL   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number  | Qty | Name  | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|------|--------------|-----|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1050 | 1079 9923 72 | 1   | LABEL | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1060 | 1079 9904 99 | 1   | DECAL | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1070 | 0211 1328 03 | 4   | SCREW | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW, CAPPRM:ML, (CAPPRM:AS1210, CAPPRM:CHN, CAPPRM:MOM) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), CAPPRM:ASME + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number  | Qty | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|--------------|-----|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1080 | 1625 7277 01 | 1   | HOUSING VALVE  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1100 | 1631 0000 11 | 1   | NIPPLE         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1110 | 1625 4290 00 | 1   | HEXAGON NIPPLE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number   | Qty                                                                                                                                                                                                              | Name   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1120 | 0266 2110 00  | 3                                                                                                                                                                                                                | NUT    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1130 |               | 1                                                                                                                                                                                                                | O-RING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      | Remarks:      | O-RING - 0663 2106 95                                                                                                                                                                                            |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      | Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6190 10 - OIL SEPARATOR KIT - 8000H |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
| 1140 |               | 1                                                                                                                                                                                                                | O-RING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      | Remarks:      | O-RING - 0663 2108 11                                                                                                                                                                                            |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      | Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6190 20 - SCAVENGE LINE KIT         |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number   | Qty                                                                                                                                                                                                                                                  | Name   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1150 |               | 2                                                                                                                                                                                                                                                    | O-RING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      | Remarks:      | O-RING - 0663 3119 00                                                                                                                                                                                                                                |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      | Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6190 20 - SCAVENGE LINE KIT<br>3002 6190 10 - OIL SEPARATOR KIT - 8000H |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
| 1160 |               | 1                                                                                                                                                                                                                                                    | O-RING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      | Remarks:      | O-RING - 0663 2116 70                                                                                                                                                                                                                                |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      | Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6028 20 - MINIMUM PRESSURE VALVE KIT                                    |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
| 1170 |               | 1                                                                                                                                                                                                                                                    | O-RING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      | Remarks:      | O-RING - 0663 2102 15                                                                                                                                                                                                                                |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
|      | Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+                                                                                 |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number                                                                                                                                                                                                                       | Qty | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1180 |                                                                                                                                                                                                                                   | 2   | O-RING             | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
|      | <p>Remarks: O-RING - 0663 3130 00</p> <p>Service kits: 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br/>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br/>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+</p> |     |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| 1190 | 1092 2044 02                                                                                                                                                                                                                      | 1   | SCAVENGE LINE PIPE | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
| 1200 | 0301 2335 00                                                                                                                                                                                                                      | 10  | PLAIN WASHER       | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
| 1210 | 1202 8992 00                                                                                                                                                                                                                      | 1   | PLUG               | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 23/02/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p>                                                                                                                                                                                                                                                                                                                           |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number  | Qty                                                                                                                                                                                                                                                                                     | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1210 | 1092 0014 36 | 1                                                                                                                                                                                                                                                                                       | PLUG           | (24/02/2022 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)                                                                                                       |    |
| 1220 | 0686 3718 16 | 1                                                                                                                                                                                                                                                                                       | PLUG           | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1230 |              | 1                                                                                                                                                                                                                                                                                       | RETAINING RING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      |              | <b>Remarks:</b> RETAINING RING - 0335 3111 00<br><b>Service kits:</b> 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6028 20 - MINIMUM PRESSURE VALVE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW, CAPPRM:ML, (CAPPRM:AS1210, CAPPRM:CHN, CAPPRM:MOM) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), CAPPRM:ASME + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number  | Qty | Name         | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|--------------|-----|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1240 | 1092 0019 29 | 1   | SAFETY VALVE | (29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.5BAR , PRESS:10.8BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) ((CAPPRM:AS1210 , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.5BAR , PRESS:10.8BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)                                                                                                                                                    |    |
| 1240 | 1092 0019 28 | 1   | SAFETY VALVE | (29/09/2021 - 30/06/2022) CAPPRM:ML + PRESS:12.5BAR , PRESS:13BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)<br>(01/07/2022 - ...) (CAPPRM:ML + PRESS:12.5BAR , PRESS:13BAR + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) , CAPPRM:ML + IDRY:N + MODEL:GA90MP_21W + PRESS:10.8BAR                                                                                                                                                                                                                                                                                                                                                                                        |    |
| 1240 | 1092 0019 22 | 1   | SAFETY VALVE | (03/09/2021 - ...) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
| 1240 | 1092 0019 21 | 1   | SAFETY VALVE | (03/09/2021 - ...) CAPPRM:CHN + PRESS:13BAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |
| 1240 | 1613 5452 00 | 1   | SAFETY VALVE | (29/09/2021 - ...) CAPPRM:ASME + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:MHLW + PRESS:12.5BAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
| 1240 | 1613 7810 00 | 1   | SAFETY VALVE | (29/09/2021 - ...) CAPPRM:ASME + PRESS:12.5BAR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
| 1250 | 0147 1964 30 | 3   | HEXAGON BOLT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1260 | 1092 2018 70 | 1   | SHIELD AC    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number  | Qty | Name             | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|--------------|-----|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1270 | 1092 0000 72 | 1   | SIGHT GLASS      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1280 | 1092 9019 82 | 3   | TRANSPORT SPACER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 1290 | 0226 0301 00 | 1   | TAPPING SCREW    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 09/12/2021) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)                                                                                                                                                                                                                                                                                                                      |    |
| 1290 | 0147 1963 08 | 1   | SCREW            | (10/12/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)                                                                                                       |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number                                                                                     | Qty                                                                                                                                                                                                      | Name              | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1300 |                                                                                                 | 1                                                                                                                                                                                                        | VALVE             | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
|      |  Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6190 20 - SCAVENGE LINE KIT |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| 1310 | 1092 2043 47                                                                                    | 1                                                                                                                                                                                                        | VESSEL            | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:CHN , CAPPRM:ML) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) CAPPRM:ML , CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p>                                                                                                                                                                                                                                                                                     |    |
| 1310 | 1092 2051 14                                                                                    | 1                                                                                                                                                                                                        | VESSEL            | <p>(29/09/2021 - ...) (CAPPRM:AS1210 , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
| 1310 | 1092 2051 19                                                                                    | 1                                                                                                                                                                                                        | VESSEL            | <p>(29/09/2021 - ...) CAPPRM:MHLW</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
| 1320 | 1625 7302 00                                                                                    | 3                                                                                                                                                                                                        | WASHER INSULATION | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 IDRY:N - Integrated dryer:No  
 MODEL:GA75PMP21W - Model:GA75+  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 MODEL:GA55PMP21W - Model:GA55+  
 MODEL:GA90MP\_21W - Model:GA90  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA75MP\_21W - Model:GA75  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW, CAPPRM:ML, (CAPPRM:AS1210, CAPPRM:CHN, CAPPRM:MOM) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), CAPPRM:ASME + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref                                     | Part Number  | Qty                                                                                                                                                                                                                                        | Name           | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|-----------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1330                                    | 1088 0019 01 | 2                                                                                                                                                                                                                                          | CONTACT WASHER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 2010                                    | 1622 3663 00 | 1                                                                                                                                                                                                                                          | PISTON         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 2020                                    |              | 1                                                                                                                                                                                                                                          | O-RING         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| <b>Remarks:</b><br><b>Service kits:</b> |              | O-RING - 0663 2101 01<br>3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6028 20 - MINIMUM PRESSURE VALVE KIT |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Qty | Name         | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2030 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1   | SPRING       | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
|      | <p> <b>Remarks:</b> O-RING - 0663 2101 01</p> <p> <b>Service kits:</b> 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br/>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br/>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br/>3002 6028 20 - MINIMUM PRESSURE VALVE KIT</p> |     |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| 2040 | 1613 3221 00                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1   | PISTON VALVE | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
| 2050 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1   | WASHER       | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> <p>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)</p> |    |
|      | <p> <b>Service kits:</b> 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br/>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br/>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br/>3002 6028 20 - MINIMUM PRESSURE VALVE KIT</p>                                                                                                                              |     |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW, CAPPRM:ML, (CAPPRM:AS1210, CAPPRM:CHN, CAPPRM:MOM) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), CAPPRM:ASME + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR)) + (MODEL:GA55PMP21W, MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W)



## 7.6 - Separation GA 55+, GA 75, GA 75+, GA 90

(CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number                                                                                       | Qty                                                                                                                                                                                                               | Name   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | R. |
|------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2060 | 1613 3222 00                                                                                      | 1                                                                                                                                                                                                                 | WASHER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
| 2070 |                                                                                                   | 1                                                                                                                                                                                                                 | SPRING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |
|      |  Service kits: | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+<br>3002 6028 20 - MINIMUM PRESSURE VALVE KIT |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |    |
| 2080 | 0147 1244 03                                                                                      | 1                                                                                                                                                                                                                 | BOLT   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) ((CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(01/07/2022 - ...) (CAPPRM:MHLW , CAPPRM:ML , (CAPPRM:AS1210 , CAPPRM:CHN , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number                                                                                            | Qty                                               | Name               | Validity                                                                                                                                                    | R. |
|------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1005 | 1622 2728 30                                                                                           | 1                                                 | OIL FILTER HOUSING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)<br>(24/02/2022 - ...) |    |
| 1010 | 0211 1363 03                                                                                           | 2                                                 | SCREW              | (24/02/2022 - ...)                                                                                                                                          |    |
| 1015 | 0301 2344 00                                                                                           | 2                                                 | PLAIN WASHER       | (24/02/2022 - ...)                                                                                                                                          |    |
| 1020 |                                                                                                        | 1                                                 | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021)                |    |
|      |  <b>Remarks:</b>      | O-RING - 0663 3130 00                             |                    |                                                                                                                                                             |    |
|      |  <b>Service kits:</b> | 3002 6029 50 - PREVENTIVE MAINTENANCE KIT - GA 55 |                    |                                                                                                                                                             |    |
| 1025 | 1092 9028 23                                                                                           | 1                                                 | NIPPLE             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021)                |    |
| 1030 | 0663 2113 37                                                                                           | 4                                                 | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1035 | 1092 9028 96                                                                                           | 3                                                 | NIPPLE             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1040 | 1092 9029 10                                                                                           | 1                                                 | NIPPLE             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1045 | 1630 1475 00                                                                                           | 1                                                 | BAYONET ADAPTER    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1050 | 1630 1475 03                                                                                           | 1                                                 | SPRING COMPRESSION | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1055 | 1630 1475 02                                                                                           | 1                                                 | ADAPTER GEARBOX    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1060 | 0663 7134 00                                                                                           | 1                                                 | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1065 | 0663 7127 00                                                                                           | 1                                                 | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |
| 1070 | 0215 0003 73                                                                                           | 4                                                 | SCREW              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                       |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number   | Qty                                          | Name                    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | R. |
|------|---------------|----------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1075 | 0686 3718 14  | 2                                            | PLUG                    | (25/10/2021 - 30/06/2022) (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(01/07/2022 - ...) (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + MOVOL:230V , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 1076 | 0686 3718 24  | 1                                            | PLUG                    | (25/10/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
| 1080 |               | 1                                            | OIL FILTER              | (03/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
|      | Remarks:      | OIL FILTER - 1630 8909 92                    |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
|      | Service kits: | 3002 6190 40 - OIL FILTER KIT - GA 55        |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |
| 1085 | 1092 9029 58  | 1                                            | OIL FILTER PLATE 1      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
| 1090 | 1092 9031 43  | 1                                            | OIL FILTER PLATE 2      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
| 1095 | 0147 1963 08  | 7                                            | SCREW                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
| 1100 |               | 1                                            | THERMOSTATIC VALVE 38°C | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(01/07/2022 - ...) (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + MOVOL:230V , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)                                                    |    |
|      | Service kits: | 2901 1616 00 - THERMOSTATIC VALVE KIT 38 DEG |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number                                                                                       | Qty                                                                                          | Name                    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | R. |
|------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1100 |                                                                                                   | 1                                                                                            | THERMOSTATIC VALVE 60°C | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + PRESS:13BAR<br>(29/09/2021 - 30/06/2022) PRESS:12.5BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + MOVOL:230V , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                                                                       |    |
|      |  Service kits:   | 2901 1617 00 - THERMOSTATIC VALVE KIT 60 DEG                                                 |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
| 1105 | 1092 0010 79                                                                                      | 1                                                                                            | DECAL                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(01/07/2022 - ...) (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + MOVOL:230V , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) |    |
| 1105 | 1092 0010 80                                                                                      | 1                                                                                            | DECAL                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + PRESS:13BAR<br>(29/09/2021 - 30/06/2022) PRESS:12.5BAR + (CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))<br>(01/07/2022 - ...) PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + MOVOL:230V , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))                                                                                                                                                                       |    |
| 1110 |                                                                                                   | 1                                                                                            | O-RING                  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |
|      |  Remarks:      | O-RING - 0663 2101 95                                                                        |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
|      |  Service kits: | 2901 1616 00 - THERMOSTATIC VALVE KIT 38 DEG<br>2901 1617 00 - THERMOSTATIC VALVE KIT 60 DEG |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |
| 1115 | 1614 6118 00                                                                                      | 1                                                                                            | FLANGE                  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |
| 1120 | 0301 2321 00                                                                                      | 2                                                                                            | PLAIN WASHER            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME, CAPPRM:ML) + (MOVOL:230V, MOVOL:460V), CAPPRM:ASME + MOVOL:380V, CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), (CAPPRM:CHN + MOVOL:380V, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:MHLW, CAPPRM:ML, CAPPRM:MOM)) + (PRESS:10.5BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR))



## 8 - Liquid filtration GA 55

MODEL:GA55MP\_21W + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))


| Ref  | Part Number  | Qty | Name               | Validity                                                                                                                                     | R. |
|------|--------------|-----|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1125 | 0147 1246 03 | 2   | HEXAGON BOLT       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1130 | 1629 0336 00 | 1   | RS ULTRA OIL LABEL | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) |    |
| 1250 | 0686 3718 24 | 2   | PLUG               | (01/07/2022 - ...)                                                                                                                           |    |

### Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55MP\_21W - Model:GA55  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar



## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number   | Qty                                                      | Name               | Validity                                                                                                                                                                             | R. |
|------|---------------|----------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1005 | 1622 9094 30  | 1                                                        | OIL FILTER HOUSING | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1010 | 0147 1321 03  | 4                                                        | BOLT               | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1015 | 0301 2335 00  | 4                                                        | PLAIN WASHER       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1020 |               | 4                                                        | O-RING             | (19/10/2021 - ...)                                                                                                                                                                   |    |
|      | Remarks:      | O-RING - 0663 3130 00                                    |                    |                                                                                                                                                                                      |    |
|      | Service kits: | 3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90 |                    |                                                                                                                                                                                      |    |
| 1020 | 0663 3130 00  | 5                                                        | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) |    |
| 1025 | 1092 9028 23  | 4                                                        | NIPPLE             | (19/10/2021 - ...)                                                                                                                                                                   |    |
| 1025 | 1092 9028 23  | 5                                                        | NIPPLE             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) |    |
| 1030 | 1630 1475 00  | 2                                                        | BAYONET ADAPTER    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1035 | 1630 1475 03  | 2                                                        | SPRING COMPRESSION | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1040 | 1630 1475 02  | 2                                                        | ADAPTER GEARBOX    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1045 | 0663 7134 00  | 2                                                        | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1050 | 0663 7127 00  | 2                                                        | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1055 | 0215 0003 73  | 8                                                        | SCREW              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1060 |               | 4                                                        | PLUG               | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
|      | Remarks:      | PLUG - 0686 3718 24                                      |                    |                                                                                                                                                                                      |    |
|      | Service kits: | 3002 6029 60 - PREVENTIVE MAINTENANCE KIT - GA 75, GA 90 |                    |                                                                                                                                                                                      |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W , MODEL:GA90MP\_21W)



## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W , MODEL:GA90MP\_21W)

| Ref  | Part Number   | Qty                                                          | Name                    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | R. |
|------|---------------|--------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1065 |               | 2                                                            | OIL FILTER              | (03/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
|      | Remarks:      | OIL FILTER - 1630 8909 92                                    |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |
|      | Service kits: | 3002 6190 30 - OIL FILTER KIT - GA 55+, GA 75, GA 75+, GA 90 |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |
| 1070 | 1092 9029 58  | 1                                                            | OIL FILTER PLATE 1      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 1075 | 1092 9031 43  | 1                                                            | OIL FILTER PLATE 2      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 1080 | 0147 1963 08  | 7                                                            | SCREW                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |    |
| 1085 |               | 1                                                            | THERMOSTATIC VALVE 38°C | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) (01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) |    |
|      | Service kits: | 2901 1616 00 - THERMOSTATIC VALVE KIT 38 DEG                 |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |
| 1085 |               | 1                                                            | THERMOSTATIC VALVE 60°C | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + PRESS:13BAR + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) (29/09/2021 - 30/06/2022) (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:12.5BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) (01/07/2022 - ...) (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:12.5BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)))) , CAPPRM:ML + IDRY:N + MODEL:GA90MP_21W + MOVOL:460V + PRESS:10.8BAR                                                                                |    |
|      | Service kits: | 2901 1617 00 - THERMOSTATIC VALVE KIT 60 DEG                 |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W , MODEL:GA90MP\_21W)



## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W , MODEL:GA90MP\_21W)

| Ref  | Part Number                                                                                              | Qty                                                                                          | Name         | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | R. |
|------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1090 | 1092 0010 79                                                                                             | 1                                                                                            | DECAL        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 30/06/2022) (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) (01/07/2022 - ...) (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) |    |
| 1090 | 1092 0010 80                                                                                             | 1                                                                                            | DECAL        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + PRESS:13BAR + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) (29/09/2021 - 30/06/2022) (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:12.5BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) (01/07/2022 - ...) (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:12.5BAR + ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) , PRESS:13BAR + (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM))) , CAPPRM:ML + IDRY:N + MODEL:GA90MP_21W + MOVOL:460V + PRESS:10.8BAR                                                                                                  |    |
| 1095 |                                                                                                          | 1                                                                                            | O-RING       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
|      |  <b>Remarks:</b>      | O-RING - 0663 2101 95                                                                        |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
|      |  <b>Service kits:</b> | 2901 1616 00 - THERMOSTATIC VALVE KIT 38 DEG<br>2901 1617 00 - THERMOSTATIC VALVE KIT 60 DEG |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |    |
| 1100 | 1614 6118 00                                                                                             | 1                                                                                            | FLANGE       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
| 1105 | 0301 2321 00                                                                                             | 2                                                                                            | PLAIN WASHER | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |
| 1110 | 0147 1246 03                                                                                             | 2                                                                                            | HEXAGON BOLT | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA75MP_21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W , MODEL:GA90MP\_21W)



## 9 - Liquid filtration GA 75, GA 90

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) +  
(PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 ,  
CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA75MP\_21W ,  
MODEL:GA90MP\_21W)

| Ref  | Part Number  | Qty | Name               | Validity                                                                                                                                                                                      | R. |
|------|--------------|-----|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1115 | 1629 0336 00 | 1   | RS ULTRA OIL LABEL | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V<br>+ (MODEL:GA75MP_21W , MODEL:GA90MP_21W) +<br>(PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR ,<br>PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) |    |
| 1250 | 0686 3718 24 | 2   | PLUG               | (01/07/2022 - ...)                                                                                                                                                                            |    |

### Legend:



CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
IDRY:N - Integrated dryer:No  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

## 10 - Liquid filtration GA 55+, GA 75+

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75PMP21W)



## 10 - Liquid filtration GA 55+, GA 75+

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75PMP21W)

| Ref  | Part Number                             | Qty | Name                                                                                                                              | Validity                                                                                                                                                                             | R. |
|------|-----------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1005 | 1622 9094 30                            | 1   | OIL FILTER HOUSING                                                                                                                | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1010 | 0147 1321 03                            | 4   | BOLT                                                                                                                              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1015 | 0301 2335 00                            | 4   | PLAIN WASHER                                                                                                                      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1020 |                                         | 4   | O-RING                                                                                                                            | (19/10/2021 - ...)                                                                                                                                                                   |    |
|      | <b>Remarks:</b><br><b>Service kits:</b> |     | O-RING - 0663 3130 00<br>3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+<br>3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+ |                                                                                                                                                                                      |    |
| 1020 | 0663 3130 00                            | 5   | O-RING                                                                                                                            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) |    |
| 1025 | 1092 9028 23                            | 5   | NIPPLE                                                                                                                            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 18/10/2021) |    |
| 1025 | 1092 9028 23                            | 4   | NIPPLE                                                                                                                            | (19/10/2021 - ...)                                                                                                                                                                   |    |
| 1030 | 1630 1475 00                            | 2   | BAYONET ADAPTER                                                                                                                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1035 | 1630 1475 03                            | 2   | SPRING COMPRESSION                                                                                                                | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1040 | 1630 1475 02                            | 2   | ADAPTER GEARBOX                                                                                                                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1045 | 0663 7134 00                            | 2   | O-RING                                                                                                                            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1050 | 0663 7127 00                            | 2   | O-RING                                                                                                                            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1055 | 0215 0003 73                            | 8   | SCREW                                                                                                                             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |
| 1060 |                                         | 4   | PLUG                                                                                                                              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)        |    |

### Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
MODEL:GA55PMP21W - Model:GA55+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA75PMP21W)



## 10 - Liquid filtration GA 55+, GA 75+

((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) + (MODEL:GA55PMP21W , MODEL:GA75PMP21W)


| Ref         | Part Number                                                                                            | Qty                                                          | Name               | Validity                                                                                                                                                                          | R. |
|-------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|             |  <b>Service kits:</b> | 3002 6029 70 - PREVENTIVE MAINTENANCE KIT - GA 55+           |                    |                                                                                                                                                                                   |    |
|             |                                                                                                        | 3002 6029 90 - PREVENTIVE MAINTENANCE KIT - GA 75+           |                    |                                                                                                                                                                                   |    |
| <b>1065</b> |                                                                                                        | 2                                                            | OIL FILTER         | (03/09/2021 - ...)                                                                                                                                                                |    |
|             |  <b>Remarks:</b>      | OIL FILTER - 1630 8909 92                                    |                    |                                                                                                                                                                                   |    |
|             |  <b>Service kits:</b> | 3002 6190 30 - OIL FILTER KIT - GA 55+, GA 75, GA 75+, GA 90 |                    |                                                                                                                                                                                   |    |
| <b>1070</b> | 1092 9029 58                                                                                           | 1                                                            | OIL FILTER PLATE 1 | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1075</b> | 1092 9031 43                                                                                           | 1                                                            | OIL FILTER PLATE 2 | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1080</b> | 0147 1963 08                                                                                           | 7                                                            | SCREW              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1085</b> | 1625 8100 20                                                                                           | 1                                                            | THERMOSTATIC VALVE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1090</b> | 0663 2101 95                                                                                           | 1                                                            | O-RING             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1095</b> | 0301 2321 00                                                                                           | 2                                                            | PLAIN WASHER       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1100</b> | 0147 1246 03                                                                                           | 2                                                            | HEXAGON BOLT       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - ...)        |    |
| <b>1105</b> | 1079 9925 87                                                                                           | 1                                                            | LABEL              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (29/09/2021 - 18/10/2021) |    |

### Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 MODEL:GA55PMP21W - Model:GA55+  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 MODEL:GA75PMP21W - Model:GA75+  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar



## 11.1 - Fluid transport - Air-cooled Pack

IDRY:N

Atlas Copco


| Ref  | Part Number  | Qty | Name                   | Validity                                                                                                                                                                                                                                                            |
|------|--------------|-----|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1005 | 1092 9023 80 | 1   | VESSEL TO AFTER COOLER | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1010 | 0663 7138 00 | 2   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1015 | 0211 1363 03 | 4   | CAP SCREW              | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1020 | 0301 2344 00 | 4   | PLAIN WASHER           | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1025 | 1092 9029 25 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                     |
| 1025 | 1092 9029 72 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55PMP21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W                                                                                                                     |
| 1025 | 1092 9031 11 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W                                       |
| 1030 | 1092 9030 38 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA55MP_21W , MODEL:GA75MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W , MODEL:GA75MP_21W                                                                             |
| 1030 | 1092 9029 26 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55PMP21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W                                                                                                                     |
| 1030 | 1092 9031 12 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA75PMP21W , MODEL:GA90MP_21W                                                                             |
| 1035 | 1092 9019 07 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1040 | 1092 9028 94 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                     |
| 1040 | 1092 9019 08 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W |
| 1045 | 0663 3130 00 | 1   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1050 | 1629 0318 16 | 1   | OIL INJECTION NIPPLE   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1055 | 0663 7138 00 | 1   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1060 | 0663 2104 98 | 1   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1065 | 0301 2344 00 | 6   | PLAIN WASHER           | (10/12/2021 - ...)                                                                                                                                                                                                                                                  |
| 1070 | 0211 1363 03 | 6   | CAP SCREW              | (10/12/2021 - ...)                                                                                                                                                                                                                                                  |
| 1075 | 1092 9031 50 | 1   | PIPE ELEMENT TO VESSEL | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                     |
| 1075 | 1092 9023 85 | 1   | PIPE ELEMENT TO VESSEL | (03/09/2021 - 28/09/2021) (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W |

### Legend:

IDRY:N - Integrated dryer:No  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:8.5BAR - Working pressure:8.5 bar



## 11.1 - Fluid transport - Air-cooled Pack

IDRY:N

Atlas Copco


| Ref  | Part Number  | Qty | Name                     | Validity                                                                                                                                                                                                                                                                                                                                                                                                        |
|------|--------------|-----|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1080 | 1092 9028 93 | 1   | OIL SCAVENGE LINE HOSE   | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                                                                                                                                                                 |
| 1080 | 1092 9019 09 | 1   | OIL SCAVENGE LINE HOSE   | (03/09/2021 - 28/09/2021) (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W                                                                                                                                             |
| 1085 | 0663 3130 00 | 1   | O-RING                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                       |
| 1090 | 1092 9030 28 | 1   | PLUG                     | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                       |
| 1095 | 1092 9023 82 | 1   | VESSEL TO BLOW-OFF VALVE | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                       |
| 1100 | 0663 2111 93 | 1   | O-RING                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                       |
| 1105 | 1092 9029 50 | 1   | NIPPLE                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                       |
| 1110 | 0686 3718 24 | 1   | PLUG                     | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                                                                                                                                                       |
| 1120 | 0686 3718 17 | 1   | PLUG                     | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                                                                                                                                                                 |
| 1230 | 0686 3718 24 | 2   | PLUG                     | (19/10/2021 - 30/06/2022) MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA90MP_21W                                                                                                                                                                                                                                                                                                                                |
| 2010 | 1092 9019 11 | 1   | UNIT OUTLET PIPE         | (13/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , PRESS:7.5BAR + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(29/09/2021 - 09/12/2021) MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , MODEL:GA90MP_21W + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:9.1BAR)<br>(10/12/2021 - ...) |
| 2020 | 0663 7138 00 | 1   | O-RING                   | (13/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , PRESS:7.5BAR + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(29/09/2021 - 09/12/2021) MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , MODEL:GA90MP_21W + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:9.1BAR)<br>(10/12/2021 - ...) |
| 2030 | 0211 1363 03 | 2   | CAP SCREW                | (13/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , PRESS:7.5BAR + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(29/09/2021 - 09/12/2021) MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , MODEL:GA90MP_21W + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:9.1BAR)<br>(10/12/2021 - ...) |
| 2040 | 0301 2344 00 | 2   | PLAIN WASHER             | (13/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , PRESS:7.5BAR + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(29/09/2021 - 09/12/2021) MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , PRESS:10.5BAR , PRESS:13BAR , PRESS:8.5BAR , MODEL:GA90MP_21W + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:9.1BAR)<br>(10/12/2021 - ...) |

### Legend:

IDRY:N - Integrated dryer:No  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:8.5BAR - Working pressure:8.5 bar



## 11.2 - Fluid transport - Air-cooled Full-Feature

IDRY:Y

Atlas Copco


| Ref  | Part Number  | Qty | Name                   | Validity                                                                                                                                                                                                                                                            |
|------|--------------|-----|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1005 | 1092 9023 80 | 1   | VESSEL TO AFTER COOLER | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1010 | 0663 7138 00 | 2   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1015 | 0211 1363 03 | 4   | CAP SCREW              | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1020 | 0301 2344 00 | 4   | PLAIN WASHER           | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1025 | 1092 9029 72 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55PMP21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W                                                                                                                     |
| 1025 | 1092 9031 11 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W                                       |
| 1025 | 1092 9029 25 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                     |
| 1030 | 1092 9029 26 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55PMP21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W                                                                                                                     |
| 1030 | 1092 9031 12 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA75PMP21W , MODEL:GA90MP_21W                                                                             |
| 1030 | 1092 9030 38 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA55MP_21W , MODEL:GA75MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W , MODEL:GA75MP_21W                                                                             |
| 1035 | 1092 9019 07 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1040 | 1092 9019 08 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W |
| 1040 | 1092 9028 94 | 1   | HOSE                   | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                     |
| 1045 | 0663 3130 00 | 1   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1050 | 1629 0318 16 | 1   | OIL INJECTION NIPPLE   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1055 | 0663 7138 00 | 1   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1060 | 0663 2104 98 | 1   | O-RING                 | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                           |
| 1065 | 0301 2344 00 | 6   | PLAIN WASHER           | (10/12/2021 - ...)                                                                                                                                                                                                                                                  |
| 1070 | 0211 1363 03 | 6   | CAP SCREW              | (10/12/2021 - ...)                                                                                                                                                                                                                                                  |
| 1075 | 1092 9023 85 | 1   | PIPE ELEMENT TO VESSEL | (03/09/2021 - 28/09/2021) (MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W |
| 1075 | 1092 9031 50 | 1   | PIPE ELEMENT TO VESSEL | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                     |

### Legend:

IDRY:Y - Integrated dryer:Yes  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:13BAR - Working pressure:13 bar

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:7.5BAR - Working pressure:7.5 bar



## 11.2 - Fluid transport - Air-cooled Full-Feature

IDRY:Y

Atlas Copco

| Ref  | Part Number  | Qty | Name                     | Validity                                                                                                                                                                                                                                                                        |
|------|--------------|-----|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1080 | 1092 9019 09 | 1   | OIL SCAVENGE LINE HOSE   | (03/09/2021 - 28/09/2021) (MODEL:GA55PMP21W ,<br>MODEL:GA75MP_21W , MODEL:GA75PMP21W ,<br>MODEL:GA90MP_21W) + (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W ,<br>MODEL:GA75PMP21W , MODEL:GA90MP_21W |
| 1080 | 1092 9028 93 | 1   | OIL SCAVENGE LINE HOSE   | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR ,<br>PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                              |
| 1085 | 0663 3130 00 | 1   | O-RING                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                    |
| 1090 | 1092 9030 28 | 1   | PLUG                     | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                    |
| 1095 | 1092 9023 82 | 1   | VESSEL TO BLOW-OFF VALVE | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                    |
| 1100 | 0663 2111 93 | 1   | O-RING                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                    |
| 1105 | 1092 9029 50 | 1   | NIPPLE                   | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                    |
| 1110 | 0686 3718 24 | 1   | PLUG                     | (03/09/2021 - 28/09/2021) PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR<br>(29/09/2021 - ...)                                                                                                                                                                    |
| 1120 | 0686 3718 17 | 1   | PLUG                     | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + (PRESS:10.5BAR ,<br>PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W                                                                                                                              |
| 1230 | 0686 3718 24 | 2   | PLUG                     | (19/10/2021 - 30/06/2022) MODEL:GA55MP_21W ,<br>MODEL:GA75MP_21W , MODEL:GA90MP_21W                                                                                                                                                                                             |
| 2010 | 1092 9031 73 | 1   | DRYER PIPE               | (13/09/2021 - 28/09/2021) (MODEL:GA55MP_21W ,<br>MODEL:GA55PMP21W) + (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W , MODEL:GA55PMP21W                                                                                   |
| 2010 | 1092 9031 75 | 1   | DRYER PIPE               | (13/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA75PMP21W                                                                                                                                                                                                                          |
| 2010 | 1092 9031 47 | 1   | DRYER PIPE               | (13/09/2021 - 28/09/2021) MODEL:GA90MP_21W + (PRESS:10.5BAR ,<br>PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA90MP_21W                                                                                                                              |
| 2020 | 1092 9031 76 | 1   | DRYER PIPE               | (13/09/2021 - 28/09/2021) (MODEL:GA55MP_21W ,<br>MODEL:GA55PMP21W) + (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA55MP_21W , MODEL:GA55PMP21W                                                                                   |
| 2020 | 1092 9031 74 | 1   | DRYER PIPE               | (13/09/2021 - ...) MODEL:GA75MP_21W , MODEL:GA75PMP21W                                                                                                                                                                                                                          |
| 2020 | 1092 9031 48 | 1   | DRYER PIPE               | (13/09/2021 - 28/09/2021) MODEL:GA90MP_21W + (PRESS:10.5BAR ,<br>PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MODEL:GA90MP_21W                                                                                                                              |
| 2030 | 0663 7138 00 | 3   | O-RING                   | (13/09/2021 - ...)                                                                                                                                                                                                                                                              |
| 2040 | 0211 1363 03 | 6   | CAP SCREW                | (13/09/2021 - ...)                                                                                                                                                                                                                                                              |
| 2050 | 0301 2344 00 | 6   | PLAIN WASHER             | (13/09/2021 - ...)                                                                                                                                                                                                                                                              |
| 2060 | 0147 1963 08 | 2   | SCREW                    | (13/09/2021 - ...)                                                                                                                                                                                                                                                              |

### Legend:


IDRY:Y - Integrated dryer:Yes  
MODEL:GA75MP\_21W - Model:GA75  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
PRESS:13BAR - Working pressure:13 bar

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
PRESS:7.5BAR - Working pressure:7.5 bar

# 11.3 - Fluid transport - Water-cooled GA 55 - Without dryer

COOL:WATER + IDRY:N + MODEL:GA55MP\_21W



### 11.3 - Fluid transport - Water-cooled GA 55 - Without dryer

COOL:WATER + IDRY:N + MODEL:GA55MP\_21W

Atlas Copco

| Ref  | Part Number  | Qty | Name                        | Validity           |
|------|--------------|-----|-----------------------------|--------------------|
| 1005 | 1092 9038 35 | 1   | PIPE BETWEEN TWO COOLER     | (01/07/2022 - ...) |
| 1010 | 0663 7136 00 | 2   | O-RING                      | (01/07/2022 - ...) |
| 1015 | 1092 9038 32 | 1   | PIPE WATER IN               | (01/07/2022 - ...) |
| 1020 | 1092 9037 29 | 1   | PIPE WATER OUT              | (01/07/2022 - ...) |
| 1025 | 1092 9047 33 | 1   | HOSE FROM VESSEL TO AC      | (01/07/2022 - ...) |
| 1030 | 1092 9047 32 | 1   | HOSE FROM AC TO WSD         | (01/07/2022 - ...) |
| 1035 | 0663 7138 00 | 3   | O-RING                      | (01/07/2022 - ...) |
| 1040 | 0333 2230 00 | 16  | SPRING WASHER               | (01/07/2022 - ...) |
| 1045 | 0147 1362 03 | 16  | HEXAGON BOLT                | (01/07/2022 - ...) |
| 1050 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...) |
| 1055 | 0301 2378 00 | 2   | PLAIN WASHER                | (01/07/2022 - ...) |
| 1060 | 1092 9044 74 | 1   | HOSE OIL COOLER IN          | (01/07/2022 - ...) |
| 1065 | 1092 9044 75 | 1   | HOSE OIL COOLER OUT         | (01/07/2022 - ...) |
| 1070 | 1625 8100 47 | 2   | TEMPERATURE TRANSDUCER-LONG | (01/07/2022 - ...) |
| 1085 | 1092 9019 07 | 1   | HOSE                        | (01/07/2022 - ...) |
| 1090 | 1092 9028 94 | 1   | HOSE                        | (01/07/2022 - ...) |
| 1095 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1100 | 1629 0318 16 | 1   | OIL INJECTION NIPPLE        | (01/07/2022 - ...) |
| 1105 | 0663 7138 00 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1110 | 0663 2104 98 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1115 | 0301 2344 00 | 6   | PLAIN WASHER                | (01/07/2022 - ...) |
| 1120 | 0211 1363 03 | 6   | CAP SCREW                   | (01/07/2022 - ...) |
| 1125 | 1092 9031 50 | 1   | PIPE ELEMENT TO VESSEL      | (01/07/2022 - ...) |
| 1130 | 1092 9028 93 | 1   | OIL SCAVENGE LINE HOSE      | (01/07/2022 - ...) |
| 1135 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1140 | 1092 9030 28 | 1   | PLUG                        | (01/07/2022 - ...) |
| 1145 | 1092 9023 82 | 1   | VESSEL TO BLOW OFF VALVE    | (01/07/2022 - ...) |
| 1150 | 0663 2111 93 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1155 | 1092 9029 50 | 1   | NIPPLE                      | (01/07/2022 - ...) |
| 1160 | 0686 3718 24 | 1   | PLUG                        | (01/07/2022 - ...) |
| 1165 | 0686 3718 17 | 1   | PLUG                        | (01/07/2022 - ...) |
| 1170 | 0663 3130 00 | 2   | O-RING                      | (01/07/2022 - ...) |
| 1175 | 1092 9028 23 | 2   | NIPPLE                      | (01/07/2022 - ...) |
| 2005 | 1092 9047 31 | 1   | WC OUTLET PIPE PACK         | (01/07/2022 - ...) |
| 2010 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...) |
| 2015 | 0301 2378 00 | 2   | WASHER                      | (01/07/2022 - ...) |

#### Legend:


COOL:WATER - Cooling:Water cooled

IDRY:N - Integrated dryer:No

MODEL:GA55MP\_21W - Model:GA55

# 11.4 - Fluid transport - Water-cooled GA 55+, GA 75, GA 75+, GA 90 - Without dryer

COOL:WATER + IDRY:N + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)



**11.4 - Fluid transport - Water-cooled GA 55+, GA 75, GA 75+, GA 90 - Without dryer**


COOL:WATER + IDRY:N + (MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

| Ref  | Part Number  | Qty | Name                        | Validity           |
|------|--------------|-----|-----------------------------|--------------------|
| 1005 | 1092 9038 35 | 1   | PIPE BETWEEN TWO COOLER     | (01/07/2022 - ...) |
| 1010 | 0663 7136 00 | 4   | O-RING                      | (01/07/2022 - ...) |
| 1015 | 1092 9038 32 | 1   | PIPE WATER IN               | (01/07/2022 - ...) |
| 1020 | 1092 9037 29 | 1   | PIPE WATER OUT              | (01/07/2022 - ...) |
| 1025 | 1092 9047 33 | 1   | HOSE FROM VESSEL TO AC      | (01/07/2022 - ...) |
| 1030 | 1092 9047 32 | 1   | HOSE FROM AC TO WSD         | (01/07/2022 - ...) |
| 1035 | 0663 7138 00 | 3   | O-RING                      | (01/07/2022 - ...) |
| 1040 | 0333 2230 00 | 16  | SPRING WASHER               | (01/07/2022 - ...) |
| 1045 | 0147 1362 03 | 16  | HEXAGON BOLT                | (01/07/2022 - ...) |
| 1050 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...) |
| 1055 | 0301 2378 00 | 2   | PLAIN WASHER                | (01/07/2022 - ...) |
| 1060 | 1092 9044 72 | 1   | HOSE OIL COOLER IN          | (01/07/2022 - ...) |
| 1065 | 1092 9044 73 | 1   | HOSE OIL COOLER OUT         | (01/07/2022 - ...) |
| 1070 | 1625 8100 47 | 2   | TEMPERATURE TRANSDUCER-LONG | (01/07/2022 - ...) |
| 1085 | 1092 9019 07 | 1   | HOSE                        | (01/07/2022 - ...) |
| 1090 | 1092 9019 08 | 1   | HOSE                        | (01/07/2022 - ...) |
| 1095 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1100 | 1629 0318 16 | 1   | OIL INJECTION NIPPLE        | (01/07/2022 - ...) |
| 1105 | 0663 7138 00 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1110 | 0663 2104 98 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1115 | 0301 2344 00 | 6   | PLAIN WASHER                | (01/07/2022 - ...) |
| 1120 | 0211 1363 03 | 6   | CAP SCREW                   | (01/07/2022 - ...) |
| 1125 | 1092 9023 85 | 1   | PIPE ELEMENT TO VESSEL      | (01/07/2022 - ...) |
| 1130 | 1092 9019 09 | 1   | OIL SCAVENGE LINE HOSE      | (01/07/2022 - ...) |
| 1135 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1140 | 1092 9030 28 | 1   | PLUG                        | (01/07/2022 - ...) |
| 1145 | 1092 9023 82 | 1   | VESSEL TO BLOW OFF VALVE    | (01/07/2022 - ...) |
| 1150 | 0663 2111 93 | 1   | O-RING                      | (01/07/2022 - ...) |
| 1155 | 1092 9029 50 | 1   | NIPPLE                      | (01/07/2022 - ...) |
| 1160 | 0686 3718 24 | 1   | PLUG                        | (01/07/2022 - ...) |
| 1165 | 0663 3130 00 | 2   | O-RING                      | (01/07/2022 - ...) |
| 1170 | 1092 9028 23 | 2   | NIPPLE                      | (01/07/2022 - ...) |
| 2005 | 1092 9047 31 | 1   | WC OUTLET PIPE PACK         | (01/07/2022 - ...) |
| 2010 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...) |
| 2015 | 0301 2378 00 | 2   | WASHER                      | (01/07/2022 - ...) |

**Legend:**COOL:WATER - Cooling:Water cooled  
MODEL:GA75MP\_21W - Model:GA75IDRY:N - Integrated dryer:No  
MODEL:GA75PMP21W - Model:GA75+MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90

# 11.5 - Fluid transport - Water-cooled GA 55, GA 55+ - Full-Feature

COOL:WATER + IDRY:Y + (MODEL:GA55MP\_21W, MODEL:GA55PMP21W)



## 11.5 - Fluid transport - Water-cooled GA 55, GA 55+ - Full-Feature

COOL:WATER + IDRY:Y + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W)

Atlas Copco

| Ref  | Part Number  | Qty | Name                        | Validity                            |
|------|--------------|-----|-----------------------------|-------------------------------------|
| 1005 | 1092 9038 35 | 1   | PIPE BETWEEN TWO COOLER     | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1010 | 0663 7136 00 | 2   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1015 | 1092 9038 32 | 1   | PIPE WATER IN               | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1020 | 1092 9037 29 | 1   | PIPE WATER OUT              | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1025 | 1092 9047 33 | 1   | HOSE FROM VESSEL TO AC      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1030 | 1092 9047 32 | 1   | HOSE FROM AC TO WSD         | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1035 | 0663 7138 00 | 3   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1040 | 0333 2230 00 | 16  | SPRING WASHER               | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1045 | 0147 1362 03 | 16  | HEXAGON BOLT                | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1050 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1055 | 0301 2378 00 | 2   | PLAIN WASHER                | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1060 | 1092 9044 74 | 1   | HOSE OIL COOLER IN          | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1065 | 1092 9044 75 | 1   | HOSE OIL COOLER OUT         | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1070 | 1625 8100 47 | 2   | TEMPERATURE TRANSDUCER-LONG | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1085 | 1092 9019 07 | 1   | HOSE                        | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1090 | 1092 9028 94 | 1   | HOSE                        | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1095 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1100 | 1629 0318 16 | 1   | OIL INJECTION NIPPLE        | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1105 | 0663 7138 00 | 1   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1110 | 0663 2104 98 | 1   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1115 | 0301 2344 00 | 6   | PLAIN WASHER                | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1120 | 0211 1363 03 | 6   | CAP SCREW                   | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1125 | 1092 9031 50 | 1   | PIPE ELEMENT TO VESSEL      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1130 | 1092 9028 93 | 1   | OIL SCAVENGE LINE HOSE      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1135 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1140 | 1092 9030 28 | 1   | PLUG                        | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1145 | 1092 9023 82 | 1   | VESSEL TO BLOW OFF VALVE    | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1150 | 0663 2111 93 | 1   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1155 | 1092 9029 50 | 1   | NIPPLE                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1160 | 0686 3718 24 | 1   | PLUG                        | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1165 | 0686 3718 17 | 1   | PLUG                        | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1170 | 0663 3130 00 | 2   | O-RING                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 1175 | 1092 9028 23 | 2   | NIPPLE                      | (01/07/2022 - ...) MODEL:GA55MP_21W |
| 2005 | 1092 9052 19 | 1   | FLEXIBLE PIPE               | (01/07/2022 - ...)                  |
| 2010 | 1092 9031 76 | 1   | DRYER PIPE                  | (01/07/2022 - ...)                  |
| 2015 | 0663 7138 00 | 2   | O-RING                      | (01/07/2022 - ...)                  |
| 2020 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...)                  |
| 2025 | 0301 2378 00 | 2   | PLAIN WASHER                | (01/07/2022 - ...)                  |
| 2030 | 0211 1363 03 | 4   | CAP SCREW                   | (01/07/2022 - ...)                  |
| 2035 | 0301 2344 00 | 4   | PLAIN WASHER                | (01/07/2022 - ...)                  |
| 2040 | 0147 1963 08 | 2   | SCREW                       | (01/07/2022 - ...)                  |
| 2045 | 1092 9040 26 | 2   | FLANGE                      | (01/07/2022 - ...)                  |
| 2050 | 1092 9038 31 | 2   | PIPE                        | (01/07/2022 - ...)                  |
| 2055 | 0663 7138 00 | 2   | O-RING                      | (01/07/2022 - ...)                  |
| 2060 | 0333 2230 00 | 4   | SPRING WASHER               | (01/07/2022 - ...)                  |
| 2065 | 0147 1362 03 | 4   | HEXAGON BOLT                | (01/07/2022 - ...)                  |
| 2070 | 0147 1963 08 | 4   | SCREW                       | (01/07/2022 - ...)                  |

### Legend:


COOL:WATER - Cooling:Water cooled  
MODEL:GA55PMP21W - Model:GA55+

IDRY:Y - Integrated dryer:Yes

MODEL:GA55MP\_21W - Model:GA55

## 11.6 - Fluid transport - Water-cooled GA 75, GA 75+, GA 90 - Full-Feature

COOL:WATER + IDRY:Y + (MODEL:GA75MP\_21W, MODEL:GA75PMP21W, MODEL:GA90MP\_21W)



## 11.6 - Fluid transport - Water-cooled GA 75, GA 75+, GA 90 - Full-Feature

COOL:WATER + IDRY:Y + (MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W)

Atlas Copco

| Ref  | Part Number  | Qty | Name                        | Validity                                               |
|------|--------------|-----|-----------------------------|--------------------------------------------------------|
| 1005 | 1092 9038 35 | 1   | PIPE BETWEEN TWO COOLER     | (01/07/2022 - ...)                                     |
| 1010 | 0663 7136 00 | 4   | O-RING                      | (01/07/2022 - ...)                                     |
| 1015 | 1092 9038 32 | 1   | PIPE WATER IN               | (01/07/2022 - ...)                                     |
| 1020 | 1092 9037 29 | 1   | PIPE WATER OUT              | (01/07/2022 - ...)                                     |
| 1025 | 1092 9047 33 | 1   | HOSE FROM VESSEL TO AC      | (01/07/2022 - ...)                                     |
| 1030 | 1092 9047 32 | 1   | HOSE FROM AC TO WSD         | (01/07/2022 - ...)                                     |
| 1035 | 0663 7138 00 | 3   | O-RING                      | (01/07/2022 - ...)                                     |
| 1040 | 0333 2230 00 | 16  | SPRING WASHER               | (01/07/2022 - ...)                                     |
| 1045 | 0147 1362 03 | 16  | HEXAGON BOLT                | (01/07/2022 - ...)                                     |
| 1050 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...)                                     |
| 1055 | 0301 2378 00 | 2   | PLAIN WASHER                | (01/07/2022 - ...)                                     |
| 1060 | 1092 9044 72 | 1   | HOSE OIL COOLER IN          | (01/07/2022 - ...)                                     |
| 1065 | 1092 9044 73 | 1   | HOSE OIL COOLER OUT         | (01/07/2022 - ...)                                     |
| 1070 | 1625 8100 47 | 2   | TEMPERATURE TRANSDUCER-LONG | (01/07/2022 - ...)                                     |
| 1085 | 1092 9019 07 | 1   | HOSE                        | (01/07/2022 - ...)                                     |
| 1090 | 1092 9019 08 | 1   | HOSE                        | (01/07/2022 - ...)                                     |
| 1095 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...)                                     |
| 1100 | 1629 0318 16 | 1   | OIL INJECTION NIPPLE        | (01/07/2022 - ...)                                     |
| 1105 | 0663 7138 00 | 1   | O-RING                      | (01/07/2022 - ...)                                     |
| 1110 | 0663 2104 98 | 1   | O-RING                      | (01/07/2022 - ...)                                     |
| 1115 | 0301 2344 00 | 6   | PLAIN WASHER                | (01/07/2022 - ...)                                     |
| 1120 | 0211 1363 03 | 6   | CAP SCREW                   | (01/07/2022 - ...)                                     |
| 1125 | 1092 9023 85 | 1   | PIPE ELEMENT TO VESSEL      | (01/07/2022 - ...)                                     |
| 1130 | 1092 9019 09 | 1   | OIL SCAVENGE LINE HOSE      | (01/07/2022 - ...)                                     |
| 1135 | 0663 3130 00 | 1   | O-RING                      | (01/07/2022 - ...)                                     |
| 1140 | 1092 9030 28 | 1   | PLUG                        | (01/07/2022 - ...)                                     |
| 1145 | 1092 9023 82 | 1   | VESSEL TO BLOW OFF VALVE    | (01/07/2022 - ...)                                     |
| 1150 | 0663 2111 93 | 1   | O-RING                      | (01/07/2022 - ...)                                     |
| 1155 | 1092 9029 50 | 1   | NIPPLE                      | (01/07/2022 - ...)                                     |
| 1160 | 0686 3718 24 | 1   | PLUG                        | (01/07/2022 - ...)                                     |
| 1165 | 0663 3130 00 | 2   | O-RING                      | (01/07/2022 - ...)                                     |
| 1170 | 1092 9028 23 | 2   | NIPPLE                      | (01/07/2022 - ...)                                     |
| 2005 | 1092 9052 18 | 1   | FLEXIBLE PIPE               | (01/07/2022 - ...) MODEL:GA75MP_21W , MODEL:GA75PMP21W |
| 2005 | 1092 9052 01 | 1   | FLEXIBLE PIPE               | (01/07/2022 - ...) MODEL:GA90MP_21W                    |
| 2010 | 1092 9031 74 | 1   | DRYER PIPE                  | (01/07/2022 - ...) MODEL:GA75MP_21W , MODEL:GA75PMP21W |
| 2010 | 1092 9031 48 | 1   | DRYER PIPE                  | (01/07/2022 - ...) MODEL:GA90MP_21W                    |
| 2015 | 0663 7138 00 | 2   | O-RING                      | (01/07/2022 - ...)                                     |
| 2020 | 0147 1474 03 | 2   | HEXAGON BOLT                | (01/07/2022 - ...)                                     |
| 2025 | 0301 2378 00 | 2   | PLAIN WASHER                | (01/07/2022 - ...)                                     |
| 2030 | 0211 1363 03 | 4   | CAP SCREW                   | (01/07/2022 - ...)                                     |
| 2035 | 0301 2344 00 | 4   | PLAIN WASHER                | (01/07/2022 - ...)                                     |
| 2040 | 0147 1963 08 | 2   | SCREW                       | (01/07/2022 - ...)                                     |
| 2045 | 1092 9040 26 | 2   | FLANGE                      | (01/07/2022 - ...)                                     |
| 2050 | 1092 9038 31 | 2   | PIPE                        | (01/07/2022 - ...)                                     |
| 2055 | 0663 7138 00 | 2   | O-RING                      | (01/07/2022 - ...)                                     |
| 2060 | 0333 2230 00 | 4   | SPRING WASHER               | (01/07/2022 - ...)                                     |
| 2065 | 0147 1362 03 | 4   | HEXAGON BOLT                | (01/07/2022 - ...)                                     |
| 2070 | 0147 1963 08 | 4   | SCREW                       | (01/07/2022 - ...)                                     |

### Legend:


COOL:WATER - Cooling:Water cooled  
MODEL:GA75PMP21W - Model:GA75+

IDRY:Y - Integrated dryer:Yes  
MODEL:GA90MP\_21W - Model:GA90

MODEL:GA75MP\_21W - Model:GA75

## 12 - Cooling system Air-cooled - (380V, 400V)/50Hz

COOL: AIR + FREQ: 50HZ + (MOVOL: 400V, MOVOL: 380V + (MODEL: GA55MP\_21W, MODEL: GA75MP\_21W, MODEL: GA75PMP21W, MODEL: GA90MP\_21W))



## 12 - Cooling system Air-cooled - (380V, 400V)/50Hz

COOL:AIR + FREQ:50HZ + (MOVOL:400V , MOVOL:380V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))

Atlas Copco


| Ref  | Part Number    | Qty | Name                 | Validity                                                                                                                                                                                                                                         |
|------|----------------|-----|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1005 | 1629 7910 49   | 1   | AFTER COOLER         | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA55PMP21W)<br>(29/09/2021 - 23/02/2022) (MODEL:GA55MP_21W , MODEL:GA55PMP21W) + (MOVOL:380V , MOVOL:400V)<br>(24/02/2022 - ...) MODEL:GA55MP_21W + (MOVOL:380V , MOVOL:400V)   |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO        |                                                                                                                                                                                                                                                  |
| 1005 | 1629 7910 52   | 1   | AFTER COOLER         | (03/09/2021 - 07/09/2021) MODEL:GA90MP_21W + MOVOL:380V<br>(08/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) (MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (MOVOL:380V , MOVOL:400V)                  |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO        |                                                                                                                                                                                                                                                  |
| 1005 | 1629 7910 50   | 1   | AFTER COOLER         | (03/09/2021 - 28/09/2021) MODEL:GA75MP_21W + MOVOL:380V<br>(29/09/2021 - 23/02/2022) MODEL:GA75MP_21W + (MOVOL:380V , MOVOL:400V)<br>(24/02/2022 - ...) (MODEL:GA55PMP21W , MODEL:GA75MP_21W) + (MOVOL:380V , MOVOL:400V)                        |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO        |                                                                                                                                                                                                                                                  |
| 1010 | 1629 7910 64   | 1   | OIL COOLER           | (03/09/2021 - 28/09/2021) MODEL:GA55PMP21W + MOVOL:380V<br>(29/09/2021 - ...) MODEL:GA55PMP21W + (MOVOL:380V , MOVOL:400V)                                                                                                                       |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO        |                                                                                                                                                                                                                                                  |
| 1010 | 1629 7910 68   | 1   | OIL COOLER           | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (MOVOL:380V , MOVOL:400V) |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO        |                                                                                                                                                                                                                                                  |
| 1015 | 1629 7916 91   | 1   | FAN                  | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55PMP21W , MODEL:GA75PMP21W)<br>(29/09/2021 - ...) (MODEL:GA55PMP21W , MODEL:GA75PMP21W) + (MOVOL:380V , MOVOL:400V)                                                                             |
| 1015 | 1629 7916 88   | 1   | FAN                  | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W)<br>(29/09/2021 - ...) (MODEL:GA55MP_21W , MODEL:GA75MP_21W) + (MOVOL:380V , MOVOL:400V)                                                                             |
| 1015 | 1629 7916 89   | 1   | FAN                  | (03/09/2021 - 28/09/2021) MODEL:GA90MP_21W + MOVOL:380V<br>(29/09/2021 - 15/03/2022) MODEL:GA90MP_21W + (MOVOL:380V , MOVOL:400V)                                                                                                                |
| 1015 | 1629 7916 92   | 1   | FAN                  | (16/03/2022 - ...) MODEL:GA90MP_21W + (MOVOL:380V , MOVOL:400V)                                                                                                                                                                                  |
| 1025 | 1092 9023 74   | 1   | COOLER RIGHT SUPPORT | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) MOVOL:380V , MOVOL:400V                                                                                                                                                               |
| 1030 | 1092 9023 75   | 1   | COOLER LEFT SUPPORT  | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) MOVOL:380V , MOVOL:400V                                                                                                                                                               |
| 1035 | 1092 9025 65   | 1   | COVER PLATE          | (03/09/2021 - 28/09/2021) MODEL:GA55PMP21W + MOVOL:380V<br>(29/09/2021 - ...) MODEL:GA55PMP21W + (MOVOL:380V , MOVOL:400V)                                                                                                                       |
| 1035 | 1092 9005 86   | 1   | COVER PLATE          | (03/09/2021 - 28/09/2021) MODEL:GA75PMP21W + MOVOL:380V<br>(29/09/2021 - 25/04/2022) MODEL:GA75PMP21W + (MOVOL:380V , MOVOL:400V)                                                                                                                |
| 1035 | 1092 9026 31   | 1   | COVER PLATE          | (03/09/2021 - 28/09/2021) MODEL:GA75MP_21W + MOVOL:380V<br>(29/09/2021 - ...) MODEL:GA75MP_21W + (MOVOL:380V , MOVOL:400V)                                                                                                                       |
| 1035 | 1092 9025 66   | 1   | COVER PLATE          | (03/09/2021 - 28/09/2021) MODEL:GA90MP_21W + MOVOL:380V<br>(29/09/2021 - 25/04/2022) MODEL:GA90MP_21W + (MOVOL:380V , MOVOL:400V)<br>(26/04/2022 - ...) (MODEL:GA75PMP21W , MODEL:GA90MP_21W) + (MOVOL:380V , MOVOL:400V)                        |
| 1035 | 1092 9025 78   | 1   | COVER PLATE          | (03/09/2021 - 28/09/2021) MODEL:GA55MP_21W + MOVOL:380V<br>(29/09/2021 - ...) MODEL:GA55MP_21W + (MOVOL:380V , MOVOL:400V)                                                                                                                       |
| 1040 | 1092 9023 77   | 1   | FAN SUPPORT          | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - 25/04/2022) MOVOL:380V , MOVOL:400V<br>(26/04/2022 - ...) (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (MOVOL:380V , MOVOL:400V)                          |

### Legend:

COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90

FREQ:50HZ - Frequency:50 Hz  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 V

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V



**12 - Cooling system Air-cooled - (380V, 400V)/50Hz**


COOL:AIR + FREQ:50HZ + (MOVOL:400V , MOVOL:380V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))

| Ref  | Part Number  | Qty | Name                   | Validity                                                                                                                                 |
|------|--------------|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 1040 | 1092 9025 73 | 1   | FAN SUPPORT            | (26/04/2022 - ...) MODEL:GA90MP_21W + (MOVOL:380V , MOVOL:400V)                                                                          |
| 2005 | 1092 9005 59 | 1   | BEAM                   | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2010 | 1092 9005 99 | 1   | COOLER SUPPORT         | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2015 | 1092 9006 19 | 1   | COOLER SUPPORT         | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2020 | 1092 9010 70 | 1   | COVER PLATE FRONT      | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2025 | 1092 9010 69 | 1   | COVER PLATE BACK       | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2030 | 1092 9005 66 | 1   | COOLER SUPPORT-CUBICLE | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2035 | 1092 9005 70 | 1   | COVER PLATE-CUBICLE    | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |
| 2040 | 0147 1963 08 | 32  | SCREW                  | (03/09/2021 - 28/09/2021) MOVOL:380V + (MODEL:GA55MP_21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W)<br>(29/09/2021 - ...) |

**Legend:**COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90FREQ:50HZ - Frequency:50 Hz  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:380V - Supply voltage:380 VMODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:400V - Supply voltage:400 V

# 13 - Cooling system Air-cooled - (230V, 380V, 460V)/60Hz

COOL:AIR + FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)



**13 - Cooling system Air-cooled - (230V, 380V, 460V)/60Hz**

COOL:AIR + FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)

| Ref  | Part Number    | Qty | Name                   | Validity                                                                                                                         |
|------|----------------|-----|------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 1010 | 1629 7910 49   | 1   | AFTER COOLER           | (19/10/2021 - 23/02/2022) MODEL:GA55MP_21W ,<br>MODEL:GA55PMP21W<br>(24/02/2022 - ...) MODEL:GA55MP_21W                          |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO          |                                                                                                                                  |
| 1010 | 1629 7910 52   | 1   | AFTER COOLER           | (19/10/2021 - ...) MODEL:GA75PMP21W , MODEL:GA90MP_21W                                                                           |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO          |                                                                                                                                  |
| 1010 | 1629 7910 50   | 1   | AFTER COOLER           | (19/10/2021 - 23/02/2022) MODEL:GA75MP_21W<br>(24/02/2022 - ...) MODEL:GA55PMP21W , MODEL:GA75MP_21W                             |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO          |                                                                                                                                  |
| 1020 | 1629 7910 64   | 1   | OIL COOLER             | (19/10/2021 - ...) MODEL:GA55PMP21W                                                                                              |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO          |                                                                                                                                  |
| 1020 | 1629 7910 68   | 1   | OIL COOLER             | (19/10/2021 - ...) MODEL:GA55MP_21W , MODEL:GA75MP_21W ,<br>MODEL:GA75PMP21W , MODEL:GA90MP_21W                                  |
|      | • 1100 0012 20 | 1   | AC BRAND LOGO          |                                                                                                                                  |
| 1030 | 1629 7916 96   | 1   | FAN                    | (19/10/2021 - ...) (MODEL:GA55MP_21W , MODEL:GA55PMP21W ,<br>MODEL:GA75MP_21W , MODEL:GA75PMP21W) + (MOVOL:230V ,<br>MOVOL:380V) |
| 1030 | 1629 7916 99   | 1   | FAN                    | (19/10/2021 - ...) MOVOL:460V + (MODEL:GA55MP_21W ,<br>MODEL:GA55PMP21W , MODEL:GA75MP_21W ,<br>MODEL:GA75PMP21W)                |
| 1030 | 1629 7916 97   | 1   | FAN                    | (19/10/2021 - ...) MODEL:GA90MP_21W + (MOVOL:230V ,<br>MOVOL:380V)                                                               |
| 1030 | 1629 7917 00   | 1   | FAN                    | (19/10/2021 - ...) MODEL:GA90MP_21W + MOVOL:460V                                                                                 |
| 1050 | 1092 9023 74   | 1   | COOLER RIGHT SUPPORT   | (19/10/2021 - ...)                                                                                                               |
| 1060 | 1092 9023 75   | 1   | COOLER LEFT SUPPORT    | (19/10/2021 - ...)                                                                                                               |
| 1070 | 1092 9025 65   | 1   | COVER PLATE            | (19/10/2021 - ...) MODEL:GA55PMP21W                                                                                              |
| 1070 | 1092 9025 66   | 1   | COVER PLATE            | (19/10/2021 - ...) MODEL:GA75PMP21W , MODEL:GA90MP_21W                                                                           |
| 1070 | 1092 9026 31   | 1   | COVER PLATE            | (19/10/2021 - ...) MODEL:GA75MP_21W                                                                                              |
| 1070 | 1092 9025 78   | 1   | COVER PLATE            | (19/10/2021 - ...) MODEL:GA55MP_21W                                                                                              |
| 1080 | 1092 9023 77   | 1   | FAN SUPPORT            | (19/10/2021 - ...)                                                                                                               |
| 2005 | 1092 9005 59   | 1   | BEAM                   | (19/10/2021 - ...)                                                                                                               |
| 2010 | 1092 9005 99   | 1   | COOLER SUPPORT         | (19/10/2021 - ...)                                                                                                               |
| 2015 | 1092 9006 19   | 1   | COOLER SUPPORT         | (19/10/2021 - ...)                                                                                                               |
| 2020 | 1092 9010 70   | 1   | COVER PLATE FRONT      | (19/10/2021 - ...)                                                                                                               |
| 2025 | 1092 9010 69   | 1   | COVER PLATE BACK       | (19/10/2021 - ...)                                                                                                               |
| 2030 | 1092 9005 66   | 1   | COOLER SUPPORT-CUBICLE | (19/10/2021 - ...)                                                                                                               |
| 2035 | 1092 9005 70   | 1   | COVER PLATE-CUBICLE    | (19/10/2021 - ...)                                                                                                               |
| 2040 | 0147 1963 08   | 32  | SCREW                  | (19/10/2021 - ...)                                                                                                               |

**Legend:**


COOL:AIR - Cooling:Air cooled  
 MODEL:GA55PMP21W - Model:GA55+  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:460V - Supply voltage:460 V

FREQ:60HZ - Frequency:60 Hz  
 MODEL:GA75MP\_21W - Model:GA75  
 MOVOL:230V - Supply voltage:230 V

MODEL:GA55MP\_21W - Model:GA55  
 MODEL:GA75PMP21W - Model:GA75+  
 MOVOL:380V - Supply voltage:380 V

## 14 - Cooling system Water-cooled

COOL:WATER + (FREQ:50HZ + (MOVOL:380V , MOVOL:400V) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V))



## 14 - Cooling system Water-cooled

COOL:WATER + (FREQ:50HZ + (MOVOL:380V , MOVOL:400V) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V))

Atlas Copco



| Ref  | Part Number  | Qty | Name                   | Validity           |
|------|--------------|-----|------------------------|--------------------|
| 1005 | 1092 0001 68 | 1   | AFTER COOLER           | (01/07/2022 - ...) |
| 1010 | 1092 0001 69 | 1   | OIL COOLER             | (01/07/2022 - ...) |
| 1015 | 1100 0012 20 | 2   | AC BRAND LOGO          | (01/07/2022 - ...) |
| 1020 | 1092 9005 59 | 1   | BEAM                   | (01/07/2022 - ...) |
| 1025 | 1092 9005 66 | 1   | COOLER SUPPORT-CUBICLE | (01/07/2022 - ...) |
| 1030 | 1092 9047 34 | 1   | COOLER SUPPORT PLATE   | (01/07/2022 - ...) |
| 1035 | 0147 1963 08 | 9   | SCREW                  | (01/07/2022 - ...) |
| 1040 | 0333 2230 00 | 8   | SPRING WASHER          | (01/07/2022 - ...) |
| 1045 | 0147 1362 03 | 8   | HEXAGON BOLT           | (01/07/2022 - ...) |

### Legend:

COOL:WATER - Cooling:Water cooled  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz  
MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz  
MOVOL:400V - Supply voltage:400 V



## 15 - Loose parts Pack



IDRY:N

Atlas Copco

| Ref  | Part Number  | Qty | Name                   | Validity           |
|------|--------------|-----|------------------------|--------------------|
| 1005 | 1089 9068 01 | 1   | KEY                    | (03/09/2021 - ...) |
| 1010 | 1089 9154 01 | 1   | ELECTRICAL CUBICLE KEY | (03/09/2021 - ...) |
| 1015 | 0348 0101 35 | 1   | CABLE TIE              | (03/09/2021 - ...) |
| 1060 | 1625 4044 00 | 1   | SEAL                   | (10/12/2021 - ...) |
| 1070 | 0686 9253 78 | 1   | CAP PIPE               | (24/02/2022 - ...) |
| 2010 | 0070 6002 05 | AR  | PLASTIC TUBE           | (03/09/2021 - ...) |
| 2020 | 0852 0011 05 | 1   | BALL VALVE             | (03/09/2021 - ...) |
| 2030 | 0583 8100 76 | 1   | COUPLING               | (03/09/2021 - ...) |
| 2040 | 0852 0010 55 | 1   | BALL VALVE             | (03/09/2021 - ...) |

### Legend:

IDRY:N - Integrated dryer:No



**16 - Loose parts Full-Feature**

IDRY:Y

Atlas Copco


| Ref  | Part Number  | Qty | Name                   | Validity           |
|------|--------------|-----|------------------------|--------------------|
| 1005 | 1089 9068 01 | 1   | KEY                    | (03/09/2021 - ...) |
| 1010 | 1089 9154 01 | 1   | ELECTRICAL CUBICLE KEY | (03/09/2021 - ...) |
| 1015 | 0348 0101 35 | 1   | CABLE TIE              | (03/09/2021 - ...) |
| 1060 | 1625 4044 00 | 1   | SEAL                   | (10/12/2021 - ...) |
| 1070 | 0686 9253 78 | 1   | CAP PIPE               | (24/02/2022 - ...) |
| 2010 | 0070 6002 05 | AR  | PLASTIC TUBE           | (03/09/2021 - ...) |
| 2020 | 0852 0011 05 | 1   | BALL VALVE             | (03/09/2021 - ...) |
| 2030 | 0583 8100 76 | 2   | COUPLING               | (03/09/2021 - ...) |
| 2040 | 0852 0010 55 | 2   | BALL VALVE             | (03/09/2021 - ...) |

**Legend:**

IDRY:Y - Integrated dryer:Yes

## 17.1 - Dryer assembly

IDRY:Y + (MOVOL:380V , (MOVOL:230V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 17.1 - Dryer assembly

IDRY:Y + (MOVOL:380V , (MOVOL:230V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))


| Ref  | Part Number  | Qty | Name                   | Validity                                                                                                                                                                                                         |
|------|--------------|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1010 | -            | 1   | AIR DRYER              |                                                                                                                                                                                                                  |
| 1020 | 1079 1472 06 | 4   | HEXAGON BOLT           | (03/09/2021 - 28/09/2021) MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                         |
| 1030 | 0266 2110 00 | 4   | NUT                    | (03/09/2021 - 28/09/2021) MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                         |
|      | 2080 1224 21 | 1   | CONNECTION WIRE-SUPPLY | (03/09/2021 - 28/09/2021) MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) (MOVOL:380V , MOVOL:400V) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | 2080 1224 24 | 1   | CONNECTION WIRE-SUPPLY | (29/09/2021 - ...) MOVOL:460V + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                                    |
|      | 2080 1224 27 | 1   | CONNECTION WIRE-SUPPLY | (29/09/2021 - ...) (MOVOL:230V , MOVOL:380V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)                                                                                                     |
|      | 2080 1224 33 | 1   | LAT SENSOR WIRE        | (03/09/2021 - 28/09/2021) MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...)                                                                                         |

### Legend:

IDRY:Y - Integrated dryer:Yes  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar



## 17.2 - Dryer rail

IDRY:Y

Atlas Copco


| Ref | Part Number                                                            | Qty | Name          | Validity                                                                                                                                                                                                                                                                                                                                       | EL       |
|-----|------------------------------------------------------------------------|-----|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
|     | 2080 1224 40                                                           | 1   | DRYER RAIL-CE | (03/09/2021 - 28/09/2021) MOVOL:380V<br>+ (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MOVOL:380V , MOVOL:230V<br>+ (PRESS:10.8BAR , PRESS:12.5BAR ,<br>PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:400V<br>+ (PRESS:10.5BAR , PRESS:13BAR ,<br>PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - ...) MOVOL:460V |          |
|     | 2080 1224 41                                                           | 1   | DRYER RAIL-UL |                                                                                                                                                                                                                                                                                                                                                |          |
|     | 1089 9594 06                                                           | 1   | FUSE HOLDER   |                                                                                                                                                                                                                                                                                                                                                | F7.F8.F9 |
|     | <del>1088 0031 81</del>                                                | 2   | END STOP      |                                                                                                                                                                                                                                                                                                                                                | -        |
|     | ⚙ Substituted by: 1089 0577 82 - END RETAINER CLIPFIX 35 (quantity: 1) |     |               |                                                                                                                                                                                                                                                                                                                                                |          |
|     | 1088 0040 38                                                           | 3   | TERMINAL      |                                                                                                                                                                                                                                                                                                                                                | 1x12     |
|     | 1088 0032 22                                                           | 1   | END PLATE     |                                                                                                                                                                                                                                                                                                                                                | X12      |
|     | 1088 0061 27                                                           | 1   | CONNECTOR     |                                                                                                                                                                                                                                                                                                                                                | X148     |
|     | 1088 0032 21                                                           | 1   | TERMINAL      |                                                                                                                                                                                                                                                                                                                                                | 1X3      |

### Legend:

IDRY:Y - Integrated dryer:Yes  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar


MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar



| Ref  | Part Number  | Qty | Name          | Validity                                                   |
|------|--------------|-----|---------------|------------------------------------------------------------|
| 1010 | 1629 3800 16 | 1   | DOOR          | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) |
| 2010 | 1089 9556 61 | 1   | FILTER        | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) |
| 2020 | 0226 0300 41 | 4   | TAPPING SCREW | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) |
| 2030 | 0301 2321 00 | 3   | PLAIN WASHER  | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) |
| 2040 | 0211 1243 03 | 3   | SCREW         | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) |
| 3030 | 1629 3800 03 | 1   | CUBICLE BOX   | (03/09/2021 - 28/09/2021) MOVOL:380V<br>(29/09/2021 - ...) |

**Legend:**

MOVOL:380V - Supply voltage:380 V




| Ref | Part Number  | Qty | Name                  | Validity                                                                                                                                                                      | EL          |
|-----|--------------|-----|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|     | 1900 5566 11 | 1   | CUBICLE               | (03/09/2021 - 28/09/2021) MOVOL:380V +<br>(MODEL:GA55MP_21W , MODEL:GA55PMP21W)<br>(29/09/2021 - ...) (MODEL:GA55MP_21W ,<br>MODEL:GA55PMP21W) + (MOVOL:380V ,<br>MOVOL:400V) |             |
|     | 1900 5566 12 | 1   | CUBICLE               | (03/09/2021 - 28/09/2021) MOVOL:380V +<br>(MODEL:GA75MP_21W , MODEL:GA75PMP21W)<br>(29/09/2021 - ...) (MODEL:GA75MP_21W ,<br>MODEL:GA75PMP21W) + (MOVOL:380V ,<br>MOVOL:400V) |             |
|     | 1900 5566 13 | 1   | CUBICLE               | (03/09/2021 - 28/09/2021)<br>MODEL:GA90MP_21W + MOVOL:380V<br>(29/09/2021 - ...) MODEL:GA90MP_21W +<br>(MOVOL:380V , MOVOL:400V)                                              |             |
|     | 1900 5566 14 | 1   | CUBICLE               | (29/09/2021 - ...) MOVOL:460V +<br>(MODEL:GA55MP_21W , MODEL:GA55PMP21W)                                                                                                      |             |
|     | 1900 5566 15 | 1   | CUBICLE               | (29/09/2021 - ...) MOVOL:460V +<br>(MODEL:GA75MP_21W , MODEL:GA75PMP21W)                                                                                                      |             |
|     | 1900 5566 16 | 1   | CUBICLE               | (29/09/2021 - ...) MODEL:GA90MP_21W +<br>MOVOL:460V                                                                                                                           |             |
|     | 1900 5566 17 | 1   | CUBICLE               | (29/09/2021 - ...) MOVOL:230V +<br>(MODEL:GA55MP_21W , MODEL:GA55PMP21W)                                                                                                      |             |
|     | 1900 5566 18 | 1   | CUBICLE               | (29/09/2021 - ...) MOVOL:230V +<br>(MODEL:GA75MP_21W , MODEL:GA75PMP21W)                                                                                                      |             |
|     | 1900 5566 19 | 1   | CUBICLE               | (29/09/2021 - ...) MODEL:GA90MP_21W +<br>MOVOL:230V                                                                                                                           |             |
|     | 1629 3800 17 | 1   | EXTERNAL WIRE HARNESS |                                                                                                                                                                               | WH          |
|     | 1629 3800 03 | 1   | MSA                   |                                                                                                                                                                               | FS          |
|     | 1629 3800 52 | 1   | MSA                   |                                                                                                                                                                               | FS          |
|     | 1629 3800 16 | 1   | DOOR                  |                                                                                                                                                                               | FS          |
|     | 1649 8103 01 | 1   | CAN WIRING            |                                                                                                                                                                               | WH          |
|     | 1649 8103 51 | 1   | CAN WIRING            |                                                                                                                                                                               | WH          |
|     | 1629 3800 80 | 1   | PLATE                 |                                                                                                                                                                               | -           |
|     | 1089 0736 37 | 2   | CONTACTOR             | MODEL:GA55MP_21W , MODEL:GA55PMP21W                                                                                                                                           | K21/K23     |
|     | 1089 0736 39 | 2   | CONTACTOR             | MODEL:GA75MP_21W , MODEL:GA75PMP21W                                                                                                                                           | K21/K23     |
|     | 1089 0736 41 | 2   | CONTACTOR             | MODEL:GA90MP_21W                                                                                                                                                              | K21/K23     |
|     | 1089 0736 27 | 1   | CONTACTOR             | MODEL:GA55MP_21W , MODEL:GA55PMP21W                                                                                                                                           | K22         |
|     | 1089 0736 31 | 1   | CONTACTOR             | MODEL:GA75MP_21W , MODEL:GA75PMP21W                                                                                                                                           | K22         |
|     | 1089 0736 35 | 1   | CONTACTOR             | MODEL:GA90MP_21W                                                                                                                                                              | K22         |
|     | 2205 7103 93 | 1   | TERMINAL              | MODEL:GA55MP_21W , MODEL:GA55PMP21W                                                                                                                                           | 1X0         |
|     | 2205 7103 93 | 1   | TERMINAL              | MODEL:GA75MP_21W , MODEL:GA75PMP21W                                                                                                                                           | 1X0         |
|     | 1088 0032 36 | 1   | TERMINAL              | MODEL:GA90MP_21W                                                                                                                                                              | 1X0         |
|     | 1089 0736 01 | 1   | CONTACTOR             | MODEL:GA55MP_21W , MODEL:GA55PMP21W                                                                                                                                           | K15         |
|     | 1089 0736 05 | 1   | CONTACTOR             | MODEL:GA75MP_21W , MODEL:GA75PMP21W                                                                                                                                           | K15         |
|     | 1089 0736 05 | 1   | CONTACTOR             | MODEL:GA90MP_21W                                                                                                                                                              | K15         |
|     | 0090 1400 02 | 1   | RAIL                  |                                                                                                                                                                               | -           |
|     | 1089 0612 01 | 3   | FUSE HOLDER           |                                                                                                                                                                               | F1,F2,F3    |
|     | 1089 9617 27 | 1   | TERMINAL              |                                                                                                                                                                               | -           |
|     | 1089 9332 37 | 2   | FUSE                  |                                                                                                                                                                               | F1,F2       |
|     | 1089 9168 36 | 1   | FUSE                  |                                                                                                                                                                               | F3          |
|     | 1089 0612 02 | 3   | FUSE HOLDER           |                                                                                                                                                                               | F10,F11,F12 |
|     | 1089 9168 62 | 3   | FUSE                  |                                                                                                                                                                               | F10,F11,F12 |
|     | 1088 0039 93 | 4   | TERMINAL              |                                                                                                                                                                               | -           |
|     | 1088 0039 95 | 1   | END PLATE             |                                                                                                                                                                               | -           |
|     | 1088 0021 29 | 1   | TERMINAL              |                                                                                                                                                                               | -           |
|     | 1089 9427 49 | 1   | CONNECTOR             |                                                                                                                                                                               | -           |
|     | 1089 9427 48 | 1   | PLATE                 |                                                                                                                                                                               | -           |
|     | 1088 0038 59 | 1   | TERMINAL BLOCK        |                                                                                                                                                                               | -           |

**Legend:**

MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V

MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V

MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V



| Ref | Part Number               | Qty | Name                                                 | Validity | EL         |
|-----|---------------------------|-----|------------------------------------------------------|----------|------------|
|     | 1088 0039 35              | 1   | END PLATE                                            |          | -          |
|     | 1088 0027 81              | 3   | TERMINAL                                             |          | -          |
|     | 1088 0027 82              | 1   | PLATE END                                            |          | -          |
|     | 1089 9483 54              | 1   | TRANSFORMER                                          |          | T1         |
|     | 1089 9483 55              | 1   | TRANSFORMER                                          |          | T1         |
|     | 1089 9556 61              | 1   | FILTER                                               |          | -          |
|     | 0090 1400 02              | 1   | MOUNTING RAIL                                        |          |            |
|     | <b>Electrical legend:</b> |     | L=360mm for Control Rail                             |          |            |
|     | 1088 0039 93              | 2   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | 1X4-3/46/56/54 for Digital 1X4- 3/46/2/7 for Analog  |          |            |
|     | 1088 0039 94              | 3   | TERMINAL                                             |          | 1X4-2/2/17 |
|     | 1088 0039 95              | 1   | END PLATE                                            |          | 1X4        |
|     | 1088 0039 93              | 2   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | 1X6-30/33/40/36                                      |          |            |
|     | 1088 0039 94              | 2   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | 1X6-300/Spare                                        |          |            |
|     | 1088 0039 95              | 1   | END PLATE                                            |          | 1X6        |
|     | 1088 0039 93              | 3   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | 1X7-102/103/104/105/106/107/108                      |          |            |
|     | 1088 0039 95              | 1   | END PLATE                                            |          | 1X7        |
|     | 1088 0039 93              | 2   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | 1X8-71/72/73/74                                      |          |            |
|     | 1088 0039 95              | 1   | END PLATE                                            |          | 1X8        |
|     | 1088 0038 18              | 2   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | X105-1/2                                             |          |            |
|     | 1088 0037 99              | 2   | PIN                                                  |          |            |
|     | <b>Electrical legend:</b> |     | X105                                                 |          |            |
|     | 1088 0037 17              | 1   | PLATE                                                |          |            |
|     | <b>Electrical legend:</b> |     | X105                                                 |          |            |
|     | 1088 0038 18              | 2   | TERMINAL                                             |          |            |
|     | <b>Electrical legend:</b> |     | X150-1/2                                             |          |            |
|     | 1088 0037 99              | 2   | PIN                                                  |          | X150       |
|     | 1088 0037 17              | 1   | PLATE                                                |          | X150       |
|     | 1088 0037 81              | 1   | CONNECTOR                                            |          | 2X27       |
|     | 1088 0037 80              | 1   | CONNECTOR                                            |          | 2X28       |
|     | 1088 0031 32              | 1   | CONNECTOR                                            |          | 2X30       |
|     | 1088 0031 26              | 1   | CONNECTOR                                            |          | 2X31       |
|     | 1089 9617 08              | 1   | PLUG                                                 |          | X102       |
|     | 1088 0031 81              | 2   | END STOP                                             |          |            |
|     | <b>Electrical legend:</b> |     | Connector/terminal rail                              |          |            |
|     | <b>Substituted by:</b>    |     | 1089 0577 82 - END RETAINER CLIPFIX 35 (quantity: 1) |          |            |
|     | 1088 0032 17              | 1   | RELAY                                                |          | K5         |
|     | 1088 0032 17              | 1   | RELAY                                                |          | K01'       |
|     | 1088 0032 17              | 1   | RELAY                                                |          | K04'       |
|     | 1089 9464 14              | 1   | POWER SUPPLY                                         |          | PM1        |
|     | 1089 9287 46              | 1   | EMERGENCY STOP BUTTON                                |          | S3         |
|     | 1088 0021 29              | 1   | JUMPER                                               |          | 1X4        |
|     | 0989 4220 87              | 1   | GROMMET                                              |          | -          |
|     | 0989 4220 88              | 1   | GROMMET                                              |          | -          |

**Legend:**


MODEL:GA55MP\_21W - Model:GA55  
 MODEL:GA75PMP21W - Model:GA75+  
 MOVOL:380V - Supply voltage:380 V

MODEL:GA55PMP21W - Model:GA55+  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V

MODEL:GA75MP\_21W - Model:GA75  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V

## 18.3 - Controller GA 55, GA 75, GA 90

MODEL:GA55MP\_21W , MODEL:GA75MP\_21W , MODEL:GA90MP\_21W



### 18.3 - Controller GA 55, GA 75, GA 90

MODEL:GA55MP\_21W , MODEL:GA75MP\_21W , MODEL:GA90MP\_21W

Atlas Copco


| Ref               | Part Number  | Qty                                            | Name                           | Validity           |
|-------------------|--------------|------------------------------------------------|--------------------------------|--------------------|
| 1010              | 1900 5204 00 | 1                                              | ELEKTRONIKON™ TOUCH CONTROLLER | (03/09/2021 - ...) |
| 1011              | 0147 1169 03 | 4                                              | SCREW                          | (19/10/2021 - ...) |
| 1012              | 0301 2315 00 | 4                                              | PLAIN WASHER                   | (19/10/2021 - ...) |
| 1030              | 1629 0314 23 | 1                                              | ADAPTOR                        | (03/09/2021 - ...) |
| 1040              | 0697 9809 19 | 1                                              | LOCK NUT                       | (03/09/2021 - ...) |
| 1050              | 1088 1301 06 | 12                                             | CABLE TIE                      | (10/12/2021 - ...) |
| ⚙ Substituted by: |              | 0348 0101 25 - CABLE TIE 360X4,5 (quantity: 1) |                                |                    |
| 1080              | 0581 0000 87 | 1                                              | PIPE COUPLING                  | (26/04/2022 - ...) |
| 1100              | 1089 0580 22 | 1                                              | SOLENOID VALVE                 | (19/10/2021 - ...) |

#### Legend:

MODEL:GA55MP\_21W - Model:GA55

MODEL:GA75MP\_21W - Model:GA75

MODEL:GA90MP\_21W - Model:GA90



## 18.4 - Controller GA 55+, GA 75+

MODEL:GA55PMP21W , MODEL:GA75PMP21W

Atlas Copco

| Ref               | Part Number  | Qty                                            | Name                           | Validity           |
|-------------------|--------------|------------------------------------------------|--------------------------------|--------------------|
| 1010              | 1900 5204 00 | 1                                              | ELEKTRONIKON™ TOUCH CONTROLLER | (03/09/2021 - ...) |
| 1011              | 0147 1169 03 | 4                                              | SCREW                          | (19/10/2021 - ...) |
| 1012              | 0301 2315 00 | 4                                              | PLAIN WASHER                   | (19/10/2021 - ...) |
| 1030              | 1629 0314 23 | 1                                              | ADAPTOR                        | (03/09/2021 - ...) |
| 1040              | 0697 9809 19 | 1                                              | LOCK NUT                       | (03/09/2021 - ...) |
| 1050              | 1088 1301 06 | 12                                             | CABLE TIE                      | (10/12/2021 - ...) |
| ↻ Substituted by: |              | 0348 0101 25 - CABLE TIE 360X4,5 (quantity: 1) |                                |                    |
| 1075              | 1079 9696 04 | 1                                              | NUT                            | (01/07/2022 - ...) |
| 1080              | 1092 9045 28 | 1                                              | CONNECTOR                      | (16/03/2022 - ...) |
| 1090              | 1630 9910 50 | 1                                              | INLET CONDITION SENSOR         | (16/09/2021 - ...) |
| 1100              | 1089 0580 22 | 1                                              | SOLENOID VALVE                 | (19/10/2021 - ...) |


### Legend:

MODEL:GA55PMP21W - Model:GA55+

MODEL:GA75PMP21W - Model:GA75+

## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W))) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))



## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W)) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number    | Qty | Name                    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------|----------------|-----|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1005 | 1092 9022 92   | 1   | CUBICLE LEFT SIDE PANEL | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
| 1010 | 1092 9021 80   | 1   | PANEL LEFT 1            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 1622 2820 01 | 1   | LOCK                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1015 | 1092 9022 33   | 1   | PANEL LEFT 2            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 1622 2820 01 | 1   | LOCK                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1020 | 1092 9022 65   | 1   | PANEL CONTROLLER        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 1092 9023 63 | 1   | DECAL                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1622 2820 01 | 1   | LOCK                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1625 2201 44 | 1   | DECAL GA+               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
IDRY:N - Integrated dryer:No  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W))) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))



## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W)) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number    | Qty | Name                   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------|----------------|-----|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1025 | 1092 9021 82   | 1   | PANEL FRONT            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 0690 1132 01 | 1   | HOUSE MARK             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1622 2820 01 | 1   | LOCK                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1030 | 1092 9022 67   | 1   | ROOF                   | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
| 1035 | 1092 9022 37   | 1   | RIGHT SIDE CORNER BEAM | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
| 1040 | 1092 9032 90   | 1   | AIR FILTER SIDE PANEL  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
| 1045 | 1092 9021 86   | 1   | MOTOR SIDE PANEL       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 1622 2820 01 | 1   | LOCK                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
IDRY:N - Integrated dryer:No  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W))) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))



## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W)) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number    | Qty | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------|----------------|-----|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | • 0686 9300 05 | 2   | PLUG               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|      | • 1092 9022 08 | 1   | INSULATION         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 1050 | 1092 9021 76   | 1   | ELEMENT SIDE PANEL | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 1622 2820 01 | 1   | LOCK               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 1055 | 1092 9026 86   | 1   | SIDE PANEL PACK    | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
|      | • 1079 9915 98 | 1   | LABEL              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|      | • 1079 9915 89 | 1   | LABEL              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|      | • 1625 4044 00 | 1   | SEAL               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 1060 | 0147 1963 08   | 14  | SCREW              | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |
| 1115 | 1092 9029 99   | 1   | CABLE TRAY         | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))<br>(01/07/2022 - ...) |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
COOL:WATER - Cooling:Water cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
IDRY:N - Integrated dryer:No  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W))) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))



## 19 - Bodywork Pack

IDRY:N + ((CAPPRM:ASME + (MOVOL:230V , MOVOL:380V) , CAPPRM:ML + (COOL:AIR , COOL:WATER) + (MOVOL:230V , MOVOL:460V + (MODEL:GA55MP\_21W , MODEL:GA75MP\_21W)) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML + (MODEL:GA55PMP21W , MODEL:GA75PMP21W , COOL:AIR + MODEL:GA90MP\_21W))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:MHLW , (CAPPRM:AS1210 , CAPPRM:ML , CAPPRM:MOM) + (COOL:AIR , COOL:WATER))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:ML + COOL:WATER + MODEL:GA90MP\_21W + MOVOL:460V + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

| Ref  | Part Number  | Qty | Name  | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------|--------------|-----|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2020 | 2080 1231 01 | 1   | FRAME | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) COOL:AIR + ((CAPPRM:ASME + MOVOL:380V , MOVOL:230V + (CAPPRM:ASME , CAPPRM:ML) , MOVOL:460V + (CAPPRM:ASME , CAPPRM:MHLW , CAPPRM:ML)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:ML , CAPPRM:MOM)) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))</p> <p>(01/07/2022 - ...)</p> |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MODEL:GA55MP\_21W - Model:GA55  
 MODEL:GA75PMP21W - Model:GA75+  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 COOL:WATER - Cooling:Water cooled  
 MODEL:GA55PMP21W - Model:GA55+  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 IDRY:N - Integrated dryer:No  
 MODEL:GA75MP\_21W - Model:GA75  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty | Name                    | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------|----------------|-----|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1005 | 1092 9022 92   | 1   | PANEL LEFT CUBICLE SIDE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1010 | 1092 9021 80   | 1   | PANEL LEFT 1            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1622 2820 01 | 1   | LOCK                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1015 | 1092 9022 33   | 1   | PANEL LEFT 2            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1622 2820 01 | 1   | LOCK                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1020 | 1092 9022 65   | 1   | PANEL CONTROLLER        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1092 9023 63 | 1   | DECAL                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1622 2820 01 | 1   | LOCK                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1625 2201 44 | 1   | DECAL GA+               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
IDRY:Y - Integrated dryer:Yes  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty | Name                   | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------|----------------|-----|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1025 | 1092 9021 82   | 1   | PANEL FRONT            | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1622 2820 01 | 1   | LOCK                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1030 | 1092 9022 67   | 1   | ROOF 1                 | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1035 | 1092 9022 37   | 1   | RIGHT SIDE CORNER BEAM | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1040 | 1092 9032 90   | 1   | PANEL AIR FILTER SIDE  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1045 | 1092 9021 86   | 1   | PANEL MOTOR SIDE       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
IDRY:Y - Integrated dryer:Yes  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty | Name               | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------|----------------|-----|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | • 1622 2820 01 | 1   | LOCK               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1050 | 1092 9021 76   | 1   | PANEL ELEMENT SIDE | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1622 2820 01 | 1   | LOCK               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1092 9022 28 | 1   | SPONGE             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1055 | 1092 9022 48   | 1   | MIDDLE PANEL       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1060 | 1092 9023 06   | 1   | PANEL LEFT 3       | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1622 2820 01 | 1   | LOCK               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1065 | 1092 9022 87   | 1   | PANEL RIGHT 3      | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1622 2820 01 | 1   | LOCK               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
IDRY:Y - Integrated dryer:Yes  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

| Ref  | Part Number    | Qty | Name              | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------|----------------|-----|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1070 | 1092 9022 76   | 1   | ROOF ABOVE DRYER  | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1075 | 1092 9022 34   | 1   | PANEL DRYER INLET | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
|      | • 1625 4044 00 | 1   | SEAL              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1079 9915 89 | 1   | LABEL             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|      | • 1079 9915 98 | 1   | LABEL             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1080 | 0147 1963 08   | 22  | SCREW             | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |
| 1115 | 1092 9029 99   | 1   | CABLE TRAY        | (03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)<br>(29/09/2021 - 30/06/2022) COOL:AIR<br>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) |

### Legend:


CAPPRM:AS1210 - Component approval mechanical:AS1210  
CAPPRM:MHLW - Component approval mechanical:MHLW  
COOL:AIR - Cooling:Air cooled  
MODEL:GA55PMP21W - Model:GA55+  
MODEL:GA90MP\_21W - Model:GA90  
MOVOL:400V - Supply voltage:400 V  
PRESS:10.8BAR - Working pressure:10.8 bar  
PRESS:7.4BAR - Working pressure:7.4 bar  
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
CAPPRM:ML - Component approval mechanical:ML  
IDRY:Y - Integrated dryer:Yes  
MODEL:GA75MP\_21W - Model:GA75  
MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V  
PRESS:12.5BAR - Working pressure:12.5 bar  
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
CAPPRM:MOM - Component approval mechanical:MOM  
MODEL:GA55MP\_21W - Model:GA55  
MODEL:GA75PMP21W - Model:GA75+  
MOVOL:380V - Supply voltage:380 V  
PRESS:10.5BAR - Working pressure:10.5 bar  
PRESS:13BAR - Working pressure:13 bar  
PRESS:8.5BAR - Working pressure:8.5 bar

## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))



## 20 - Bodywork Full-Feature

IDRY:Y + (((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP\_21W , MODEL:GA55PMP21W , MODEL:GA75MP\_21W , MODEL:GA75PMP21W , MODEL:GA90MP\_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))


| Ref  | Part Number  | Qty | Name  | Validity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------|--------------|-----|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2020 | 2080 1231 07 | 1   | FRAME | <p>(03/09/2021 - 28/09/2021) CAPPRM:CHN + COOL:AIR + MOVOL:380V + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> <p>(29/09/2021 - 30/06/2022) COOL:AIR</p> <p>(01/07/2022 - ...) ((CAPPRM:ASME , CAPPRM:ML) + (MOVOL:230V , MOVOL:460V) , CAPPRM:ASME + MOVOL:380V , CAPPRM:MHLW + MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , (CAPPRM:CHN + MOVOL:380V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:MHLW , CAPPRM:MOM , CAPPRM:ML + (MODEL:GA55MP_21W , MODEL:GA55PMP21W , MODEL:GA75MP_21W , MODEL:GA75PMP21W , MODEL:GA90MP_21W))) + (PRESS:10.5BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)</p> |

### Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210  
 CAPPRM:MHLW - Component approval mechanical:MHLW  
 COOL:AIR - Cooling:Air cooled  
 MODEL:GA55PMP21W - Model:GA55+  
 MODEL:GA90MP\_21W - Model:GA90  
 MOVOL:400V - Supply voltage:400 V  
 PRESS:10.8BAR - Working pressure:10.8 bar  
 PRESS:7.4BAR - Working pressure:7.4 bar  
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME  
 CAPPRM:ML - Component approval mechanical:ML  
 IDRY:Y - Integrated dryer:Yes  
 MODEL:GA75MP\_21W - Model:GA75  
 MOVOL:230V - Supply voltage:230 V  
 MOVOL:460V - Supply voltage:460 V  
 PRESS:12.5BAR - Working pressure:12.5 bar  
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CHN - Component approval mechanical:CHN (China)  
 CAPPRM:MOM - Component approval mechanical:MOM  
 MODEL:GA55MP\_21W - Model:GA55  
 MODEL:GA75PMP21W - Model:GA75+  
 MOVOL:380V - Supply voltage:380 V  
 PRESS:10.5BAR - Working pressure:10.5 bar  
 PRESS:13BAR - Working pressure:13 bar  
 PRESS:8.5BAR - Working pressure:8.5 bar




| Ref  | Part Number  | Qty | Name         | Validity                                                                            |
|------|--------------|-----|--------------|-------------------------------------------------------------------------------------|
| 1005 | 1625 2203 73 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:N + MODEL:GA55PMP21W                                        |
| 1005 | 1625 2203 83 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:Y + MODEL:GA90MP_21W                                        |
| 1005 | 1625 2203 80 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:Y + MODEL:GA75MP_21W                                        |
| 1005 | 1625 2203 79 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:Y + MODEL:GA55MP_21W                                        |
| 1005 | 1625 2203 82 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:Y + MODEL:GA75PMP21W                                        |
| 1005 | 1625 2203 81 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:Y + MODEL:GA55PMP21W                                        |
| 1005 | 1625 2203 75 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:N + MODEL:GA90MP_21W                                        |
| 1005 | 1625 2203 72 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:N + MODEL:GA75MP_21W                                        |
| 1005 | 1625 2203 71 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:N + MODEL:GA55MP_21W                                        |
| 1005 | 1625 2203 74 | 1   | UNIT LABEL   | (03/09/2021 - ...) IDRY:N + MODEL:GA75PMP21W                                        |
| 1010 | 1092 9028 74 | 1   | QR LABEL     | (03/09/2021 - 18/10/2021)                                                           |
| 1035 | 1092 2073 14 | 2   | LABEL-ENERGY | (03/09/2021 - 18/10/2021) MODEL:GA55MP_21W ,<br>MODEL:GA75MP_21W , MODEL:GA90MP_21W |
| 1035 | 1092 2073 13 | 2   | LABEL-ENERGY | (03/09/2021 - 18/10/2021) MODEL:GA55PMP21W ,<br>MODEL:GA75PMP21W                    |
| 1080 | 1092 9039 91 | 1   | LABEL        | (24/02/2022 - ...) MODEL:GA55PMP21W , MODEL:GA75PMP21W                              |
| 1080 | 1092 9039 90 | 1   | LABEL        | (24/02/2022 - ...) MODEL:GA55MP_21W , MODEL:GA75MP_21W ,<br>MODEL:GA90MP_21W        |

**Legend:**

IDRY:N - Integrated dryer:No  
 MODEL:GA55PMP21W - Model:GA55+  
 MODEL:GA90MP\_21W - Model:GA90

IDRY:Y - Integrated dryer:Yes  
 MODEL:GA75MP\_21W - Model:GA75

MODEL:GA55MP\_21W - Model:GA55  
 MODEL:GA75PMP21W - Model:GA75+



## 22 - Condensate system Air-cooled - Pack

COOL:AIR + IDRY:N


Atlas Copco

| Ref  | Part Number  | Qty | Name              | Validity           |
|------|--------------|-----|-------------------|--------------------|
| 1005 | 0581 1200 29 | 1   | PIPE COUPLING     | (03/09/2021 - ...) |
| 1010 | 0070 6002 06 | AR  | PLASTIC TUBE      | (03/09/2021 - ...) |
| 1015 | 0581 0000 53 | 1   | PIPE COUPLING     | (03/09/2021 - ...) |
| 1020 | 0661 1000 39 | 1   | SEAL WASHER       | (03/09/2021 - ...) |
| 1025 | 1092 2051 00 | 1   | ELBOW COUPLING    | (03/09/2021 - ...) |
| 1035 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...) |
| 1040 | 0581 0000 35 | 1   | PIPE COUPLING     | (03/09/2021 - ...) |
| 1050 | 0605 8700 90 | 1   | BUSHING           | (03/09/2021 - ...) |
| 1065 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...) |
| 1070 | 0581 0000 43 | 1   | COUPLING          | (03/09/2021 - ...) |
| 1080 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...) |
| 1085 | 0266 2108 00 | 2   | NUT               | (03/09/2021 - ...) |
| 1090 | 0301 2321 00 | 2   | PLAIN WASHER      | (03/09/2021 - ...) |
| 1095 | 0147 1247 03 | 2   | BOLT              | (03/09/2021 - ...) |
| 1100 | 0583 8100 70 | 1   | FITTING PIPE      | (03/09/2021 - ...) |
| 1105 | 1092 9031 44 | 1   | WSD SUPPORT PLATE | (03/09/2021 - ...) |
| 1110 | 1092 2073 20 | 1   | WSD15             | (03/09/2021 - ...) |
| 1115 | 0147 1962 72 | 2   | SCREW             | (03/09/2021 - ...) |

### Legend:

COOL:AIR - Cooling:Air cooled

IDRY:N - Integrated dryer:No



## 23 - Condensate system Air-cooled - Full-Feature

COOL:AIR + IDRY:Y


Atlas Copco

| Ref  | Part Number  | Qty | Name              | Validity                  |
|------|--------------|-----|-------------------|---------------------------|
| 1005 | 0581 1200 29 | 1   | PIPE COUPLING     | (29/09/2021 - ...)        |
| 1010 | 0070 6002 06 | AR  | PLASTIC TUBE      | (03/09/2021 - ...)        |
| 1015 | 0581 0000 53 | 1   | PIPE COUPLING     | (03/09/2021 - ...)        |
| 1020 | 0661 1000 39 | 1   | SEAL WASHER       | (03/09/2021 - ...)        |
| 1025 | 1092 2051 00 | 1   | ELBOW COUPLING    | (19/10/2021 - ...)        |
| 1026 | 0686 3718 24 | 1   | PLUG              | (19/10/2021 - ...)        |
| 1035 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - 15/03/2022) |
| 1040 | 0581 0000 35 | 1   | PIPE COUPLING     | (03/09/2021 - ...)        |
| 1050 | 0605 8700 90 | 2   | BUSHING           | (03/09/2021 - ...)        |
| 1065 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...)        |
| 1070 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...)        |
| 1075 | 0581 0000 43 | 2   | COUPLING          | (03/09/2021 - ...)        |
| 1085 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...)        |
| 1090 | 0070 6002 03 | AR  | PLASTIC TUBE      | (03/09/2021 - ...)        |
| 1095 | 0266 2108 00 | 4   | NUT               | (19/10/2021 - ...)        |
| 1100 | 0301 2321 00 | 4   | PLAIN WASHER      | (03/09/2021 - ...)        |
| 1105 | 0147 1247 03 | 4   | BOLT              | (03/09/2021 - ...)        |
| 1110 | 0583 8100 70 | 2   | FITTING PIPE      | (03/09/2021 - ...)        |
| 1115 | 1092 9031 44 | 2   | WSD SUPPORT PLATE | (03/09/2021 - ...)        |
| 1120 | 1092 2073 20 | 2   | WSD15             | (03/09/2021 - ...)        |
| 1125 | 0147 1962 72 | 4   | SCREW             | (03/09/2021 - ...)        |

### Legend:

COOL:AIR - Cooling:Air cooled

IDRY:Y - Integrated dryer:Yes



## 24 - Condensate system Water-cooled - Pack

COOL:WATER + IDRY:N


Atlas Copco

| Ref  | Part Number  | Qty | Name              | Validity           |
|------|--------------|-----|-------------------|--------------------|
| 1005 | 1613 9370 80 | 1   | WATER SEPARATOR   | (01/07/2022 - ...) |
| 1010 | 0686 3718 15 | 2   | PLUG              | (01/07/2022 - ...) |
| 1015 | 0686 3718 17 | 1   | PLUG              | (01/07/2022 - ...) |
| 1020 | 0663 3143 00 | 2   | O-RING            | (01/07/2022 - ...) |
| 1025 | 0147 1474 03 | 2   | HEXAGON BOLT      | (01/07/2022 - ...) |
| 1030 | 0301 2378 00 | 2   | PLAIN WASHER      | (01/07/2022 - ...) |
| 1035 | 1092 9051 99 | 1   | WSD SUPPORT       | (01/07/2022 - ...) |
| 1040 | 0147 1963 08 | 4   | SCREW             | (01/07/2022 - ...) |
| 1045 | 0581 0000 35 | 1   | PIPE COUPLING     | (01/07/2022 - ...) |
| 1050 | 0070 6002 03 | AR  | PLASTIC TUBE      | (01/07/2022 - ...) |
| 1055 | 0581 0000 87 | 1   | PIPE COUPLING     | (01/07/2022 - ...) |
| 1060 | 0661 1000 38 | 1   | SEAL WASHER       | (01/07/2022 - ...) |
| 1065 | 0070 6002 03 | 1   | PLASTIC TUBE      | (01/07/2022 - ...) |
| 1070 | 0583 8100 70 | 1   | FITTING PIPE      | (01/07/2022 - ...) |
| 1075 | 0581 0000 43 | 1   | COUPLING          | (01/07/2022 - ...) |
| 1080 | 0583 8100 76 | 1   | STRAIGHT COUPLING | (01/07/2022 - ...) |

### Legend:

COOL:WATER - Cooling:Water cooled

IDRY:N - Integrated dryer:No



## 25 - Condensate system Water-cooled - Full-Feature

COOL:WATER + IDRY:Y


Atlas Copco

| Ref  | Part Number  | Qty | Name              | Validity           |
|------|--------------|-----|-------------------|--------------------|
| 1005 | 1613 9370 80 | 1   | WATER SEPARATOR   | (01/07/2022 - ...) |
| 1010 | 0686 3718 15 | 2   | PLUG              | (01/07/2022 - ...) |
| 1015 | 0686 3718 17 | 1   | PLUG              | (01/07/2022 - ...) |
| 1020 | 0663 3143 00 | 2   | O-RING            | (01/07/2022 - ...) |
| 1025 | 0147 1474 03 | 2   | HEXAGON BOLT      | (01/07/2022 - ...) |
| 1030 | 0301 2378 00 | 2   | WASHER            | (01/07/2022 - ...) |
| 1035 | 1092 9051 99 | 1   | WSD SUPPORT       | (01/07/2022 - ...) |
| 1040 | 0147 1963 08 | 4   | SCREW             | (01/07/2022 - ...) |
| 1045 | 0581 0000 35 | 1   | PIPE COUPLING     | (01/07/2022 - ...) |
| 1050 | 0070 6002 03 | AR  | PLASTIC TUBE      | (01/07/2022 - ...) |
| 1055 | 0581 0000 87 | 1   | PIPE COUPLING     | (01/07/2022 - ...) |
| 1060 | 0661 1000 38 | 1   | SEAL WASHER       | (01/07/2022 - ...) |
| 1065 | 0070 6002 03 | AR  | PLASTIC TUBE      | (01/07/2022 - ...) |
| 1070 | 0583 8100 70 | 2   | FITTING PIPE      | (01/07/2022 - ...) |
| 1075 | 0581 0000 43 | 2   | COUPLING          | (01/07/2022 - ...) |
| 1080 | 0583 8100 76 | 2   | COUPLING          | (01/07/2022 - ...) |
| 1085 | 0583 8120 21 | 1   | ELBOW COUPLING    | (01/07/2022 - ...) |
| 1090 | 0070 6002 67 | AR  | PLASTIC TUBE      | (01/07/2022 - ...) |
| 1095 | 0686 3718 24 | 1   | PLUG              | (01/07/2022 - ...) |
| 1100 | 0605 8700 90 | 1   | BUSHING           | (01/07/2022 - ...) |
| 1105 | 1092 9031 44 | 1   | WSD SUPPORT PLATE | (01/07/2022 - ...) |
| 1110 | 1092 2073 20 | 1   | WSD15             | (01/07/2022 - ...) |
| 1115 | 0147 1962 72 | 2   | SCREW             | (01/07/2022 - ...) |
| 1125 | 0266 2108 00 | 2   | NUT               | (01/07/2022 - ...) |
| 1130 | 0301 2321 00 | 2   | PLAIN WASHER      | (01/07/2022 - ...) |
| 1135 | 0147 1247 03 | 2   | BOLT              | (01/07/2022 - ...) |
| 1140 | 0070 6002 03 | AR  | PLASTIC TUBE      | (01/07/2022 - ...) |
| 1145 | 0070 6002 03 | AR  | PLASTIC TUBE      | (01/07/2022 - ...) |

### Legend:

COOL:WATER - Cooling:Water cooled

IDRY:Y - Integrated dryer:Yes



## 26.1 - Controller 380V/50Hz

FREQ:50HZ + MOVOL:380V



| Ref  | Part Number  | Qty | Name                                | Validity           |
|------|--------------|-----|-------------------------------------|--------------------|
| 1015 | 1900 5200 13 | 1   | ELEKTRONIKON™ GRAPHIC<br>CONTROLLER | (03/11/2021 - ...) |


### Legend:

FREQ:50HZ - Frequency:50 Hz

MOVOL:380V - Supply voltage:380 V

## 26.2 - Controller (380V - 400V)/50Hz, (230V - 380V - 460V)/60Hz

FREQ:50HZ + (MOVOL:380V , MOVOL:400V) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)



## 26.2 - Controller (380V - 400V)/50Hz, (230V - 380V - 460V)/60Hz

FREQ:50HZ + (MOVOL:380V , MOVOL:400V) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)

Atlas Copco

| Ref  | Part Number  | Qty | Name                 | Validity           |
|------|--------------|-----|----------------------|--------------------|
| 1010 | 1900 5200 33 | 1   | IO2 EXPANSION MODULE | (26/05/2022 - ...) |
|      | 1622 5099 03 | 1   | ELEKTRONIKON CABLE   | (26/05/2022 - ...) |
|      | 1625 8100 03 | 1   | CABLE                | (26/05/2022 - ...) |

### Legend:

FREQ:50HZ - Frequency:50 Hz  
MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz  
MOVOL:400V - Supply voltage:400 V

MOVOL:230V - Supply voltage:230 V  
MOVOL:460V - Supply voltage:460 V





In order to be First in Mind—  
First in Choice® for all your quality  
compressed air needs, Atlas Copco  
delivers the products and services  
that help to increase your business'  
efficiency and profitability.

Atlas Copco's pursuit of innovation  
never ceases, driven by our need  
for reliability and efficiency. Always  
working with you, we are committed to  
providing you the customized quality  
air solution that is the driving force  
behind your business.